
Acknowledgement Of
Plans Submittal ONLY!
Date 5/14-04
Date 5/13/04



	CIRCUIT	AMP	AWG	CIRCUIT	AMP	AWG	
RANGE	1	40	8	2	30	10	DRYER
	3	40	8	4	30	10	
W/H	5	25	10	6	20	12	SMALL APPLIANCE
	7	25	10	8	20	12	SMALL APPLIANCE
WASHER	9	20	12	10	20	12	D/W
(AF) BEDROOM 1	11	20	12	12	20	12	GFI RECEPT's
(AF) BEDROOM 2	13	20	12	14	20	12	LIVING ROOM
GENERAL LIGHTING	15	20	12	16	20	12	DINING ROOM
(AF) BEDROOM 3	17	20	12	18	20	12	GENERAL LIGHTING
	19			20			
	21			22			
	23			24			

APPROVED BY
NTA INC. 03/29/04
Approval of this document does not authorize or approve any deviation or deviations from the requirements of applicable State Laws.
Kristen Cumberland

carolina building solutions
INNOVATIVE HOME-BUILDING SYSTEMS
www.cbsmods.com

ELECTRIC WIRING LAYOUT
BROOKVILLE II
BUILDER: HOUSTON CONSTRUCTION GROUP
RETAIL: SPEC
27'-6" x 42'-0"
SCALE: 3/16"=1'-0" | RANCH

SERIAL NO. 2013
PROP NO. 2749
WIND ZONE 100 (MPH)
DEL.ST. NC | CODE: IRC
DR.BY: J.W. /C.A. | DATE: 3/18/04

PLAN SPECS:
ROOF PITCH 6/12-8/12
ROOF CENTERS 24"o.c.
SIDE WALL HEIGHT 96"
EXTERIOR WALLS 24"o.c.
INTERIOR WALLS 24"o.c.

PLAN NOTES:
1.) SEE JOB ORDER FOR ALL SPECIFICATIONS
2.) EXACT LOCATIONS OF RECEPTACLES NOT SPECIFIED, ADDITIONAL RECEPTACLES MAY BE NEEDED TO MEET CODE REQUIREMENTS.