
Acknowledgement Of
Plans Submittal ONLY!
Date 5-1-08
Date

242769



BRAND	SERIES	REVISIONS	BY	DATE	GENERAL NOTES	DRAWING TITLE
OAKWOOD	CL28				CEILING HEIGHT = 96.00 REFER TO CLIMATE ZONE MAP-2.0 PSF APEX & 15 PSF @ VALS REFER TO CLIMATE ZONE MAP-4.2 PSF ELEC. PANEL & BRANCH CIRCUIT NUMBER FLOOR FRAMING SPACING = 16 TOTAL WINDOW SQFT +ENTRY TOTAL CALCULATED	MASTER PLAN
CMH						

RETURN AIR REQUIREMENTS
1. 26"x16" GRILL REQUIRED
2. 4"x16" GRILL W/ 3 1/2" DOOR UNDERCUT
3. DOORS MUST BE UNDERCUT 2 1/2" MIN.
4. 4"x24" OR 6"x16" GRILL REQUIRED

1. INDICATES REQUIRED NUMBER OF GRILLS IN ROOM
2. ALL W SPECIFIES THAT WOOD CAN BE NOTCHED IN STUDS IN CEILING

MODEL NAME | SQ. FT. 1706
PLANT 959 | DESCRIPTION 28X64 4BR-2BA | MODEL NO. SN242769
DRAWN BY DEB | ENGR. DATE | DATE DRAWN 04/02/2008 | SHEET NO. 1-1

APR. 14, 2008 5:08PM NO. 3012