
Date Issued 6/1/77 Serial No.0859 ICAR(S) Permit No. 12509

T C No. 051-281-76

Map Date

MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT
(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is hereby given to ✓ Install or Construct, Alter or Repair the individual septic tank wastewater treatment system with subsurface soil absorption, effluent discharge as specified hereon at the described location. This permit is granted based upon the information supplied in application 12509 dated and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 7-14-77, after which date this permit shall be null and void



PLOT OF SYSTEM

Permit for 5 BR

Liquid Capacity of Tank 1500 gal

Tank Construction Pre Cast

Absorption Area / Distribution Lines

Total Line Length 600 ft.

Number of Lines 4 34" stone

Distance from House 15'+

Distance from Property Line 15'+

Distance from Well 100'

NAME OF OWNER Mahan, John Vernon

LOCATION OF PROPERTY Ellisonville Road, Section 6, Lot 37

This system must be installed in accordance with the requirements as set forth in the Regulations of the Mecklenburg County Board of Commissioners and shall be effective on the date of the granting of this permit. A certificate of approval must be issued by the Environmental Health Section before any system can be covered up or otherwise rendered inspectable or can be used. **The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.**

Comments: 2 trenches pit

Division / Section Head

R. M. Thyrsted
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

EHD-S-76

Environmental Health Department's Copy