Serial No. 1982

Date Issued 14 Dec 72

ICAR(S) Permit No. 3393

T C No CC1-281-07

Map Date 12-20-71


MECKLENBURG COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

INSTALLATION, CONSTUCTION, ALTERATION, AND/OR REPAIR PERMIT

(Individual Septic Tank System with Subsurface, Soil Absorption, Effluent Discharge)

Permission is given to ✓ Install or Construct. Alter or Repair the individual septic tank wastewater treatment system with subsurface soil absorption effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in application 3393 dated 13 Dec 72 and this permit shall be void and of no effect if the information provided in the application is not true or is erroneous. All work shall be completed on or before 15 Sept 73, after which date this permit shall be null and void.



PLOT OF SYSTEM

Percolation Rate 46

Liquid Capacity of Tank 1000 gal

Tank Construction RC

Absorption and/or Nitrification Lines

Total Line Length 300'

Number of Lines 4

Distance from House 10'

Distance from Property Line 15'

Distance from Well 70'+

NAME OF OWNER Bonney Vicary Inc

LOCATION OF PROPERTY 15-439 Lake Rd. (Nick Rack)

This system shall meet all of the construction requirements as set forth in the Regulations of the Mecklenburg County Board of Health which are in effect on the date of the granting of this permit. A certificate of approval must be issued by the Health Director before any system can be covered up or otherwise rendered uninspectable or can be used.

Comments "4" construction Co. (Minneapolis)

Division or Section Head

Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Environmental Health Division in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

FORM NO. E-5-4-1-71

HEALTH DEPARTMENT'S COPY