
INSTALLATION, CONSTRUCTION, ALTERATION, AND/OR REPAIR PERMIT

MECKLENBURG COUNTY ENVIRONMENTAL HEALTH
1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 20927 DATE: 6-2-87
TC: 001-361-03 5/L
SERIAL № 10940

Permission is hereby given to ____ Install or Construct, ✓ Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in the application dated 4-14-87. All work shall be completed on or before 7-2-87, after which date this permit shall be null and void. The system shall meet all of the construction requirements of 10 NCAC 10A .1900 which are in effect on the date of the granting of this permit. A Certificate of Completion or an Operation Permit must be obtained from the Mecklenburg County Department of Environmental Health before any system can be covered up or placed into service. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.

Lake



PLOT OF SYSTEM

Liquid Capacity of Septic Tank 1,500 gallons
Liquid Capacity of Dosing Tank ____ gallons
Tank Construction PCC

Absorption and/or Nitrification Lines:
Trench Width 9 feet
Total Line Length 225 feet
Number of Lines 3
Depth of Stone 18 inches
Distance from House 5 feet
Distance from Property Line 10 feet
Distance from Well 100 feet

NAME OF OWNER Steve Dagel
LOCATION OF PROPERTY 16421 Campbell Rd
Comments: add 1 bed 9'x75'x18" stone & connect existing drain field to D-box

Division or Section Head

D.R. Ferguson
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.

WHITE - ENVIRONMENTAL HEALTH DEPARTMENT'S COPY ● CANARY - ENVIRONMENTALIST'S COPY ● PINK - OWNER OR AGENTS COPY