DIVISION OF ENVIRONMENTAL HEALTH
ON-SITE WASTEWATER SECTION

PROPERTY ID #: _____
COUNTY: _____


SOIL/SITE EVALUATION
for ON-SITE WASTEWATER SYSTEM

OWNER: LL + T APPLICANT: _____
ADDRESS: _____ APPLICATION DATE: _____ DATE EVALUATED: _____
PROPOSED FACILITY: _____ PROPOSED DESIGN FLOW (.1949): _____ PROPERTY SIZE: _____
LOCATION OF SITE: (E) ph 4 easement PROPERTY RECORDED: _____
WATER SUPPLY: ☐ Private ☐ Public ☐ Well ☐ Spring ☐ Other _____
EVALUATION METHOD: ☐ Auger Boring ☐ Pit ☐ Cut
TYPE OF WASTEWATER: ☐ Sewage ☐ Industrial Process ☐ Mixed

PROFILE #	.1940 LANDSCAPE POSITION/ SLOPE %	HORIZON DEPTH (IN.)	SOIL MORPHOLOGY (.1941) .1941 STRUCTURE/ TEXTURE	.1941 CONSISTENCE/ MINERALOGY	OTHER PROFILE FACTORS .1942 SOIL WETNESS/ COLOR	.1943 SOIL DEPTH	.1956 SAPRO CLASS	.1944 RESTR HORIZ	PROFILE CLASS & LTAR
1		0-16	BSL GR	FRI SS SP					PS
		16-48	RC MFSBK	FRI SS SP					3
2									
3									
4									

DESCRIPTION	INITIAL SYSTEM	REPAIR SYSTEM
Available Space (.1945)		
System Type(s)		
Site LTAR		

OTHER FACTORS (.1946): _____
SITE CLASSIFICATION (.1948): _____
EVALUATED BY: _____
OTHER(S) PRESENT: _____


Delta=98°57'38"
412A
472A
418A
459A
456A
454A
CENTERLINE
R=150.00
L=101.07
Tan=52.54
Delta=38°36'24"
6,518
POSED CONCRETE MOUMENT.
MENATE LOCATION TO BE
ABLISHED AT THE TIME OF
TTING.
416A
414A
456A
C.O.S.
19. sq.ft.
422A
423A
424A
442A
457A
458A
35' SETBACK
35,610 sq.ft.
440
36,847 sq.ft.
439
443A
CENTERLINE
R=175.00
L=352.07
Tan=276.12
Delta=115°16'06"
BALLSTON
BROWNSTONE DRIVE
20' PDSE
18" RCP
15" RCP
24" RCP
CENTERLINE
R=340.00
L=190.98
Tan=97.93
Delta=32°08'11"
41,892 sq.ft.
445
446
C.O.S.
8,555 sq.ft.
60,497 sq.ft.
447
52,

CONCRETE MOUNUMENT,
LOCATION TO BE
AT THE TIME OF
800
790
795
800
805
810
805
800
795
245'
162'
149'
132'
39'
74'
10' x 70' SITE
TRIANGLE (TYP.)
N34°50'20"E
374.84'
18+00
17+00
19+00
20+00
21+00
22+00
EOP
EOP
RW
RW
PC = 18+96.98
15" RCP
C
D
E
F
G
H
K
M