CHAPEL ROAD
WESC
533
532
531
530
529
36,133. sq. ft.
39,201 sq.ft
38. sq. ft
33,601 sq. ft.
8,932. sq. ft.
Easement
Gravel
Grass
CENTERLINE
R=425.00
L=405.53
Tan=219.69
Delta=54°40'15"
CENTERLINE
R=425.00
L=310.68
Tan=162.65
Delta=41°53'00"
35' SETBACK
30' Line of Sight
219'
206'
240'
118'
166'
200'
134'
50' R/W
28' BOC
22' BOC
10'
48'
70'
24'
66'
135'
99'
91'

DIVISION OF ENVIRONMENTAL HEALTH
ON-SITE WASTEWATER SECTION

PROPERTY ID #: _____
COUNTY: _____

SOIL/SITE EVALUATION
for ON-SITE WASTEWATER SYSTEM


OWNER: CRI APPLICANT: _____
ADDRESS: _____ APPLICATION DATE: _____ DATE EVALUATED: 5-18-99
PROPOSED FACILITY: _____ PROPOSED DESIGN FLOW (.1949): _____ PROPERTY SIZE: _____
LOCATION OF SITE: Lot 53 phase 5 The Pl PROPERTY RECORDED: _____
WATER SUPPLY: ☐ Private ☐ Public ☐ Well ☐ Spring ☐ Other _____
EVALUATION METHOD: ☐ Auger Boring ☐ Pit ☐ Cut
TYPE OF WASTEWATER: ☐ Sewage ☐ Industrial Process ☐ Mixed

need more pits maybe fill and w/ off site topsoil
5-27-99 Avoid AREA of pits 1 & 2

PROFILE #	.1940 LANDSCAPE POSITION/ SLOPE %	HORIZON DEPTH (IN.)	SOIL MORPHOLOGY (.1941) STRUCTURE/ TEXTURE	.1941 CONSISTENCE/ MINERALOGY	OTHER PROFILE FACTORS .1942 SOIL WETNESS/ COLOR	.1943 SOIL DEPTH	.1956 SAPRO CLASS	.1944 RESTR HORIZ	PROFILE CLASS & LTAR
1		0-19	SAB RC	fr SP	many manganese contgi				maybe P .2-.35 P - U
		19-53	M-SAB RBrn/ck fi SSSP						
			Lay bands other - for ch 2 matrix						
2	5-27-99	0-3	Q scL	fr					U
		3-34	mfsb RC	fi SP	comm y bands 21-34 few ch 2 matrix				
		34-49	mfsb RC	fi SP few y bands matrix	few ch 2 - mostly chi mayb drainage				
3		0-11	(dry) madium SL/scL						P5 .25-.3
		11-39	SAB RC	fr-fi SP					
		39-53	wk SAB RBrn scL/cL few manganese contgi		fm SSSP				
4		0-8	(compacted) mod RBrn scL						P5 -3
		8-28	mfsb RC	fi fr SSSP					
		28-60	mfsab yR cL	fr SSSP few mi drainage					

DESCRIPTION	INITIAL SYSTEM	REPAIR SYSTEM
Available Space (.1945)		
System Type(s)		
Site LTAR		

OTHER FACTORS (.1946): _____
SITE CLASSIFICATION (.1948): _____
EVALUATED BY: _____
OTHER(S) PRESENT: _____


SEPTIC FIELD EASEMENT
530A
34,412. sq. ft.
557
SEPTIC FIELD EASEMENT
520A
33,861. sq. ft.
556
SEPTIC FIELD EASEMENT
522A
SEPTIC FIELD EASEMENT
531A
CENTERLINE
R=200.00
L=137.45
Tan=71.58
Delta=39°22'37"
35' SETBACK
35' SETBACK
555
36,200.
563
45,604. sq. ft.
562
52,905. sq ft
JEREMY
90'
54'
84'
125'
124'
150'
150'
76'
177'
141'
102'
234'
137'
137'
107'
84'
172'
117'
124'
52'
100'
67'
37'
37'
107'
296'
R=50'
R=42'
N61°30'07"E
212.74'

N-SITE WASTEWATER SECTION

PROPERTY ID #: _____
COUNTY: _____

SOIL/SITE EVALUATION
for ON-SITE WASTEWATER SYSTEM

OWNER: CPI APPLICANT: _____
ADDRESS: _____ APPLICATION DATE: _____ DATE EVALUATED: 5-23-99
PROPOSED FACILITY: _____ PROPOSED DESIGN FLOW (.1949): _____ PROPERTY SIZE: _____
LOCATION OF SITE: Lot 557 Phase 5 Holt PROPERTY RECORDED: _____
WATER SUPPLY: ☐ Private ☐ Public ☐ Well ☐ Spring ☐ Other _____
EVALUATION METHOD: ☐ Auger Boring ☐ Pit ☐ Cut
TYPE OF WASTEWATER: ☐ Sewage ☐ Industrial Process ☐ Mixed

PROFILE	.1940 LANDSCAPE POSITION/ SLOPE %	HORIZON DEPTH (IN.)	SOIL MORPHOLOGY (.1941) .1941 STRUCTURE/ TEXTURE	.1941 CONSISTENCE/ MINERALOGY	OTHER PROFILE FACTORS .1942 SOIL WETNESS/ COLOR	.1943 SOIL DEPTH	.1956 SAPRO CLASS	.1944 RESTR HORIZ	PROFILE CLASS & LTAR
	#20 TC3	0-41	mod blk	common mi, sp fri sp					PS .3
		41-48	brn sl cl	fri sp					
	6-4-99	0-7							PS .25-.3
		7-22	sbk fr	fri sp					
		22-58	wk sbk fr	fri sp					
	6-18-99	011	gr brn sl	fr					PS .25
		11-36	sbk fr	fri sp					
		38-58	wk sbk fr sl						
		0-12	gr brn sl	fr					PS .25-.3
		12-31	sbk fr	fri sp					
		31-53	wk sbk fr sl	fri sp					

DESCRIPTION	INITIAL SYSTEM	REPAIR SYSTEM
Available Space (.1945)		
System Type(s)		
Acre LTAR		

OTHER FACTORS (.1946): _____
SITE CLASSIFICATION (.1948): _____
EVALUATED BY: _____
OTHER(S) PRESENT: _____