


A BEAM POCKET DETAIL
SCALE 1" = 1'-0"

B BEAM POCKET DETAIL
SCALE 1" = 1'-0"



C BEAM BEARING
SCALE 1" = 1'-0"

DOOR SCHEDULE

#	SIZE	DESCRIPTION
1	2-3" x 8"	FRENCH DOORS W/ TRANSOM (SEE ELEV)
2	2' x 8"	SOLID PANEL DOOR
3	2'-6" x 8"	SOLID PANEL DOOR
4	2'-0" x 8"	SOLID PANEL DOOR
5	2'-2" x 8"	SOLID PANEL DOORS
6	2'-0" x 8"	FRENCH DOOR
7	3'-0" x 8"	CASED OPENING
8	6'-0" x 8"	CASED OPENING
9	12" x 8"	CASED OPENING
10	8'-0" x 8"	CASED OPENING
11	3'-6" x 8"	SOLID PANEL DOOR
12	3'-0" x 8"	20 MINUTE FIRE DOOR
13	14'-0" x 8"	CASED OPENING
14	2'-0" x 8"	HALF GLASS DOOR
15	2'-6" x 6'-8"	SOLID PANEL DOOR
16	2'-8" x 6'-8"	SOLID PANEL DOOR
17	2'-8" x 6'-8"	SOLID PANEL DOOR
18	2'-8" x 6'-8"	SOLID PANEL DOOR
19	2'-2" x 6'-8"	SOLID PANEL DOORS
20	3'-0" x 6'-8"	SOLID PANEL DOOR
21	2'-0" x 6'-8"	SOLID PANEL POCKET DOOR
22	4'-0" x 8'-0"	CASED OPENING
23	2'-3" x 8'-0"	FRENCH DOORS
24	2'-3" x 8'-0"	FRENCH DOORS W/ 10" TRANSOM
25	2'-3" x 8'-0"	FRENCH DOORS
26	2'-0"	TEMPERED GLASS
27	5'-0" x 8'-0"	CASED OPENING
28	2'-8" x 8'-0"	SOLID PANEL DOOR

WINDOW SCHEDULE

#	SIZE	DESCRIPTION
A	2'-0" x 6'-0"	CASEMENT
B	2'-0" x 6'-0"	ARCHED TOP CASEMENT
C	2'-2" x 6'-0"	CASEMENT
D	2'-2" x 6'-0"	CASEMENT WITH 36" ARCHED TRANSOM
E	2'-0" x 2'-0"	FULL ROUND
F	5'-0" x 4'-0"	ARCHED TOP FIXED (TEMPERED)
G	2'-0" x 6'-0"	CASEMENT
H	3'-0" x 6'-0"	CASEMENT
I	2'-3" x 6'-0"	ARCHED TOP CASEMENT (SEE ELEV)
J	5'-0" x 3'-0"	12" HALF ARCHED TOP FIXED (SEE ELEV)
K	2'-0" x 6'-0"	CASEMENT
L	2'-0" x 4'-0"	CASEMENT (TEMPERED)
M	2'-0" x 4'-0"	CASEMENT
N	5'-0" x 5'-0"	CASEMENT
O	2'-0" x 5'-0"	CASEMENT
P	2'-0" x 5'-0"	CASEMENT
Q	2'-2" x 5'-0"	CASEMENT W/ EGRESS HARDWARE
R	4'-2" x 4'-0"	CASEMENT
S	5'-0" x 6'-0"	CASEMENT MIRR. TRANSOM (TEMPERED)
T	2'-0" x 4'-0"	CASEMENT
U	2'-0" x 4'-0"	CASEMENT (TEMP.) W/ 15" TRANSOM

Square Footage
7/28/03 JDM

Main Level Heated	2,532 Sq.Ft.
Upper Level Heated	1,525 Sq.Ft.
Total Heated	4,057 Sq.Ft.
Basement	2,130 Sq.Ft.
Covered Entry	33 Sq.Ft.
Covered Terrace	319 Sq.Ft.
Three Car Garage	894 Sq.Ft.
Covered Walkway	101 Sq.Ft.
Basement Storage	421 Sq.Ft.
Total Under Roof	7,885 Sq.Ft.

TYPICAL NOTES:

**TYPICAL BASEMENT SLAB TO BE 4" THICK CONCRETE W/ 6x6, 10x10 WELDED WIRE MESH OR FIBER MESH OVER VAPOR BARRIER OVER 4" COMPACTED GRAVEL BASE

**FOUNDATION WALL TO BE 10" THICK POURED CONCRETE-SEE DETAIL SHEETS FOR DETAILS ON REINFORCEMENT, ETC.

**TYPICAL FOOTING TO BE 24"x12" THICK, WITH 2-#4 BARS CONTINUOUS

**SLAB INSULATION TO BE R-5 MINIMUM 24" AT PERIMETER OF FOUNDATION WALL

**TERMITE CONTROL SHALL BE BY CHEMICAL SOIL TREATMENT OR OTHER METHODS APPROVED BY THE NORTH CAROLINA DEPARTMENT OF AGRICULTURE

**ALL EXTERIOR STUDS TO BE 2x6 @ 16" O.C. INTERIOR WALLS TO BE 2x4 @ 12" O.C. UNLESS BEARING. BEARING WALL TO BE 2x6 @ 16" O.C.

**STUB IN PLUMBING FOR ANY FUTURE PLUMBING FIXTURES

■ INDICATES BLOCKING FOR ABOVE CONCENTRATED LOADS AND ROOF BRACING POINT LOADS U.N.O.

NOTE: ALL ANGLED WALLS ARE AT 45° U.N.O.

CAROLINA DESIGN GROUP
a residential design firm
10602 Bailey Road Suite A, Cornelius NC 28031
voice: 704.895.7805 fax: 704.895.0599
www.carolinadesigngroup.com

RESIDENCE FOR
Custom Homes
A NEW RESIDENCE FOR
Dibble
Lot 453 Brownstone Drive
The Point

SEAL
NORTH CAROLINA PROFESSIONAL SEAL 1718 ENGINEER JEREMY VERNON
7/27/03


DRAWN BY:	DATE:
JEREMY MOORE	JULY 28, 2003

DRAWING TITLE:
LOWER LEVEL FLOOR PLAN

SCALE: 1/4" = 1'-0"

SHEET NO.
3
OF 15 SHEETS

© Copyright, Carolina Design Group, Inc. - 2003



DOOR SCHEDULE

	SIZE	DESCRIPTION
1	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
2	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
3	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
4	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
5	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
6	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
7	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
8	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
9	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
10	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
11	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
12	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
13	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
14	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
15	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
16	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
17	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
18	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
19	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
20	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
21	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
22	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
23	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
24	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS
25	2'-8" x 6'-8"	6 PANEL FRENCH DOOR W/ SIDE GLASS

WINDOW SCHEDULE

	SIZE	DESCRIPTION
A	2'-8" x 6'-8"	CASEMENT
B	2'-8" x 6'-8"	ARCHED TOP CASEMENT
C	2'-2" x 6'-8"	CASEMENT
D	2'-2" x 6'-8"	CASEMENT WITH 36" ARCHED TRANSOM
E	2'-8" x 2'-8"	FULL ROUND
F	5'-8" x 4'-8"	ARCHED TOP FIXED (TEMPERED)
G	2'-8" x 6'-8"	CASEMENT
H	5'-8" x 6'-8"	CASEMENT
I	2'-9" x 6'-8"	ARCHED TOP CASEMENT (SIDE ELEV.)
J	3'-8" x 5'-8"	12" HALF ARCHED TOP FIXED (SIDE ELEV.)
K	2'-8" x 6'-8"	CASEMENT
L	2'-8" x 4'-8"	CASEMENT (TEMPERED)
M	2'-8" x 4'-8"	CASEMENT
N	3'-8" x 5'-8"	CASEMENT
O	2'-8" x 5'-8"	CASEMENT
P	2'-8" x 5'-8"	CASEMENT
Q	2'-2" x 5'-8"	CASEMENT W/ EGRESS HARDWARE
R	4'-2" x 4'-8"	CASEMENT
S	5'-8" x 6'-8"	CASEMENT W/ 6" TRANSOM (TEMPERED)
T	2'-8" x 4'-8"	CASEMENT
U	2'-8" x 4'-8"	CASEMENT (TEMP.) W/ 16" TRANSOM

Square Footage
7/28/03 JDM

Main Level Heated	2,532 Sq.Ft.
Upper Level Heated	1,525 Sq.Ft.
Total Heated	4,057 Sq.Ft.
Basement	2,130 Sq.Ft.
Covered Entry	33 Sq.Ft.
Covered Terrace	319 Sq.Ft.
Three Car Garage	824 Sq.Ft.
Covered Walkway	101 Sq.Ft.
Basement Storage	421 Sq.Ft.
Total Under Roof	7,885 Sq.Ft.

NOTE: ALL ANGLED WALLS ARE AT 45°

* INDICATES BLOCKINGS FOR ABOVE CONCENTRATED LOADS AND ROOF BRACING POINT LOADS U.N.O.

CAROLINA DESIGN GROUP
a residential design firm
10602 Bailey Road Suite A, Cornelius NC 28031
voice: 704.895.7805 fax: 704.895.0599
www.carolinadesigngroup.com

A NEW RESIDENCE FOR
Dibble Custom Homes
Lot 453 Brownstone Drive
The Point

SEAL


DRAWN BY: JEREMY MOORE
DATE: JULY 28, 2003

DRAWING TITLE:
MAIN LEVEL FLOOR PLAN

SCALE: 1/4" = 1'-0"

SHEET NO.
5
OF 15 SHEETS

© Copyright, Carolina Design Group, Inc. - 2003



DOOR SCHEDULE

	SIZE	DESCRIPTION
1	2'-8" x 6'-8"	SOLID PANEL DOOR
2	2'-6" x 6'-8"	SOLID PANEL DOOR
3	VARIES	CASED OPENING TO MATCH ADJACENT WALL
4	VARIES	CASED OPENING TO MATCH ADJACENT WALL
5	2'-8" x 6'-8"	SOLID PANEL DOOR
6	2'-6" x 6'-8"	SOLID PANEL DOOR
7	2'-8" x 6'-8"	FRENCH DOOR
8	5'-0" x 6'-8"	CASED OPENING
9	2'-8" x 6'-8"	SOLID PANEL DOOR
10	2'-8" x 6'-8"	SOLID PANEL DOOR
11	5'-0" x 6'-8"	CASED OPENING
12	2'-8" x 6'-8"	SOLID PANEL DOOR
13	3'-0" x 6'-8"	20 MINUTE FIRE DOOR
14	14'-0" x 8'-0"	CASED OPENING
15	2'-8" x 6'-8"	HALF GLASS DOOR
16	2'-8" x 6'-8"	SOLID PANEL DOOR
17	2'-8" x 6'-8"	SOLID PANEL DOOR
18	2'-8" x 6'-8"	SOLID PANEL DOOR
19	2'-0" x 6'-8"	SOLID PANEL DOORS
20	2'-8" x 6'-8"	SOLID PANEL DOOR
21	2'-8" x 6'-8"	SOLID PANEL POCKET DOOR
22	4'-0" x 8'-0"	CASED OPENING
23	2'-0" x 6'-8"	FRENCH DOORS
24	2'-0" x 6'-8"	FRENCH DOORS W/ 16" TRANSOM
25	2'-0" x 6'-8"	FRENCH DOORS
26	2'-8"	TEMPERED GLASS
27	5'-0" x 8'-0"	CASED OPENING
28	2'-8" x 6'-8"	SOLID PANEL DOOR

WINDOW SCHEDULE

	SIZE	DESCRIPTION
A	2'-8" x 6'-0"	CASEMENT
B	2'-8" x 6'-0"	ARCHED TOP CASEMENT
C	2'-2" x 6'-0"	CASEMENT
D	2'-2" x 6'-0"	CASEMENT WITH 36" ARCHED TRANSOM
E	2'-8" x 2'-8"	FULL ROUND
F	5'-0" x 4'-0"	ARCHED TOP FIXED (TEMPERED)
G	2'-8" x 6'-0"	CASEMENT
H	3'-0" x 6'-0"	CASEMENT
I	2'-8" x 6'-0"	ARCHED TOP CASEMENT (SEE ELEV)
J	8'-0" x 3'-8"	12" HALF ARCHED TOP FIXED (SEE ELEV)
K	2'-8" x 6'-0"	CASEMENT
L	2'-8" x 4'-0"	CASEMENT (TEMPERED)
M	2'-8" x 4'-0"	CASEMENT
N	3'-0" x 5'-0"	CASEMENT
O	2'-8" x 5'-0"	CASEMENT
P	2'-8" x 5'-0"	CASEMENT
Q	2'-2" x 5'-0"	CASEMENT W/ EGRESS HARDWARE
R	4'-2" x 4'-0"	CASEMENT
S	8'-0" x 6'-0"	CASEMENT W/40" TRANSOM (TEMPERED)
T	2'-8" x 4'-0"	CASEMENT
U	2'-8" x 4'-0"	CASEMENT (TEMP) W/ 16" TRANSOM

Square Footage
7/29/03 JDM

Main Level Heated	2,532 Sq.Ft.
Upper Level Heated	1,525 Sq.Ft.
Total Heated	4,057 Sq.Ft.
Basement	2,130 Sq.Ft.
Covered Entry	38 Sq.Ft.
Covered Terrace	319 Sq.Ft.
Three Car Garage	824 Sq.Ft.
Covered Walkway	101 Sq.Ft.
Basement Storage	421 Sq.Ft.
Total Under Roof	7,885 Sq.Ft.

NOTE: ALL ANGLED WALLS ARE AT 45°

■ INDICATES BLOCKING FOR ABOVE CONCENTRATED LOADS AND ROOF BRACING POINT LOADS U.N.O.

CAROLINA DESIGN GROUP
a residential design firm
10603 Bailey Road Suite A, Cornelius NC 28031
voice: 704.895.7805 fax: 704.895.0599
www.carolinadesigngroup.com

A NEW RESIDENCE FOR
Dibble Custom Homes
Lot 453 Brownstone Drive
The Point

SEAL

7/29/03

DRAWN BY: JEREMY MOORE
DATE: JULY 29, 2003

DRAWING TITLE:
UPPER LEVEL FLOOR PLAN

SCALE: 1/4" = 1'-0"

SHEET NO:
7
OF 15 SHEETS

© Copyright, Carolina Design Group, Inc. - 2003