ment of Environment and Natural Resources

Division of Environmental Health

COMMENT ADDENDUM

Name: KENTUCKY FRIED CHICKEN #1A

ID: 2049010908

Street: 429 E PLAZA DR

City: MOORESVILLE

Time In: 0 2 : 2 9 ☐am ☐pm

Time Out: : ☐am ☐pm

Total Time:

Smoking Establishment? ☐Yes ☐No

Heart Health Survey ☐Yes ☐No

Spell ✓

42 GENERAL COMMENT: when cabinet bottoms beneath self service drink machine are removed for cleaning, make sure that a suitable air gap is maintained between the drain pipes from the drink machine, and ice machine, and the floor sink drain to prevent bacteria from moving up the pipe or any back-flow potential.

GC ServSafe Tyler Huie 12/12/08 (issue date)

ment of Environment and Natural Resources

Division of Environmental Health

COMMENT ADDENDUM

Name: KENTUCKY FRIED CHICKEN #17

ID: 2049010908

Street: 429 E PLAZA DR

City: MOORESVILLE

Time In: 02 : 29 ☐am ☐pm

Time Out: : ☐am ☐pm

Total Time:

Smoking Establishment? ☐Yes ☐No

Heart Health Survey ☐Yes ☐No

Spell ✓

42 GENERAL COMMENT: when cabinet bottoms beneath self service drink machine are removed for cleaning, make sure that a suitable air gap is maintained between the drain pipes from the drink machine, and ice machine, and the floor sink drain to prevent bacteria from moving up the pipe or any back-flow potential.

GC ServSafe Tyler Huie 12/12/08 (issue date)