WINDOW SCHEDULE

Created at 3:50 PM 2/10/2004

MARK	SIZE	ROUGH OPENING	TYPE	QTY	REMARKS	PROVIDED BY
A	2-0 x 4-6	2-2 x 4-8 5/8	DH	4	Wood Single	Southland
B	3-0 x 4-6	3-2 x 4-8 5/8	DH	5	Wood Single	Southland

FIRST FLOOR	1570 Sq. Ft.
SECOND FLOOR	834 Sq. Ft.
TOTAL HEATED	2404 Sq. Ft.
UNHEATED AREAS	
PORCH(ES)	350 Sq. Ft.
STORAGE	284 Sq. Ft.
TOTAL UNHEATED	634 Sq. Ft.
TOTAL UNDER ROOF	3038 Sq. Ft.

FLOOR/FLOOR HEIGHT = 8'-5 3/4"
14 RISERS @ +- 7 5/16"
13 TREADS @ 10" MIN.

STOCKADE
SUNDRY ITEMS ARE INCLUDED IN YOUR LOG HOME PACKAGE

STEPS TO GRADE BY OTHERS

DECK BY OTHERS

DINING ROOM

GREAT ROOM
(CATHEDRAL CEILING ABOVE)

KITCHEN

MASTER BEDROOM

BEDROOM #2

BATH

FOYER

WALK-IN CLOSET

STORAGE

CUSTOM TUB BY OTHERS

CUSTOM SHOWER

MASTER BATH

WALK-IN CLOSET

FRONT PORCH

STEPS TO GRADE BY OTHERS

SLOPED CEILING

3 1/8" x 12" GLULAM BEAM ABOVE

POINT LOAD FROM ABOVE

EDGE OF LOFT ABOVE

(2) 6x8 LOG GIRDER ABOVE

(3) 6x8 LOG GIRDER ABOVE

5 1/8" x 12" GLULAM BEAM ABOVE

TIMBER RACK BY HOMEOWNER

DW

LAUNDRY

FIRST FLOOR PLAN

1/4" = 1'-0"

- TOILET (BY OTHERS)
- BIDET (BY OTHERS)
- CEILING FAN (BY OTHERS)
- JUNCTION BOX (BY OTHERS)
- LIGHT (BY OTHERS)
- VENT FAN/LIGHT (BY OTHERS)
- SMOKE DETECTOR (BY OTHERS)
- SWITCH (BY OTHERS)
- 220v OUTLET (BY OTHERS)
- 110v OUTLET (BY OTHERS)
- WP WATERPROOF (BY OTHERS)
- GFCI GROUND FAULT (BY OTHERS)

GENERAL FLOOR PLAN NOTES

1.) UNLESS NOTED OTHERWISE, ALL INTE... WALLS ARE NON-LOAD BEARING. FLO... DESIGN BASED ON SELF-SUPPORTING... ROOF LOADS TO BE CARRIED ON EXTE... INTERIOR SUPPORT BEAMS.


2.) FLOOR LOADS ARE BASED ON A MINIM... 30 PSF, LR = 360 IN SLEEPING AREAS... 40 PSF, LR = 360 IN LIVING AREAS... PER 2003 IRC/ CABO ONE & TWO FAMI...

3.) UNLESS OTHERWISE NOTED, ROOF LIVE... DESIGNED FOR 15 PSF DEAD LOAD. ALL... ROOF LOADS TO BE DETERMINED BY LO... BUILDING CODES.

4.) SMOKE DETECTORS SHALL RECEIVE PR... POWER FROM BUILDING ELECTRICAL SY... AND SHALL BE EQUIPPED WITH BATTER... DETECTORS SHALL EMIT LOW BATTERY...

GENERAL CONTRACTOR NOTES

C	3-0 x 3-10	3-2 x 4-1 5/8	Arch	2	Wood Single		Southland
D	Varies	Owner to Verify	Fixed	1	Wood Single		Southland
E	Varies	Owner to Verify	Fixed	1	Wood Trapezoid Tempered Left Hand		Owner
	Varies	Owner to Verify	Fixed	1	Wood Trapezoid Tempered Right Hand		Owner



SECOND FLOOR PLAN

1/4" = 1'-0"

BIDET (BY OTHERS)

CEILING FAN W/ LIGHT (BY OTHERS)

JUNCTION BOX (BY OTHERS)

LIGHT (BY OTHERS)

VENT FAN W/ LIGHT (BY OTHERS)

SMOKE DETECTOR (BY OTHERS)

SWITCH (BY OTHERS)

220v OUTLET (BY OTHERS)

110v OUTLET (BY OTHERS)

WP WATERPROOF OUTLET (BY OTHERS)

GFCI GROUND FAULT OUTLET (BY OTHERS)

GENERAL FLOOR PLAN NOTES:

1.) UNLESS NOTED OTHERWISE, ALL INTERIOR STUD WALLS ARE NON-LOAD BEARING. FLOOR SYSTEM DESIGN BASED ON SELF SUPPORTING ROOF. ROOF LOADS TO BE CARRIED ON LOG WALLS OR INTERIOR SUPPORT BEAMS

2.) FLOOR LOADS ARE BASED ON A LIVE LOAD OF: 30 PSF, LR = 340 IN SLEEPING AREAS 40 PSF, LR = 350 IN LIVING AREAS PER 2009 IRC/ CABO ONE & TWO FAMILY CODE.

3.) UNLESS OTHERWISE NOTED, ROOF LOADS ARE DESIGNED FOR 15 PSF DEAD LOAD. ALL OTHER ROOF LOADS TO BE DETERMINED BY LOCAL BUILDING CODES

4.) SMOKE DETECTORS SHALL RECEIVE PRIMARY POWER FROM BUILDING ELECTRICAL SYSTEM AND SHALL BE EQUIPPED WITH BATTERY BACKUP. DETECTORS SHALL EMIT LOW BATTERY SIGNAL.

GENERAL CONTRACTOR NOTES:

1.) CONTRACTOR TO VERIFY ALL DIMENSIONS BEFORE BEGINNING CONSTRUCTION.

REV. #

COUNT

DELIVERY

MODEL:

LOG STYL

LOG PROF

SCALE:

DESIGNED

CHECKED

PLAN DAT

CUSTOM