


Acknowledgement Of Plans Submittal ONLY!

Date 5/18/15

Date 5/18/15

18

HEADER NOTES - BASEMENT:

1. ALL EXTERIOR BEARING OR BASEMENT WALL HDR 2-2" X 10" NO. 2 SOUTHERN YELLOW PINE OR APPROVED EQUAL UNLESS OTHERWISE NOTED ON PLAN OR DETAILS.
2. ALL INTERIOR NON-LOAD-BEARING PARTITION WALL HDR 2-2" X 6" NO. 2 SOUTHERN YELLOW PINE OR APPROVED EQUAL UNLESS OTHERWISE NOTED ON PLAN OR DETAILS.
3. ALL EXTERIOR WALL HDR SHALL BE BOLTED WITH 1/2" ANCHOR BOLTS @ 6'-0" O.C. STAGGERED, 12" FROM EACH END.
4. ALL PROVIDED REINFORCED STEEL TO BE #5 GRADE 60.

BEARING WALLS SYMBOL =

WALL HEIGHT (N)	STUD SIZE / SPACING
UP TO 9'-0"	2"X4" @ 16" O.C.
9'-1" TO 10'-0"	2"X6" @ 16" O.C.

GENERAL NOTES:

A. CONTRACTOR TO OBSERVE ALL DIMENSIONS, PLANS, AND DETAILS AND NOTIFY DESIGNER OF ANY DISCREPANCIES BEFORE PROCEEDING. DO NOT SCALE DRAWINGS. DIMENSIONS ARE NOT ALWAYS DRAWN TO SCALE. USE DIMENSIONS GIVEN OR OBTAIN ANY ADDITIONAL DIMENSIONS REQUIRED FROM DESIGNER.

B. DO NOT SUBSTITUTE MATERIALS OR PRODUCTS SPECIFIED FOR STRUCTURAL, MECHANICAL, ELECTRICAL AND OTHER CONSERVATION FEATURES WITHOUT PRIOR APPROVAL FROM DESIGNER. SUBSTITUTIONS MAY REQUIRE REVISIONS TO OTHER MATERIALS AND SYSTEMS AND MAY VOID ENERGY CODE COMPLIANCE.

C. ALL WORK SHALL CONFORM TO THE 2012 NORTH CAROLINA RESIDENTIAL CODE AND ALL OTHER APPLICABLE LOCAL CODES AND ORDINANCES.

D. FLOOR TO CEILING HEIGHT FOR FIRST FLOOR = 10'-0". FLOOR TO CEILING HEIGHT FOR BASEMENT = 10'-0".

E. ALL DIMENSIONS TO BE TO FOUNDATION WALL AND OTHER CONSTRUCTION AS NOTED. ALL DIMENSIONS ARE TO FACE OF STUD UNLESS NOTED OTHERWISE.

F. ALL FLOOR JOISTS, BEAMS, AND HEADERS SHALL BE INSPECTED AND INSTALLED PER APPROVED PLANS. NOTIFY DESIGNER IMMEDIATELY IF ANY DISCREPANCIES ARE FOUND.

G. ANY CUTTING OR NOTCHING OF STRUCTURAL MEMBERS NOT SPECIFICALLY DETAILED ON PLANS MUST BE APPROVED BY DESIGNER OR ENGINEER BEFORE PROCEEDING.

H. ALL EXTERIOR WALLS IN BASEMENT TO BE 2"X 6" (5 1/2") @ 16" O.C. WITH R-19 BATT INSULATION UNLESS NOTED OTHERWISE. ALL INTERIOR WALLS IN BASEMENT TO BE 2"X 4" (3 1/2") @ 16" O.C. WITH R-13 BATT INSULATION UNLESS NOTED OTHERWISE.

I. ALL BEARING WALLS IN BASEMENT TO BE 2"X 6" (5 1/2") @ 16" O.C. WITH R-19 BATT INSULATION UNLESS NOTED OTHERWISE.

J. ALL EXTERIOR WALLS TO BE 2"X 6" (5 1/2") @ 16" O.C. WITH R-19 BATT INSULATION UNLESS NOTED OTHERWISE.

K. ALL INTERIOR WALLS TO BE 2"X 4" (3 1/2") @ 16" O.C. WITH R-13 BATT INSULATION UNLESS NOTED OTHERWISE.

L. ALL BEARING WALLS TO BE 2"X 6" (5 1/2") @ 16" O.C. WITH R-19 BATT INSULATION UNLESS NOTED OTHERWISE.

M. ALL EXTERIOR WALLS TO BE 2"X 6" (5 1/2") @ 16" O.C. WITH R-19 BATT INSULATION UNLESS NOTED OTHERWISE.

N. ALL INTERIOR WALLS TO BE 2"X 4" (3 1/2") @ 16" O.C. WITH R-13 BATT INSULATION UNLESS NOTED OTHERWISE.

O. ALL BEARING WALLS TO BE 2"X 6" (5 1/2") @ 16" O.C. WITH R-19 BATT INSULATION UNLESS NOTED OTHERWISE.

P. ALL EXTERIOR WALLS TO BE 2"X 6" (5 1/2") @ 16" O.C. WITH R-19 BATT INSULATION UNLESS NOTED OTHERWISE.

Q. ALL INTERIOR WALLS TO BE 2"X 4" (3 1/2") @ 16" O.C. WITH R-13 BATT INSULATION UNLESS NOTED OTHERWISE.

R. ALL BEARING WALLS TO BE 2"X 6" (5 1/2") @ 16" O.C. WITH R-19 BATT INSULATION UNLESS NOTED OTHERWISE.

S. ALL EXTERIOR WALLS TO BE 2"X 6" (5 1/2") @ 16" O.C. WITH R-19 BATT INSULATION UNLESS NOTED OTHERWISE.

T. ALL INTERIOR WALLS TO BE 2"X 4" (3 1/2") @ 16" O.C. WITH R-13 BATT INSULATION UNLESS NOTED OTHERWISE.

U. ALL BEARING WALLS TO BE 2"X 6" (5 1/2") @ 16" O.C. WITH R-19 BATT INSULATION UNLESS NOTED OTHERWISE.

V. ALL EXTERIOR WALLS TO BE 2"X 6" (5 1/2") @ 16" O.C. WITH R-19 BATT INSULATION UNLESS NOTED OTHERWISE.

W. ALL INTERIOR WALLS TO BE 2"X 4" (3 1/2") @ 16" O.C. WITH R-13 BATT INSULATION UNLESS NOTED OTHERWISE.

X. ALL BEARING WALLS TO BE 2"X 6" (5 1/2") @ 16" O.C. WITH R-19 BATT INSULATION UNLESS NOTED OTHERWISE.

Y. ALL EXTERIOR WALLS TO BE 2"X 6" (5 1/2") @ 16" O.C. WITH R-19 BATT INSULATION UNLESS NOTED OTHERWISE.

Z. ALL INTERIOR WALLS TO BE 2"X 4" (3 1/2") @ 16" O.C. WITH R-13 BATT INSULATION UNLESS NOTED OTHERWISE.

NOTE:
SEE SHEET N1 FOR GENERAL NOTES.

BASEMENT PLAN

SCALE: 1/4" = 1'-0"

1/8

DATE: 9.17.14
REVISIONS: ###

SHEET TITLE
BASEMENT PLAN

DRAWN BY:
JR


JASPER BUILDERS

MR. & MRS. DEVANEY

MOORESVILLE, NC

CENTURY DESIGNS, INC.
Residential Design & Drafting Services
13420 Reese Blvd. West
Huntersville, North Carolina 28078
phone: 704.948.7078 email: jason@centurydesignsinc.com

John L. Plummer Jr., P.E.
Structural Engineer
Post Office Box 307
Huntersville, North Carolina 28070
phone: 704.948.0766 fax 704.948.9676



FIRST FLOOR ELECTRICAL PLAN

Acknowledgement Of Plans Submittal ONLY!

Date 5/18/15

Date 5/18/15

CENTURY DESIGNS, INC.
Residential Design & Drafting Services
13420 Reese Blvd. West
Huntersville, North Carolina 28078
phone: 704.948.7078
email: jason@centurydesignsinc.com

JASPER BUILDERS

MR. & MRS. DEVANEY

MOORESVILLE, NC

DATE: 5.17.15 | REVISIONS: # # #

SHEET TITLE: ELECTRICAL PLAN

DRAWN BY: JR

E2/2

SCALE: 1/4" = 1'-0"