IREDELL COUNTY HEALTH DEPARTMENT

STATESVILLE 704-878-5305 MOORESVILLE 704-664-5281

IMPROVEMENT PERMIT / AUTHORIZATION TO CONSTRUCT / OPERATION PERMIT / EXISTING SYSTEM INSPECTION

375

PERMIT# 13286 PIN# ~~4626.07 1828.487~~ 4626-19-4095 DATE Sept 21, 05

OWNER OR CONTRACTOR The FARMS, LLC / J.S. Testa PHONE: Business _____ Home _____

ADDRESS 2214 Brawley School Rd, Mooresville, N.C. 28117

LOCATION Brawley School Rd. TR McKendree TR BARE Foot Ln. TR EAST Cold Hollow Farms DR. 4th lot on left

SUBDIVISION The FARMS BLOCK / SECTION 4 LOT 487 LOT AREA .778 ac SITE CLASS PS DESIGN FLOW 480gpd L.T.A.R. .025

Septic Tank: ~~1000~~ 1500 Gallons; STB 338 Date 2/28/07

Pump Tank: 1000 Gallons; PT 27 Date 2/21/07

Pump Make: Goulds Model ~~VLS 512 9HP~~ Serial No. 320 AWS

Nitrification Field: No Fields ____ Square Feet ~~440~~ Linear Feet ~~480~~

No Lines ~~4~~ 4 Trench Width 36" Max Trench Bottom Depth 36" Gravel Depth NA

☒ New System ☐ Repair System Type: I, II, III, (IV), V, VI

System Description: LPPPBPS

Repair System Description: LPPPBPS

Maintenance Agreement Required: ☒ Yes ☐ No

☒ House/Mod. Home No. Bedrooms 4

☐ Mobile Home No. Bathrooms ____

☐ Business No. Employees ____

☐ Other _____

☐ Slab ☒ Crawl Space ☐ Basement w/plumbing ☐ Basement wo/plumbing

Water Supply: ☐ Individual ☒ Public ☒ Community

Comments:/Conditions:

Original site evaluation and system design performed by Paul Pennington and Kathleen Haven of S&ME

Comments:/Conditions:

See separate approvals for deck & pool

INITIAL SITE SKETCH

SEE Plan from S&ME

AS BUILT SKETCH

Permit can be suspended or revoked if any false information is supplied toward securing the permit/any unauthorized changes are made to the site/any unauthorized changes are made in the installation of the system. Improvement Permit with plat valid without expiration. Improvement Permit with site plan valid for sixty months. Authorization to Construct is valid for a period equal to that of Improvement Permit – not to exceed sixty months.

Signed: _____ date 9-29-05 Installed by: Osborn & Sons

Improvement Permit by: D Pinson IRS date 9-21-05 Operation Permit by: Wesley Sparks RS. date 5/14/07

Authorization to Construct by: Wesley Sparks RS date 9/6/06 Existing System Inspection by: _____ date _____

HEALTH DEPT. COPY: WHITE OWNER COPY (FINAL): YELLOW OWNER COPY (INITIAL): PINK