


1) While every effort has been made in preparing this plan, Phil's Design Inc. cannot guarantee against human error. The contractor must check all dimensions and other details and be responsible for the same.
2)Contractor shall confirm size of all conc. footings w/ local inspector.
3)All structural members designed & sealed by mfgr.
4)All exterior walls shall be O.S.B. struct. wall panel.
5)All conc. slabs shall be filled & tamped, pour 4" reinf. conc. slab w/ stone backfill & 6 mil. poly.
6)All crawl spaces shall be smoothed & cleaned, backfilled w/ sand, cover 75% area w/ 6 mil. poly.
7)All decks & screen porches shall be connected w/ 5/8" dia. galv. bolts @ 16" o/c.
8)All garages sheetrock ceilings & stud walls & 20 min. t/c door to house.
9)Accuracy of square footage must be determined by contractor.

STAMP MUST APPEAR IN RED. IF STAMP IS NOT RED, THIS IS AN ILLEGAL COPY. PLEASE REPORT ALL ILLEGAL COPIES TO PHIL'S DESIGN INC. (336)778-2040

PHIL'S DESIGN INC. CORPORATE SEAL NORTH CAROLINA

DRAFTING • BLUEPRINTS
PHIL'S DESIGN, INC.
Ben Hiatt
PO Box 1257 Lewisville, NC 27023
ph.# - 336 778-2040 fax - 336 778-2073
e_mail - philsdesign27023@aol.com

JOB #	DATE
249-04	1/10/05

CRAIG CARTER BLDRS. INC.


SECOND FLOOR PLAN

REVISIONS

SCALE

1/4" = 1'-0"

SHEET #	PLAN #
5 OF 6	3150



1) While every effort has been made in preparing this plan, Phil's Design Inc. cannot guarantee against human error. The contractor must check all dimensions and other details and be responsible for the same.
2) Contractor shall confirm size of all conc. footings w/ local inspector.
3) All structural members designed & sealed by mfgr.
4) All exterior walls shall be O.S.B. struct. wall panel.
5) All conc. slabs shall be filled & tamped, pour 4" reinf. conc. slab w/ stone backfill & 6 mil. poly.
6) All crawl spaces shall be smoothed & cleaned, backfilled w/ sand, cover 75% area w/ 6 mil. poly.
7) All decks & screen porches shall be connected w/ 5/8" dia. galv. bolts @ 16" o/c.
8) All garages sheetrock ceilings & stud walls & 20 min. f/c door to house.
9) Accuracy of square footage must be determined by contractor.

STAMP MUST APPEAR IN RED. IF STAMP IS NOT RED, THIS IS AN ILLEGAL COPY. PLEASE REPORT ALL ILLEGAL COPIES TO PHIL'S DESIGN INC. (336)778-2040

PHIL'S DESIGN CORPORATE SEAL NORTH CAROLINA

DRAFTING • BLUEPRINTS
PHIL'S DESIGN, INC.
P.O. Box 108 Lewisville, NC 27023
Ben Hiatt
office - 336 778-2040 fax - 336 778-2073
e-mail - philsdesign2002@aol.com


JOB #	DATE
249-04	1/10/05

CRAIG CARTER BLDRS. INC.


FIRST FLOOR PLAN

REVISIONS

SCALE	
1/4" = 1'-0"	
SHEET #	PLAN #
4 OF 6	3180



9' CLG U.N.O.		
LOAD WALL		
1ST FLOOR	1429	S.F.
2ND FLOOR	1751	S.F.
TOTAL	3180	S.F.
BASEMENT (FINISH)	351	S.F.
ALL ANGLES = 45o U.N.O.		



TYPICAL 2 STORY BASEMENT W/ BRICK

SCALE: 1/2" = 1'-0"

1) While every effort has been made in preparing this plan, Phil's Design Inc. cannot guarantee against human error. The contractor must check all dimensions and other details and be responsible for the same.
2) Contractor shall confirm size of all conc. footings w/ local inspector.
3) All structural members designed & sealed by mfgr.
4) All exterior walls shall be O.S.B. struct. wall panel.
5) All conc. slabs shall be filled & tamped, pour 4" reinf. conc. slab w/ stone backfill & 6 mil. poly.
6) All crawl spaces shall be smoothed & cleaned, backfilled w/ sand, cover 75% area w/ 6 mil. poly.
7) All decks & screen porches shall be connected w/ 5/8" dia. galv. bolts @ 16" o/c.
8) All garages sheetrock ceilings & stud walls & 20 min. f/c door to house.
9) Accuracy of square footage must be determined by contractor.

STAMP MUST APPEAR IN RED. IF STAMP IS NOT RED, THIS IS AN ILLEGAL COPY. PLEASE REPORT ALL ILLEGAL COPIES TO PHIL'S DESIGN INC. (336)778-2040

PHIL'S DESIGN CORPORATE SEAL NORTH CAROLINA

DRAFTING • BLUEPRINTS
PHIL'S DESIGN, INC.
Ben Hiatt
office - 336 778-2040 fax - 336 778-2078
e-mail - philsdesign2002@aol.com

JOB #	DATE
249-04	1/10/05

CRAIG CARTER BLDRS. INC.

BASEMENT PLAN

REVISIONS

SCALE

1/4" = 1'-0"

SHEET #	PLAN #
3 OF 6	3180