4627699198

IREDELL COUNTY HEALTH DEPARTMENT

(SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION
(Ground Absorption Sewage Disposal System -- G. S. Chapter 130-Article 13C)

OWNER OR CONTRACTOR Thomas Howard DATE 2-25-82 PERMIT NO. 28

PHONE: Business _____ Home _____

LOCATION 150 West TL 1211 Aft Hwy 64 on R

S. R. No. _____

SUBDIVISION NAME Lake Norman LOT NO. 211 SECTION OR BLOCK NO. 10

House ( ) Mobile Home (X) Business ( ) Other _____


No. Bedrooms 3 No. Bathrooms 2

Garbage Disposal Unit Yes ( ) No (X)
Auto. Dishwasher Yes (X) No ( )
Auto. Wash. Machine Yes (X) No ( )
Site Suitable Yes (X) No ( )

Lot Area 20,000 ft²

Character & Porosity of Soil weathered granite/sandy loam
Percolation Rate ~30 mpi
Topography 10-15%
Depth to Water Table 4'
Rock or other impervious formations None observed

_____ Basement with Plumbing _____ Basement without Plumbing X No Basement



Size of Tank 1000 Gals.
Nitrification Field:
No. of Lines 4
Sq. Ft. 750 Linear Ft. 250'
Depth of Stone in Lines 16"
Water Supply: Individual (X)
Public ( )

Installed by J. Erwin

I understand and agree to install septic tank system as specified on this Improvements Permit.

Signed: _____

IMPROVEMENTS PERMIT BY _____

COMMENTS: _____

CERTIFICATE OF COMPLETION BY Fred Clemmer DATE 2-25-82

EXISTING SYSTEM CHECKED BY: _____ DATE _____

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS.
Permit is VOID if any unauthorized changes are made in installation of system and/or if any false information is supplied in making Improvements Permit.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold

2:45

IREDELL COUNTY HEALTH DEPARTMENT

(SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION
(Ground Absorption Sewage Disposal System – G. S. Chapter 130-Article 13C)

OWNER OR CONTRACTOR Thomas Howard DATE 1-7-82 PERMIT NO. 4

PHONE: Business ______ Home ______

LOCATION 150W 72 1211 abt 1/4 mile on R

______ S. R. No. ______

SUBDIVISION NAME Lake Norman LOT NO. 211 SECTION OR BLOCK NO. 10

House (X) Mobile Home ( ) Business ( ) Other ______

No. Bedrooms 3 No. Bathrooms 2

Garbage Disposal Unit Yes ( ) No (X)

Auto. Dishwasher Yes (X) No ( )

Auto. Wash. Machine Yes (X) No ( )

Site Suitable Yes (X) No ( )

Lot Area 20,000ft²

Character & Porosity of Soil Clay loam


Percolation Rate 80 mpi

Topography 10-15%

Depth to Water Table 4'+

Rock or other impervious formations None Observed

______ Basement with Plumbing ______ Basement without Plumbing ✓ No Basement



Plot of System

Size of Tank 1000 Gals.

Nitrification Field:

No. of Lines 4

Sq. Ft. 750 Linear Ft. 250

Depth of Stone in Lines 16"

Water Supply: Individual (X)

Public ( )

well next door

Installed by ______

I understand and agree to install septic tank system as specified on this Improvements Permit.

Signed: T. J. Ervin

IMPROVEMENTS PERMIT BY Fred Clemmer

(x) Well

COMMENTS: ______

CERTIFICATE OF COMPLETION BY ______ DATE ______

EXISTING SYSTEM CHECKED BY: ______ DATE ______

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS.

Permit is VOID if any unauthorized changes are made in installation of system and/or if any false information is supplied in making Improvements Permit.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold