
Lot 68
Shawnees Bluff

Acknowledgement Of
Plans Submittal ONLY!
Date 3/6/03
Date 3-6-03




MAIN LEVEL STRUCTURAL PLAN
A4 1/4" = 1'-0"

YBL - CBF

NOTES:
1. 2ND FLOOR FRAMING TO BE 2X10 @ 16" O.C. UNLESS OTHERWISE NOTED.
2. SUPPORT OF 2 STORY OVER ALL POINT LOAD AND 2ND FLOOR AND ROOF BEAMS AND HDR BEARING WALLS.
3. 1ST FLOOR HEADERS TO BE 3-2X10 UNLESS OTHERWISE NOTED.
4. DOUBLE JOIST UNDER ALL PARALLEL WALL BEAMS UNLESS NOTED.
5. EXTERIOR HEADERS TO BE 2-2X6 UNLESS OTHERWISE NOTED.
6. INTERIOR HEADERS TO BE 2-2X6 UNLESS OTHERWISE NOTED.

3305 McKEE ROAD


Lot 68 Shawandons Bluff



Acknowledgement Of
Plans Submittal ONLY

C. [illegible] Date 3/6/03

W R Edwards Date 3/6/03



4BR-05F

58

UPPER LEVEL STRUCTURAL PLAN