IREDELL COUNTY HEALTH DEPARTMENT

(SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION
(Ground Absorption Sewage Disposal System -- G. S. Chapter 130-Article 13C)

OWNER OR CONTRACTOR Garry Simms DATE 11-6-86 PERMIT NO.

PHONE: Business Home

LOCATION 1100 TR1178 (Blume) TC1443 TC1444 (Baxter Rd.)
~ 1 mile on Rt.

S. R. No.

SUBDIVISION NAME L.N. LOT NO. 1538 SECTION OR BLOCK NO. 8

House (✓) Mobile Home ( ) Business ( ) Other


No. Bedrooms 3 No. Bathrooms 2

Garbage Disposal Unit Yes (✓) No ( )
Auto. Dishwasher Yes (✓) No ( )
Auto. Wash. Machine Yes (✓) No ( )
Site Suitable Yes (✓) No ( )

Character & Porosity of Soil Clay
Percolation Rate 17
Topography 10-15% 4+
Depth to Water Table
Rock or other impervious formations none obs.

Lot Area 20000 ft²

✓ Basement with Plumbing ____ Basement without Plumbing ____ No Basement



Plot of System

Size of Tank 1500 Gals.

Nitrification Field:
No. of Lines 3
Sq. Ft. 900 Linear Ft. 300
Depth of Stone in Lines 12"

Water Supply: Individual ( )
Public ( )

Installed by

I understand and agree to install septic tank system as specified on this Improvements Permit.

Signed: Garry M Simms

IMPROVEMENTS PERMIT BY David R Hyman REHS

COMMENTS: Relayout of permit issued 9-29-86.

CERTIFICATE OF COMPLETION BY DATE

EXISTING SYSTEM CHECKED BY: DATE

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS.

Permit is VOID if any unauthorized changes are made in installation of system and/or if any false information is supplied in making Improvements Permit.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold