Marie Harrington

704-982-6554

* TO HOLDING TANK - 3000.00
* CLEAR FOR OUTDOOR - 350.00
* SEPTIC SYSTEM FOR BLD - 3000.00
* CLEARING FOR SEPTIC - 1000.00
* TIE IN EXISTING SYSTEM 4000.00
NEW HOLDING TANKS -
NEW PUMP TANKS -

COVENANTS
* 2 - DRIVEWAYS
* DETACH GARAGE

84487

1:30

IREDELL COUNTY HEALTH DEPARTMENT STATESVILLE 704-878-5305 MOORESVILLE 704-664-5281

IMPROVEMENT PERMIT / AUTHORIZATION TO CONSTRUCT / OPERATION PERMIT / EXISTING SYSTEM INSPECTION

PERMIT# 07455 PIN# 4763771550 PT

OWNER OR CONTRACTOR Rose Ford PHONE Business 704-664-3115 Home

ADDRESS P.O. Box 1003 Cornelius NC 28031 DATE 10/16/98

LOCATION State Rd 11 Lakeside Blvd TO SR 2134 TO Dr. Rd. TR. Left house 6th lot on left

SUBDIVISION Lakeside BLOCK / SECTION 1 LOT 119 LOT AREA 3 acres SITE CLASS C DESIGN FLOW 440 gpd LTAR .3

Septic Tank 1000 Gallons SIZE 30x26 Date 7-8-98
Pump Tank 1000 Gallons PT 27 Drainage Date 5-14-98
Pump Make Model Serial No
Nonstandard Field No Fields 1 Square Feet 1200 Linear Feet 400
Trenches 4 feet wide Trench Width 24" Max Trench Bottom Depth 24" Gravel Depth 24" Soil A-2 Slit X Basal Space X Basement w/plumbing Basement w/o plumbing

X New System Repair System Type I
System Description Pump-Pressure-ATU Distribution
Repair System Description
Wastewater Agreement Required Yes X No

X Residential Home No Bedrooms 4
Store Name No Bathrooms 4
Business No. Employees
Other

Water Supply: Individual Public Community

Comments: #Conditions
FL 22.7

Comments: Categories
B 18.00 Chamber lines & Pump construction + trench
Supplies + Install - Bill

INITIAL SITE SKETCH

Eagle Drive
Regular Ave
Lakeside Blvd
30'
26'

AS BUILT SKETCH

LAKE

I understand that this permit can be suspended or revoked if any false information is supplied regarding the evaluation or if unauthorized changes are made in the installation of the system. Improvement Permit with site plan valid for sixty months. Authorization to Construct is valid for a period equal to that of Improvement Permit - not to exceed sixty months.

Signed: Curt Dunning

Improvement Permit by: [illegible] RS date 10-25-98 Installed by Curt Dunning

Authorization to Construct by: [illegible] date 11-4-98 Operation Permit by C. [illegible] RS date 10/2/06

Existing System Inspection by date

HEALTH DEPT COPY (WHITE) INSPECTION COPY (FINAL) (PINK) BUILDER COPY (FINAL) (YELLOW) INSPECTION COPY (INITIAL) (PINK) ORDER COPY (INITIAL) (GOLD)