J.C. Moore
Certified Operator #985357
Maintenance Report Form

Name and Location of System
Todd Abramson
111 Hawk Run LN
Troutman, N.C. 28166
704 528 9752

Date of Inspection
2-23-04

Permit Number
07490

County
Iredell

System Classification
IV - A

Name and Address of "ORC"
J.C. Moore
1227 Troutman Drive
Statesville, NC 28625

Name and Address of Owner
Same as above

Phone: (704) 873-2171

Phone. 704 528 9752

Legend: S-Satisfactory, M-Marginal, U-Unsatisfactory
N-not evaluated, N/A-Nonapplicable

SEPTIC TANK AND PUMP TANK
- S Risers accessible
- S Signs of Infiltration
- S Structurally Sound
- S Landscape Position
- ~~YES~~ S Filter Cleaned

PUMP
- S Pump present and operating
  - 265 Design GPM
  - 250 Actual GPM
  - 95 % Efficiency
- S High water alarm operating properly
- S Pipework in good condition
- S Control panel in good condition
- S Control floats operating properly
- S Straps and float free
- S Effluent free and clear of solids

DRAIN FIELD
- S No effluent surfacing
- S Surface water diverted
- S Line cover maintained properly
- S Protected from traffic
- S Distribution devices operating properly
- S Repair area reserved

COMMENTS

Compliant ✓ Noncompliant ____

Signature J. C. Moore

Date ____

LOW PRESSURE PIPE SYSTEM
- S Turnups, cleanouts, valves located and protected
- S Laterals free of excess solids
- S Laterals flushed

Pressure Heads

	Design head	Adjusted head
Line 1	2	2
Line 2	2	2
Line 3	2	2
Line 4	2	2

Septic Tank had No Floating Scum
1 1/2" to 15" Sludge in inlet compartment
9 to 12" Sludge out compartment.
Will check again in 6 mos.
Sludge may need Pumped out Then.

J. C. Moore
Certified Operator #985357
Maintenance Report Form

Name and Location of System	Date of Inspection	Permit Number
Todd Abramson 111 Hawk Run LN Troutman, N.C. 28166 704 528-9752	8-2-04	07490
	County	**System Classification**
	Iredell	IV-A

Name and Address of "ORC"
J. C. Moore
1227 Troutman Drive
Statesville, NC 28625

Name and Address of Owner
Same as above

Phone
(704) 873-2171

Phone
704-528-9752

Legend: S-Satisfactory, M-Marginal, U-Unsatisfactory
N-Not Evaluated N/A-Nonapplicable

SEPTIC TANK AND PUMP TANK

M Risers accessible — Riser over outlet end of Septic Tank needs to be raised at least 6 to 8"
M Signs of Infiltration — Some around Inlet riser
S Structurally Sound
M Landscape Position — needs improving to keep surface water from stand over septic Tank & riser
S Filter Cleaned
(Filter was cleaned)

Sludge level in Septic Tank was 6" + no floating Scum

PUMP

S Pump present and operating
26.55 Design GPM 28.33 Actual GPM 106 %Efficiency
S High water alarm operating properly
S Pipework in good condition
S Control panel in good condition
S Control floats operating properly
S Straps and float tree
S Effluent free and clear of solids

DRAIN FIELD

- S No effluent surfacing
- S Surface water diverted
- S Line cover maintained properly
- S Protected from traffic
- S Distribution devices operating properly
- S Repair area reserved

LOW PRESSURE PIPE SYSTEM

- S Turnups, cleanouts, valves located and protected
- S Laterals free of excess solids
- yes Laterals flushed

Pressure Heads

	Design head	adjusted head
Line 1	2'	2'
Line 2	2'	2'
Line 3	2'	2'
Line 4		

COMMENTS:

Compliant ✓ Noncompliant ____

Signature L. C. Moore License No. 985357

Date: 8-2-04

J.C. Moore
Certified Operator #985357
Maintenance Report Form

Name and Location of System
Todd Abramson
111 Hawk Run LN
Troutman, N.C. 28166

Date of Inspection
8-18-05

Permit Number
07490

County
Iredell

System Classification
IV - A

Name and Address of "ORC"
J.C. Moore
1227 Troutman Drive
Statesville, NC 28625

Name and Address of Owner
Same as above

Phone: (704) 873-2171

Phone: 704 528 9752

Legend: S-Satisfactory, M-Marginal, U-Unsatisfactory
N-not evaluated, N/A-Nonapplicable

SEPTIC TANK AND PUMP TANK
- S Risers accessible
- S Signs of Infiltration
- S Structurally Sound
- S Landscape Position
- yes Filter Cleaned

PUMP
- S Pump present and operating
  - 18.45 Design GPM
  - 20.0 Actual GPM
  - 108 % Efficiency
- S High water alarm operating properly
- S Pipework in good condition
- S Control panel in good condition
- S Control floats operating properly
- S Straps and float tree
- S Effluent free and clear of solids

DRAIN FIELD
- S No effluent surfacing
- S Surface water diverted
- S Line cover maintained properly
- S Protected from traffic
- S Distribution devices operating properly
- S Repair area reserved

COMMENTS

Compliant ✓ Noncompliant ____
Signature J.C. Moore

Date 8-18-05

LOW PRESSURE PIPE SYSTEM
- S Turnups, cleanouts, valves located and protected
- S Laterals free of excess solids
- S Laterals flushed

Pressure Heads

	Design head	Adjusted head
Line 1	2	2
Line 2	2	2
Line 3	2	2
~~Line 4~~		

Checked outlet compartment in septic tank still only about 9" sludge Therefore does not need pumping at this time will check again in 6 mos.

J.C. Moore
Certified Operator #985357
Maintenance Report Form

Name and Location of System

Todd Abramson
111 Hawk Run LN
Troutman, N.C. 28166

Date of Inspection: 2-14-06

Permit Number: 07490

County: Iredell

System Classification: IV - A

Name and Address of "ORC"
J.C. Moore
1227 Troutman Drive
Statesville, NC 28625

Name and Address of Owner: Same as above

Phone: (704) 873-2171

Phone: 704 528 9752

Legend: S-Satisfactory, M-Marginal, U-Unsatisfactory
N-not evaluated, N/A-Nonapplicable

Date 2-14-05

SEPTIC TANK AND PUMP TANK
- S Risers accessible
- S Signs of Infiltration
- S Structurally Sound
- S Landscape Position
- yes Filter Cleaned

PUMP
- S Pump present and operating
  - 18.4 Design GPM
  - 20.0 Actual GPM
  - 108 % Efficiency
- S High water alarm operating properly
- S Pipework in good condition
- S Control panel in good condition
- S Control floats operating properly
- S Straps and float tree
- S Effluent free and clear of solids

DRAIN FIELD
- S No effluent surfacing
- S Surface water diverted
- S Line cover maintained properly
- S Protected from traffic
- S Distribution devices operating properly
- S Repair area reserved

LOW PRESSURE PIPE SYSTEM
- S Turnups, cleanouts, valves located and protected
- S Laterals free of excess solids
- yes Laterals flushed

Pressure Heads

	Design head	Adjusted head
Line 1	2'	2'
Line 2	2'	2'
Line 3	2'	2'
Line 4		

Checked Septic Tank for sludge still only about 9"

COMMENTS

Compliant ✓ Noncompliant ____

Signature J.C. Moore

J.C. Moore
Certified Operator #985357
Maintenance Report Form

Name and Location of System
Todd Abramson
111 Hawk Run LN
Troutman, N.C.
28166

Date of Inspection
8-24-06

Permit Number
07490

County
Iredell

System Classification
IV-A

Name and Address of "ORC"
J.C. Moore
1227 Troutman Drive
Statesville, NC 28625

Name and Address of Owner
Same

Phone: (704) 873-2171

Phone: 704 528 9752

Legend: S-Satisfactory, M-Marginal, U-Unsatisfactory
N-not evaluated, N/A-Nonapplicable

SEPTIC TANK AND PUMP TANK
- S Risers accessible
- S Signs of Infiltration
- S Structurally Sound
- S Landscape Position
- YES Filter Cleaned

PUMP
- YES Pump present and operating
  - 18.45 Design GPM
  - 20 Actual GPM
  - 108 % Efficiency
- S High water alarm operating properly
- S Pipework in good condition
- S Control panel in good condition
- S Control floats operating properly
- S Straps and float tree
- S Effluent free and clear of solids

DRAIN FIELD
- S No effluent surfacing
- S Surface water diverted
- S Line cover maintained properly
- S Protected from traffic
- S Distribution devices operating properly
- S Repair area reserved

Date 8-24-06

LOW PRESSURE PIPE SYSTEM
- S Turnups, cleanouts, valves located and protected
- YES Laterals free of excess solids
- YES Laterals flushed

Pressure Heads

	Design head	Adjusted head
Line 1	2'	2'
Line 2	2'	2'
Line 3	2'	2'
Line 4		

Checked Sludge - less than 9"

COMMENTS

Compliant ✓ Noncompliant ___

Signature J.C. Moore

J.C. Moore
Certified Operator #985357
Maintenance Report Form

Name and Location of System

Todd Abramson
111 Hawk Run LN
Troutman, N.C.
28166

Date of Inspection

2-19-07

Permit Number

07490

County

Iredell

System Classification

IV - A

Name and Address of "ORC"

J.C. Moore
1227 Troutman Drive
Statesville, NC 28625

Phone: (704) 873-2171

Name and Address of Owner

Same

Phone: 704 528 9752

Legend: S-Satisfactory, M-Marginal, U-Unsatisfactory
N-not evaluated, N/A-Nonapplicable

SEPTIC TANK AND PUMP TANK
- S Risers accessible
- S Signs of Infiltration
- S Structurally Sound
- S Landscape Position
- YES Filter Cleaned

PUMP
- YES Pump present and operating
  - 18.45 Design GPM
  - 21 Actual GPM
  - 113 % Efficiency
- S High water alarm operating properly
- S Pipework in good condition
- S Control panel in good condition
- S Control floats operating properly
- S Straps and float tree
- S Effluent free and clear of solids

DRAIN FIELD
- S No effluent surfacing
- S Surface water diverted
- S Line cover maintained properly
- S Protected from traffic
- S Distribution devices operating properly
- S Repair area reserved

COMMENTS

Compliant ✓ Noncompliant ____

Signature J.C. Moore

Date 2-19-07

LOW PRESSURE PIPE SYSTEM
- S Turnups, cleanouts, valves located and protected
- S Laterals free of excess solids
- YES Laterals flushed

Pressure Heads

	Design head	Adjusted head
Line 1	2'	2.2'
Line 2	2'	2.2'
Line 3	2'	2'
~~Line 4~~	___	___

Sludge OK In Septic Tank
Little to NO floating Scum layer

* check for Plumbing leak inside Home.

J.C. Moore
Certified Operator #985357
Maintenance Report Form

Name and Location of System

Toff Abramson
111 Hawk Run LN
Troutman N.C.
28166

Date of Inspection

8-27-07

Permit Number

07490

County

Iredell

System Classification

IV - A

Name and Address of "ORC"

J.C. Moore
1227 Troutman Drive
Statesville, NC 28625

Name and Address of Owner

Same

Phone (704) 873-2171

Phone: 704 528 9752

Legend: S-Satisfactory, M-Marginal, U-Unsatisfactory
N-not evaluated, N/A-Nonapplicable

Date 8-27-07

SEPTIC TANK AND PUMP TANK

- S Risers accessible
- S Signs of Infiltration
- S Structurally Sound
- S Landscape Position
- ~~yes~~ Filter Cleaned

PUMP

- yes Pump present and operating
  - ~~18.45~~ Design GPM
  - 22.5 Actual GPM
  - 121 % Efficiency
- S High water alarm operating properly
- S Pipework in good condition
- S Control panel in good condition
- S Control floats operating properly
- S Straps and float tree
- S Effluent free and clear of solids

DRAIN FIELD

- S No effluent surfacing
- S Surface water diverted
- S Line cover maintained properly
- S Protected from traffic
- S Distribution devices operating properly
- S Repair area reserved

LOW PRESSURE PIPE SYSTEM

- S Turnups, cleanouts, valves located and protected
- S Laterals free of excess solids
- yes Laterals flushed

Pressure Heads

	Design head	Adjusted head
Line 1	2	3
Line 2	2	3
Line 3	2	3
Line 4		

No leaks observed on This Inspection

Sludge + Scum levels ok In Septic Tank.

COMMENTS

Compliant ✓ Noncompliant ___

Signature J. C. Moore

J.C. Moore
Certified Operator #985357
Maintenance Report Form

Name and Location of System
Todd Abramson
111 Hawk Run LN
Troutman, N.C.
28166

Date of Inspection
2-14-08

Permit Number
07490

County
Iredell

System Classification
IV - A

Name and Address of "ORC"
J.C. Moore
1227 Troutman Drive
Statesville, NC 28625

Name and Address of Owner
Same.

Phone (704) 873-2171

Phone: 704 528 9752

Legend: S-Satisfactory, M-Marginal, U-Unsatisfactory
N-not evaluated, N/A-Nonapplicable

SEPTIC TANK AND PUMP TANK
- S Risers accessible
- S Signs of Infiltration
- S Structurally Sound
- S Landscape Position
- YES Filter Cleaned

PUMP
- YES Pump present and operating
  - 18.5 Design GPM
  - 22.5 Actual GPM
  - 121 % Efficiency
- S High water alarm operating properly
- S Pipework in good condition
- S Control panel in good condition
- S Control floats operating properly
- S Straps and float tree
- S Effluent free and clear of solids

DRAIN FIELD
- S No effluent surfacing
- S Surface water diverted
- S Line cover maintained properly
- S Protected from traffic
- S Distribution devices operating properly
- S Repair area reserved

Date 2-14-08

LOW PRESSURE PIPE SYSTEM
- S Turnups, cleanouts, valves located and protected
- S Laterals free of excess solids
- YES Laterals flushed

Pressure Heads

	Design head	Adjusted head
Line 1	2	3
Line 2	2	3
Line 3	2	3
Line 4	2	3

COMMENTS

Compliant ✓ Noncompliant ___

Signature J.C. Moore

Wildlife Bay
Sec I lot 34

J.C. Moore
Certified Operator #985357
Maintenance Report Form

Name and Location of System

Todd Abramson
111 Hawk Run LN
Troutman, N.C. 28166

Date of Inspection

8-4-08

Permit Number

07490

County

Iredell

System Classification

IV - A

Name and Address of "ORC"

J.C. Moore
1227 Troutman Drive
Statesville, NC 28625

Phone: (704) 873-2171

Name and Address of Owner

Same

Phone: 704 528 9752

Legend: S-Satisfactory, M-Marginal, U-Unsatisfactory
N-not evaluated, N/A-Nonapplicable

Date 8-4-08

SEPTIC TANK AND PUMP TANK

S Risers accessible
S Signs of Infiltration
S Structurally Sound
S Landscape Position
Yes Filter Cleaned

PUMP

Yes Pump present and operating
18.45 Design GPM
22.5 Actual GPM
121 % Efficiency
S High water alarm operating properly
S Pipework in good condition
S Control panel in good condition
S Control floats operating properly
S Straps and float tree
S Effluent free and clear of solids

DRAIN FIELD

S No effluent surfacing
S Surface water diverted
S Line cover maintained properly
S Protected from traffic
S Distribution devices operating properly
S Repair area reserved

LOW PRESSURE PIPE SYSTEM

S Turnups, cleanouts, valves located and protected
S Laterals free of excess solids
Yes Laterals flushed

Pressure Heads

	Design head	Adjusted head
Line 1	2	3
Line 2	2	3
Line 3	2	3
Line 4		

COMMENTS

Compliant ✓ Noncompliant ____

Signature J.C. Moore

Wildlife Bay
Sec I lot 34

J.C. Moore
Certified Operator #985357
Maintenance Report Form

Name and Location of System
Todd Abramson
111 Hawk Run LN
Troutman, N.C. 28166

Date of Inspection
2-6-09

Permit Number
07490

County
Iredell

System Classification
IV-A

Name and Address of "ORC"
J.C. Moore
1227 Troutman Drive
Statesville, NC 28625

Name and Address of Owner
Same

Phone: (704) 873-2171

Phone: 7045289752

Legend: S-Satisfactory, M-Marginal, U-Unsatisfactory
N-not evaluated, N/A-Nonapplicable

Date 2-6-09

SEPTIC TANK AND PUMP TANK
- S Risers accessible
- S Signs of Infiltration
- S Structurally Sound
- S Landscape Position
- YES Filter Cleaned

PUMP
- YES Pump present and operating
  - 25 Design OPM (changed to 3' Pressure head)
  - 25 Actual OPM
  - 100 % Efficiency
- YES High water alarm operating properly
- S Pipework in good condition
- S Control panel in good condition
- S Control floats operating properly
- S Sumps and float free
- S Effluent free and clear of solids

DRAIN FIELD
- S No effluent surfacing
- S Surface water diverted
- S Line cover maintained properly
- S Protected from traffic
- S Distribution devices operating properly
- S Repair area reserved

LOW PRESSURE PIPE SYSTEM
- YES Turnups, cleanouts, valves located and protected
- YES Laterals free of excess solids
- YES Laterals flushed

Pressure Heads

	Design head	Adjusted head
Line 1	3'	3'
Line 2	3'	3'
Line 3	3'	3'
Line 4		

COMMENTS

Compliant ✓ Noncompliant ___
Signature J.C. Moore

Wildlife Bay
Sec I lot 34

J.C. Moore
Certified Operator #985357
Maintenance Report Form

Name and Location of System
Todd Abramson
111 Hawk Run LN
Troutman N.C.
28166

Date of Inspection
8-25-09

Permit Number
07490

County
Iredell

System Classification
IV-A

Name and Address of "ORC"
J.C. Moore
1227 Troutman Drive
Statesville, NC 28625
Phone: (704) 873-2171

Name and Address of Owner
Same
Phone: 704 528 9752

Legend: S-Satisfactory, M-Marginal, U-Unsatisfactory
N-not evaluated, N/A-Nonapplicable

SEPTIC TANK AND PUMP TANK
S Risers accessible
S Signs of Infiltration
S Structurally Sound
S Landscape Position
YES Filter Cleaned

PUMP
YES Pump present and operating
25 Design GPM
25 Actual GPM
100 % Efficiency
YES High water alarm operating properly
S Pipework in good condition
S Control panel in good condition
S Control floats operating properly
S Straps and float tree
S Effluent free and clear of solids

DRAIN FIELD
S No effluent surfacing
S Surface water diverted
S Line cover maintained properly
S Protected from traffic
S Disribution devices operating properly
S Repair area reserved

Date
LOW PRESSURE PIPE SYSTEM
S Turnups, cleanouts, valves located and protected
S Laterals free of excess solids
YES Laterals flushed
Pressure Heads

	Design head	Adjusted head
Line 1	3'	3'
Line 2	3'	3'
Line 3	3'	3'
Line 4		

COMMENTS

Compliant ✓ Noncompliant ___
Signature J.C. Moore

Wildlife Bay
Section I lot 34

J.C. Moore
Certified Operator #985357
Maintenance Report Form

Name and Location of System

Todd Abramson
111 Hawk Run Lane
Troutman N.C.
28166

Date of Inspection
2-17-2010

Permit Number
07490

County
Iredell

System Classification
IV - A

Name and Address of "ORC"
J.C. Moore
1227 Troutman Drive
Statesville, NC 28625

Name and Address of Owner
Same

Phone: (704) 873-2171

Phone: 704 528 9752

Legend: S-Satisfactory, M-Marginal, U-Unsatisfactory
N-not evaluated, N/A-Nonapplicable

SEPTIC TANK AND PUMP TANK
- S Risers accessible
- S Signs of Infiltration
- S Structurally Sound
- S Landscape Position
- YES Filter Cleaned

PUMP
- YES Pump present and operating
  - 25 Design GPM
  - 25 Actual GPM
  - 100 % Efficiency
- YES High water alarm operating properly
- S Pipework in good condition
- S Control panel in good condition
- S Control floats operating properly
- S Straps and float tree
- S Effluent free and clear of solids

DRAIN FIELD
- S No effluent surfacing
- S Surface water diverted
- S Line cover maintained properly
- S Protected from traffic
- S Distribution devices operating properly
- S Repair area reserved

COMMENTS

Compliant ✓ Noncompliant ___
Signature J.C. Moore

Date 2-17-10

LOW PRESSURE PIPE SYSTEM
- S Turnups, cleanouts, valves located and protected
- S Laterals free of excess solids
- YES Laterals flushed

Pressure Heads

	Design head	Adjusted head
Line 1	3'	3'
Line 2	3'	3'
Line 3	3'	3'
Line 4	___	___

Wildlife Bay
Section I lot 34

J.C. Moore
Certified Operator #985357
Maintenance Report Form

Name and Location of System
Todd Abramson
111 Hawk Run Lane
Troutman, N.C. 28166

Date of Inspection
8-25-10

Permit Number
07490

County
Iredell

System Classification
IV-A

Name and Address of "ORC"
J.C. Moore
1227 Troutman Drive
Statesville, NC 28625

Name and Address of Owner
Same

Phone: (704) 873-2171

Phone: 704 528 9752

Legend: S-Satisfactory, M-Marginal, U-Unsatisfactory
N-not evaluated, N/A-Nonapplicable

SEPTIC TANK AND PUMP TANK
S Risers accessible
S Signs of Infiltration
S Structurally Sound
S Landscape Position
YES Filter Cleaned

PUMP
YES Pump present and operating
25 Design GPM
25 Actual GPM
100 % Efficiency
S High water alarm operating properly
S Pipework in good condition
S Control panel in good condition
S Control floats operating properly
S Straps and float free
S Effluent free and clear of solids

DRAIN FIELD
S No effluent surfacing
S Surface water diverted
S Line cover maintained properly
S Protected from traffic
S Distribution devices operating properly
S Repair area reserved

Date 8-25-10
LOW PRESSURE PIPE SYSTEM
S Turnups, cleanouts, valves located and protected
S Laterals free of excess solids
YES Laterals flushed
Pressure Heads

	Design head	Adjusted head
Line 1	3'	3'
Line 2	3'	3'
Line 3	3'	3'
Line 4		

COMMENTS

Compliant ✓ Noncompliant ___
Signature J.C. Moore

Wildlife Bay
Section I lot 34

J.C. Moore
Certified Operator #985357
Maintenance Report Form

Name and Location of System
Todd Abramson
111 Hawk Run Lane
Troutman, N.C.
28166

Date of Inspection
2-18-11

Permit Number
07490

County
Iredell

System Classification
IV-A

Name and Address of "ORC"
J.C. Moore
1227 Troutman Drive
Statesville, NC 28625

Name and Address of Owner
Same

Phone: (704) 873-2171

Phone: 704 528 9752

Legend: S-Satisfactory, M-Marginal, U-Unsatisfactory
N-not evaluated, N/A-Nonapplicable

SEPTIC TANK AND PUMP TANK
S Risers accessible
S Signs of Infiltration
S Structurally Sound
S Landscape Position
YES Filter Cleaned

PUMP
YES Pump present and operating
25 Design GPM
25 Actual GPM
100 % Efficiency
S High water alarm operating properly
S Pipework in good condition
S Control panel in good condition
S Control floats operating properly
S Straps and float tree
S Effluent free and clear of solids

DRAIN FIELD
S No effluent surfacing
S Surface water diverted
S Line cover maintained properly
S Protected from traffic
S Distribution devices operating properly
S Repair area reserved

COMMENTS

Compliant ✓ Noncompliant ___
Signature J.C. Moore

Date 2-18-11
LOW PRESSURE PIPE SYSTEM
S Turnups, cleanouts, valves located and protected
S Laterals free of excess solids
YES Laterals flushed
Pressure Heads

	Design head	Adjusted head
Line 1	3'	4.5
Line 2	3'	0 ← Turn line off
Line 3	3'	4.5
Line 4	___	___

middle line has broken pipe

Wildlife Bay
Section I lot 34

J.C. Moore
Certified Operator #985357
Maintenance Report Form

Name and Location of System
Todd Abramson
111 Hawk Run Lane
Troutman N.C.
28166

Date of Inspection
2-22-11

Permit Number
07490

County
Iredell

System Classification
IV-A

Name and Address of "ORC"
J.C. Moore
1227 Troutman Drive
Statesville, NC 28625

Name and Address of Owner
Same

Phone: (704) 873-2171

Phone: 7045289752

Legend: S-Satisfactory, M-Marginal, U-Unsatisfactory
N-not evaluated, N/A-Nonapplicable

SEPTIC TANK AND PUMP TANK
S Risers accessible
S Signs of Infiltration
S Structurally Sound
S Landscape Position
YES Filter Cleaned

PUMP
YES Pump present and operating
25 Design GPM
25 Actual GPM
100 % Efficiency
S High water alarm operating properly
S Pipework in good condition
S Control panel in good condition
S Control floats operating properly
S Straps and float tree
S Effluent free and clear of solids

DRAIN FIELD
S No effluent surfacing
S Surface water diverted
S Line cover maintained properly
S Protected from traffic
S Distribution devices operating properly
S Repair area reserved

COMMENTS

Compliant 1 ✓ Noncompliant ___
Signature _____

Date 2-22-11
LOW PRESSURE PIPE SYSTEM
S Turnups, cleanouts, valves located and protected
S Laterals free of excess solids
YES Laterals flushed
Pressure Heads

	Design head	Adjusted head
Line 1	3'	3'
Line 2	3'	3'
Line 3	3'	3'
Line 4	___	___

Repaired Broken Pipe
In middle line
Reflushed Line & reset
Pressure Head

Wildlife Bay
Section I lot 34

J.C. Moore
Certified Operator #985357
Maintenance Report Form

Name and Location of System
Pat Cawthon Abramson
111 Hawk Run LN
Troutman, N.C.
28166

Date of Inspection
8-22-11

Permit Number
7490

County
Iredell

System Classification
IV-A

Name and Address of "ORC"
J.C. Moore
1227 Troutman Drive
Statesville, NC 28625

Name and Address of Owner
Same

Phone: (704) 873-2171

Phone: 704 560 0717

Legend: S-Satisfactory, M-Marginal, U-Unsatisfactory
N-not evaluated, N/A-Nonapplicable

SEPTIC TANK AND PUMP TANK
S Risers accessible
S Signs of Infiltration
S Structurally Sound
S Landscape Position
Yes Filter Cleaned

PUMP
Yes Pump present and operating
25 Design GPM
25 Actual GPM
100 % Efficiency
S High water alarm operating properly
S Pipework in good condition
S Control panel in good condition
S Control floats operating properly
S Straps and float tree
S Effluent free and clear of solids

DRAIN FIELD
S No effluent surfacing
S Surface water diverted
S Line cover maintained properly
S Protected from traffic
S Distribution devices operating properly
S Repair area reserved

Date 8-22-11

LOW PRESSURE PIPE SYSTEM
S Turnups, cleanouts, valves located and protected
S Laterals free of excess solids
Yes Laterals flushed

Pressure Heads

	Design head	Adjusted head
Line 1	3'	3'
Line 2	3'	3'
Line 3	3'	3'
Line 4		

COMMENTS

Compliant ✓ Noncompliant ___
Signature J.C. Moore

Wildlife Bay
Section I lot 34

J.C. Moore
Certified Operator #985357
Maintenance Report Form

Name and Location of System
Cindy Abramson
111 Hawk Run LN
Troutman, N.C.
28166

Date of Inspection
2-6-12

Permit Number
7490

County
Iredell

System Classification
IV-A

Name and Address of "ORC"
J.C. Moore
1227 Troutman Drive
Statesville, NC 28625

Name and Address of Owner
Same

Phone: (704) 873-2171

Phone: 704 560 0717

Legend: S-Satisfactory, M-Marginal, U-Unsatisfactory
N-not evaluated, N/A-Nonapplicable

SEPTIC TANK AND PUMP TANK
- S Risers accessible
- S Signs of Infiltration
- S Structurally Sound
- S Landscape Position
- YES Filter Cleaned

PUMP
- YES Pump present and operating
  - 25 Design GPM
  - 25 Actual GPM
  - 100 % Efficiency
- S High water alarm operating properly
- S Pipework in good condition
- S Control panel in good condition
- S Control floats operating properly
- S Straps and float tree
- S Effluent free and clear of solids

DRAIN FIELD
- S No effluent surfacing
- S Surface water diverted
- S Line cover maintained properly
- S Protected from traffic
- S Distribution devices operating properly
- S Repair area reserved

COMMENTS

Compliant ✓ Noncompliant ___
Signature J.C. Moore

Date 2-6-12

LOW PRESSURE PIPE SYSTEM
- S Turnups, cleanouts, valves located and protected
- S Laterals free of excess solids
- YES Laterals flushed

Pressure Heads

	Design head	Adjusted head
Line 1	3'	3'
Line 2	3'	3'
Line 3	3'	3'
Line 4	___	___