ON-SITE WASTEWATER SECTION

COUNTY: _____

SOIL/SITE EVALUATION
for ON-SITE WASTEWATER SYSTEM

OWNER: CBS APPLICANT: _____

ADDRESS: _____ APPLICATION DATE: _____ DATE EVALUATED: 3-10-93

PROPOSED FACILITY: _____ PROPOSED DESIGN FLOW (.1949): _____ PROPERTY SIZE: _____

LOCATION OF SITE: Lot 124 Thetford PROPERTY RECORDED: _____

WATER SUPPLY: ☐ Private ☐ Public ☐ Well ☐ Spring ☐ Other _____

EVALUATION METHOD: ☐ Auger Boring ☐ Pit ☐ Cut

TYPE OF WASTEWATER: ☐ Sewage ☐ Industrial Process ☐ Mixed

initial sys steady
Now Lot 120

PROFILE #	1940 LANDSCAPE POSITION/ SLOPE %	HORIZON DEPTH (IN.)	SOIL MORPHOLOGY (1941) 1941 STRUCTURE/ TEXTURE	1941 CONSISTENCE/ MINERALOGY	OTHER PROFILE FACTORS 1942 SOIL WETNESS/ COLOR	1943 SOIL DEPTH	1956 SAPRO CLASS	1944 RESTR HORIZ	PROFIL CLASS & LTAR
1		0-5	gr-sr loam sol	fri					B .3
		5-33	lt brn c/cl	fri ss p sop					
		33-48	sdy lt brn c/cl	fri ss p sop					
2	L 6-8% 3rd 5-18-93	0-9	compacted rec mats						B .35
		9-27	sdy loam w cob	fri ss p sop					
		27-48	(sdy) sdy lm w cob	fri ss p sop					
3		0-31	wd fbr, charcoal	FRI S compacted					B .3
		31-51	m Fe/Mn mott	fri ss p sop					
		31-51	w/ cob Rock	fri ss p sop					
4									

DESCRIPTION	INITIAL SYSTEM	REPAIR SYSTEM
Available Space (.1945)		
System Type(s)		
Site LTAR		

OTHER FACTORS (.1946): _____

SITE CLASSIFICATION (.1948): _____

EVALUATED BY: _____

OTHER(S) PRESENT: _____

EASTON STREET
S77°00'31"E
500.37'
35' SETBACK
DRIVE
DRIVE
269'
282'
262'
455'
123
124
BASEMENT
CRAWL
20' PSDE
R=1000.00'
L=16.35'
Tan=58.24'
Del a=06°40'00"
PC = 17+83.27
PT = 18+99.62
15 +00
16 +00
17 +00
18 +00
19 +00
166'
131'
126'
157'
151'
125'
127'
124'

124
110

EASTON STREET

35' SETBACK

166'

S77°00'31"E
500.37'

15 +00
16 +00
17 +00
18 +00
19 +00

PC = 17+33.27
PT = 18+99.62

Del a=06°40'00"
Tan=58.24'
L=116.35'
R=1000.00'

DRIVE
DRIVE

CRAWL
BASEMENT

123
124
125

269'
282'
262'

131'
126'
157'
151'
125'

124'
127'

20' PSDE

New Lot 20

Gully

Roofed

216