IP 8561

IREDELL COUNTY HEALTH DEPARTMENT

4635-92-1135

(SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION

(Ground Absorption Sewage Disposal System -- G. S. Chapter 130-Article 13C)

2B-1-A-34

OWNER OR CONTRACTOR Mady Construction DATE Feb. 19, 1990 PERMIT NO. 365-1

PHONE: Business 892-5106 Home

LOCATION 115 S. TR 1102 (Langtree) TR Lakeshore Drive ~1/4 mi on right 174 Lake Shore Dr. S. R. No.

SUBDIVISION NAME Lakeview Shores LOT NO. 11 SECTION OR BLOCK NO. D

House (✓) Mobile Home ( ) Business ( ) Other Drainfield Easement Area

No. Bedrooms 3 No. Bathrooms 3

Garbage Disposal Unit	Yes ( )	No (✓)	Character & Porosity of Soil	clay
Auto. Dishwasher	Yes (✓)	No ( )	Percolation Rate	~.3
Auto. Wash. Machine	Yes (✓)	No ( )	Topography	2 to 3
Site ~~Suitable~~ Easement PS	Yes (✓)	No ( )	Depth to Water Table	4' +
Lot Area 98' x 85'			Rock or other impervious formations	none obs.


_____ Basement with Plumbing _____ Basement without Plumbing ✓ No Basement

1000 pump tank

Size of Tank 1000 Gals.

Nitrification Field:
No. of Lines 3
Sq. Ft. _____ Linear Ft. 200' of 16"
Depth of Stone in Lines T+T Panels

Water Supply: Individual ( )
Public ( ) Pressure Dosed



Plot of System

Sewage Drainfield Easement Lot #11

Installed by Bob MacLeod

I understand and agree to install septic tank system as specified on this Improvements Permit.

Signed: _____

Pump Spec. ?gal/min @ ~35' TDH

IMPROVEMENTS PERMIT BY _____

COMMENTS: 10' Separation Betw. Pumpline & Waterline
Follow Easement route with pumpline
Pressure head checked valve boxes in place
Trench bottom & Tanks checked by David Hinson

CERTIFICATE OF ~~COMPLETION~~ Operation Permit BY Sam Longworth EHS DATE Feb. 19, 1990

EXISTING SYSTEM CHECKED BY: _____ DATE _____

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS.

Permit is VOID if any unauthorized changes are made in installation of system and/or if any false information is supplied in making Improvements Permit.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold

08561

IREDELL COUNTY HEALTH DEPARTMENT

(SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION

(Ground Absorption Sewage Disposal System -- G. S. Chapter 130-Article 13C)

OWNER OR CONTRACTOR Mady Construction DATE July 31, '89 PERMIT NO 28-1-A-34

PHONE: Business 892-5106 Home

LOCATION 115 S. TR 1102 (Langston) TR Lakeshore Drive. ~ 1/4 mile on Right S. R. No.

SUBDIVISION NAME Lakeview Shores LOT NO. 11 SECTION OR BLOCK NO.

House (✓) Mobile Home ( ) Business ( ) Other

No. Bedrooms 3 No. Bathrooms 3

Garbage Disposal Unit Yes ( ) No (✓)

Auto. Dishwasher Yes (✓) No ( )

Auto. Wash. Machine Yes (✓) No ( )

Site ~~Suitable~~ Easement PS Yes (✓) No ( )

~~Lot~~ Area 78'x85'

Drainfield & Easement Area

Character & Porosity of Soil clay

Percolation Rate ~.3


Topography 2%

Depth to Water Table 4ft

Rock or other impervious formations none obs

1000 pump tank

____ Basement with Plumbing ____ Basement without Plumbing ✓ No Basement



Plot of System

Size of Tank 1000 Gals.

Nitrification Field:

No. of Lines 3

Sq. Ft. Linear Ft. 200' of 16"

Depth of Stone in Lines T&J panels

Water Supply: Individual ( ) pressure done

Public ( )

Installed by

I understand and agree to install septic tank system as specified on this Improvements Permit.

Signed: Dave Lee Murphy

2" Sch 40 pumpline

IMPROVEMENTS PERMIT BY JR Harrison RS.

Pump specs: 19 gal/min at approx 35' TDH

10' separation between Water Line & Sewage pumpline

COMMENTS (water tight)

Follow easement route with pumpline. Double seal (ie plaster also) septic tank & pumptank. Trench bottom depth on drainfield of 30". Follow contour with drainfield. Use ONE 5/32" hole per panel with 1 1/4" Sch 40 thru panels.

CERTIFICATE OF COMPLETION BY DATE

EXISTING SYSTEM CHECKED BY: DATE

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS.

Permit is VOID if any unauthorized changes are made in installation of system and/or if any false information is supplied in making Improvements Permit.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold