
G:\DrawingFiles\Custom Plans\Providence\#031 Edgewater Park\First Floor Plan.dwg, 8/10/2006 4:23:14 PM, KONICA MINOLTA DI4701CEO



** SEE FLOOR FRAMING PLAN FOR BEAM SIZES AND NUMBER OF REACTION SUPPORTS **

BRICK FRONT with SIDE RETURNS

1ST. FLOOR HEATED	2022
2ND. FLOOR HEATED	1168
TOTAL HEATED	3177
GARAGE	658
TOTAL AREA	3855

CABINET BLOCKING NOTES

NOTE:
1. Openings between the garage and residence shall be equipped with either a solid wood door not less than 1 3/8" in thickness or 20-minute fire-rated doors.
2. The garage shall be separated from the residence and its attic by means of minimum 1/2" gypsum board applied to the garage side.
3. Garage and carport floor surfaces shall be of approved noncombustible material. That area of floor used for parking of automobiles or other vehicles shall be sloped to facilitate the movement of liquids to a drain or toward the main vehicle entry doorway.
4. The total area under the floor shall be treated to prevent termite infestation.

TRAY CEILING SECTION


SHOWER SEAT SECTION

FIREPLACE WALL IN FAMILY ROOM

MASTER BATH CABINET DETAIL

TYPICAL STAIR DETAIL

Acknowledgement Of Plans Submittal ONLY!
Date 8/11/06
Date 8/11/06



BASIC WALL DETAIL


IBLOCK DEVELOPMENT CORPORATION
300 MCGILL AVENUE N.W.
CONCORD, NC
(704) 788-4818 FAX (704) 784-3720

LOT #31
EDGEWATER PARK

FIRST FLOOR
FLOOR PLAN

DATE: 07/19/2006
PLAN: PROVIDENCE
SCALE: 1/4"=1'-0"
DRAWN BY: WCO
ESTIMATED BY: BS
CHECKED BY: MN

G:\DrawingFiles\Custom Plans\Providence\#031 Edgewater Park\Second Floor Plan.dwg, 8/10/2006 4:22:55 PM, KONICA MINOLTA Di470 PCL6



Acknowledgement Of
Plans Submittal ONLY!
Maria Dotson Date 8/11/06
Jamie Ray Date 8/11/06

IBLOCK DEVELOPMENT CORPORATION
300 MCGILL AVENUE N.W.
CONCORD, NC
(704) 788-4818 FAX (704) 784-3720

LOT #31
EDGEWATER PARK

SECOND FLOOR
FLOOR PLAN

DATE: 07/19/2006
PLAN: PROVIDENCE
SCALE: 1/4"=1'-0"
DRAWN BY: WCO
ESTIMATED BY: BS
CHECKED BY: MN