


Acknowledgement Of
Plans Submittal ONLY!
Date 4-13-07
Date 4-13-07




OPT. EXTENDED STUDY
CCO# 45131




OPT. GUEST SUITE W/FULL BATH
CCO# 45373




FIRST FLOOR PLAN
TRADITIONAL A



OPT. BULLNOSE W/VOLUTE
CCO# 43012
CCO# 43014



OPT. BASEMENT STEPS




OPT. BUTLERS PANTRY
CCO# 20410


NOTE:
EXTERIOR WALLS SHOWN AT 4" WIDTH.
INTERIOR WALLS SHOWN AT 3 1/2" WIDTH.
(2) 2X4 INTERIOR DOOR HEADERS W/(1) 2X4 STUD EE TYP. U.N.O.
(2) 2X10 EXTERIOR HEADERS W/(1)2X4 STUD EE TYP. U.N.O.

CHARLOTTE
COREMODEL
ORLEAN
BRADFORD GRAN
SCALE: 1/8"=1
PAGE: 7

Acknowledgement Of
Plans Submittal ONLY!
_____ Date 4-13-07
_____ Date 4-13-07



STANDARD SECOND FLOOR PLAN
TRADITIONAL A — 1708 SQ FT — SHOWN WITH OUT WALK UP ATRC



OPT. DELUXE MATER BATH
CCO# 45467
BRADFORD GRAND II


CHARLOTTE
COREMODEL

ORLEANS HOMEBUILDERS
Building Trust Since 1946


BRADFORD GRAND


SCALE: 1/8"=1 F
PAGE: 11


Acknowledgement Of
Plans Submittal ONLY!
Date 4-13-07
Date 4-15-07



OPT. EXTENDED STUDY OR OPT. BEDROOM WITH FULL BATH
CCO# 45131
CCO# 45373







OPTIONAL
16' DOOR
SIDE ENTRY
GARAGE

	FOOTING SIZE	REINFORCEMENT
(A)	24"X24"X12"	NO REINFORCEMENT REQUIRED
(B)	30"X30"X12"	NO REINFORCEMENT REQUIRED
(C)	36"X36"X12"	(3)#4X2'-6" E.W. BOTTOM
(D)	42"X42"X12"	(4)#4X3'-0" E.W. BOTTOM
(E)	48"X48"X12"	(4)#5X3'-6" E.W. BOTTOM
(F)	54"X54"X12"	(4)#5X4'-0" E.W. BOTTOM
(G)	60"X60"X12"	(5)#5X4'-6" E.W. BOTTOM

NOTES:
100% VAPOR BARRIER
4" REINFORCED CONCRETE SLAB ON GRAVEL FILL
6 MIL POLY
TERMITE TREATMENT UNDER SLAB
SLAB AREA: 441 SQ. FT.

UNFINISHED BASEMENT
TRADITIONAL A

NORTH CAROLINA PROFESSIONAL ENGINEER SEAL 030607 7/11/06 R. LINDLEY VAUGHAN, JR. ENGINEER

PROFESSIONAL ENGINEER'S SEAL APPLIES TO BEAMS, POSTS, BALLOON FRAMED WALLS, AND PIER FOOTINGS ONLY.

CHARLOTTE
COREMODEL

ORLEANS
Building Trust Since 1972

BRADFORD GRAND II

SCALE: 1/8"=1 FT

PAGE: 2