IREDELL COUNTY HEALTH DEPARTMENT

(SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION

(Ground Absorption Sewage Disposal System -- G. S. Chapter 130-Article 13C)

OWNER OR CONTRACTOR Donald Belch DATE 8-20-87 PERMIT NO. _____

PHONE: Business _____ Home _____

LOCATION Brawley School RD. off 1109, T.L. onto Mallard Way 3rd lot on (L.) b/f Cul de Sac.

SUBDIVISION NAME Mallard Head LOT NO. 172 SECTION OR BLOCK NO. _____ S. R. No. _____

House (✓) Mobile Home ( ) Business ( ) Other _____

No. Bedrooms 3 No. Bathrooms 2

Garbage Disposal Unit	Yes (✓)	No ( )	
Auto. Dishwasher	Yes (✓)	No ( )	
Auto. Wash. Machine	Yes (✓)	No ( )	
Site Suitable	Yes (✓)	No ( )	

Lot Area .55

Character & Porosity of Soil Prev. Suitable


Percolation Rate .4 gal/ft²/d.

Topography 2-10%

Depth to Water Table 10'

Rock or other impervious formations Scattered Rock

_____ Basement with Plumbing ✓ Basement without Plumbing _____ No Basement



Plot of System NTS

Size of Tank 1250 Gals.

Nitrification Field:

No. of Lines 3

Sq. Ft. 900 Linear Ft. 300

Depth of Stone in Lines 12"

Water Supply: Individual (✓)

Public (✓)

Community well.

Installed by E.T. Ervin

I understand and agree to install septic tank system as specified on this Improvements Permit.

Signed: _____

IMPROVEMENTS PERMIT BY Terry Pierce

COMMENTS: _____

CERTIFICATE OF COMPLETION BY Andrew C. Pierce DATE 8-20-87

EXISTING SYSTEM CHECKED BY: _____ DATE _____

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS.

Permit is VOID if any unauthorized changes are made in installation of system and/or if any false information is supplied in making Improvements Permit.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold