IREDELL COUNTY HEALTH DEPARTMENT

STATESVILLE 704-878-5305 MOORESVILLE 704-664-5281

IMPROVEMENT PERMIT / AUTHORIZATION TO CONSTRUCT / OPERATION PERMIT / EXISTING SYSTEM INSPECTION

PERMIT# 13897 PIN# 4638290707 DATE Nov. 7, 05

OWNER OR APPLICANT Nations Land Co. / Poore Bldrs. PHONE: Business 330-832-4091 Home

ADDRESS 4330 Sterilite St. SE, Massillon OH 44646

LOCATION 150W Perth Rd (N) TL Fern Hill Rd. on right past Periwinkle. Dirt before jct w/ Brullwood

SUBDIVISION Lakewood Crossing BLOCK / SECTION LOT 7 LOT AREA .96ac SITE CLASS. PS DESIGN FLOW 460gpd L.T.A.R. .3 initial / .25 Repair

Septic Tank: 1000 Gallons; STB 1000 Date 10-20-06
Pump Tank: Gallons; PT Date
Pump Make: Model Serial No.
Nitrification Field: No Fields 1 Square Feet 1200 Linear Feet 400
No Lines 4@100' Trench Width 36" Max Trench Bottom Depth 36"

☒ New System ☐ Repair ☐ Expansion System Type: I (II) III IV V VI
System Description: Gravity 25% Reduction "Accepted"
Repair System Description: LPP BPS
Maintenance Agreement Required: ☐ Yes ☒ No initially

☒ House/Mod. Home ☐ Mobile Home ☐ Business ☐ Other
No. Bedrooms 4 No. Persons No. Employees

Water Supply: ☒ Individual ☐ Public ☐ Community

Gravel Depth NA ☒ Gravity ☐ Pressure ☐ Slab ☒ Crawl Space ☐ Basement w/plumbing ☐ Basement wo/plumbing

Comments:/Conditions:

Original site evaluation and system design performed by Rollins Soil and Environmental Services

INITIAL SITE SKETCH

SEE Plan from Rollins Soil and Env. Services

Comments:/Conditions:

AS BUILT SKETCH

Installed Quick 4

As Drawn

Permit can be suspended or revoked if any false information is supplied toward securing the permit/any unauthorized changes are made to the site/any unauthorized changes are made in the installation of the system. Improvement Permit with plat valid without expiration. ☐ Improvement Permit with site plan valid for sixty months ☒ Authorization to Construct is valid for a period equal to that of Improvement Permit – not to exceed sixty months.

Signed: Terrell Edmundson date 11-10-05

Improvement Permit by: [signature] RS date 11-7-05

Authorization to Construct by: Wesley Sparks RS date 8/3/06

Installed by: Wayne Clontz

Operation Permit by: Mark Hickson RS date 12/12/06

Existing System Inspection by: date

HEALTH DEPT. COPY: WHITE OWNER COPY (FINAL): YELLOW OWNER COPY (INITIAL): PINK