4638344402

# IREDELL COUNTY HEALTH DEPARTMENT

## (SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION
(Ground Absorption Sewage Disposal System -- G. S. Chapter 130-Article 13C)

OWNER OR CONTRACTOR Mike Morris DATE 5-29-85 PERMIT NO. 347

PHONE: Business _____ Home _____

LOCATION 150W SR 1303 R 1428 1/2 mile R Pleasant Drive, 600 FT on Left S. R. No. _____

SUBDIVISION NAME LAKE NORMAN LOT NO. 107 SECTION OR BLOCK NO. 11

House (X) Mobile Home ( ) Business ( ) Other _____


No. Bedrooms 3 No. Bathrooms 2

| | | | | | |
|---|---|---|---|---|---|
| Garbage Disposal Unit | Yes | ( ) | No | (X) |
| Auto. Dishwasher | Yes | (X) | No | ( ) |
| Auto. Wash. Machine | Yes | (X) | No | ( ) |
| Site Suitable | Yes | (X) | No | ( ) |

Character & Porosity of Soil _____
Percolation Rate _____
Topography EXISTING
Depth to Water Table _____
Rock or other impervious formations SYSTEM

Lot Area EXISTING

_____ Basement with Plumbing _____ Basement without Plumbing X No Basement



Plot of System

Size of Tank EXISTING Gals.
Nitrification Field:
No. of Lines 4
Sq. Ft. 840 Linear Ft. 280
Depth of Stone in Lines 12"
Water Supply: Individual (X)
Public ( )

Installed by ~~E~~ Self Installed 1979

I understand and agree to install septic tank system as specified on this Improvements Permit.

Signed: _____

IMPROVEMENTS PERMIT BY DR Hinson

COMMENTS: _____

CERTIFICATE OF COMPLETION BY _____ DATE _____

EXISTING SYSTEM CHECKED BY: Paul Clemmer DATE 5-29-85

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS.

Permit is VOID if any unauthorized changes are made in installation of system and/or if any false information is supplied in making Improvements Permit.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold

4638344402

**IREDELL COUNTY HEALTH DEPARTMENT**

(SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION
(Ground Absorption Sewage Disposal System – G. S. Chapter 130-Article 13C)

OWNER OR CONTRACTOR Robert M. Morris DATE 11-27-79 PERMIT NO. 408

PHONE: Business _____ Home _____


LOCATION 1303 N TL on 1428 TR on Keenan Dr. on Left S. R. No. _____

SUBDIVISION NAME Lake Norman LOT NO. 107 SECTION OR BLOCK NO. 11

House ( ) Mobile Home (✓) Business ( ) Other _____

No. Bedrooms 3 No. Bathrooms 2
Garbage Disposal Unit Yes ( ) No (✓)
Auto. Dishwasher Yes (✓) No ( )
Auto. Wash. Machine Yes (✓) No ( )
Site Suitable Yes (✓) No ( )
Lot Area ~ 3/4 AC.

Character & Porosity of Soil clay loam
Percolation Rate 30 mpi
Topography 2%
Depth to Water Table 4'+
Rock or other impervious formations none obs.



Plot of System

Size of Tank 1000 Gals.
Nitrification Field:
No. of Lines 4
Sq. Ft. 800 Linear Ft. 266
Depth of Stone in Lines 16"
Water Supply: Individual (✓)
Public ( )

Installed by Owner

IMPROVEMENTS PERMIT BY RCH

COMMENTS: _____

CERTIFICATE OF COMPLETION BY David R. Hanson DATE 11-27-7

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold