GENERAL NOTES

1. HOTWATER HEATER TO BE LOCATED IN CRAWL SPACE. VERIFY LOCATION OF HOTWATER HEATER WITH OWNER.
2. SIZE AND HEIGHT OF TREY CEILINGS TO BE DETERMINED IN FIELD WITH OWNER.
3. GENERAL CONTRACTOR TO ADHERE TO ALL APPLICABLE STATE AND LOCAL BUILDING CODES IT IS THE BUILDERS RESPONSIBILITY TO MAKE THE NECESSARY REVISIONS TO ENSURE CODE COMPLIANCE AND STRUCTURAL INTEGRITY.
4. ALL WALLS 2x4 AT 16" O.C. U.N.O.
5. ALL CEILING FRAMING TO BE 2x8 @16" O.C. U.N.O.
6. ALL LOAD BEARING HEADERS TO BE (2) 2x8'S U.N.O.
7. INSTALL A MINIMUM OF2 (2)2x4 STUDS UNDER ALL BEAMS, LVL'S OR BUILT-UP U.N.O.
8. STONE VENEER ON WALL AT PORCH BEHIND OUTDOOR KITCHEN.


4 BDRm


Acknowledgement Of

Plans Submittal ONLY!

Date 5/24/06

Date 5/24/06





2 FLOOR PLAN - LEVEL 2
SCALE: 1/4" = 1'-0"

1 FLOOR PLAN - LEVEL 1
SCALE: 1/4" = 1'-0"