IREDELL COUNTY HEALTH DEPARTMENT

STATESVILLE 704-878-5305 MOORESVILLE 704-664-5281

IMPROVEMENT PERMIT / AUTHORIZATION TO CONSTRUCT / OPERATION PERMIT / EXISTING SYSTEM INSPECTION

PERMIT # 152009 PIN # 4639739908 DATE June 25, 2010

OWNER or APPLICANT Jeff & Carol Rodriquez/Schumacher PHONE: Business 704-662-3228 Home:

OWNER or APPLICANT ADDRESS 109 H Williamson Rd Homes Mooresville 28117

LOCATION / DIRECTIONS Perth Rd TL Bells Crossing Dr. TL Belfry Lp on right

SUBDIVISION Bells Crossing BLOCK / SECTION I LOT # 201 LOT AREA .86 Ac. DESIGN FLOW 480gpd L.T.A.R. .3gpd .275 Repair

Septic Tank 1000 Gallons: STB 825 Date 8-2-10

Pump Tank 1000 Gallons: PT 502 Date 9-20-10

Pump Make Zoeller Model M152 Serial #

Nitrification Field No Fields 1 No Lines 8 Linear Feet 400

Trench Width 36" Max. Trench Bottom Depth 36" Gravel Depth NA

☒ New System ☐ Repair ☐ Expansion System Type I II III IV V VI

System Description: 25% reduction pm

Repair System Description: LP PPBPS

Maintenance Agreement Required ☐ YES ☒ NO

☐ GRAVITY ☒ PRESSURE

☒ Residence No. Bedrooms 4

☐ Business No. Persons 8

☐ Other No. Employees

☐ Slab ☒ Crawl Space

☐ Basement w/plumbing ☐ Basement w/o plumbing

Water Supply: ☐ Private ☐ Public ☒ Community

Comments / Conditions

Comments / Conditions

INITIAL SITE SKETCH

See Approved Plan
from Rollins
Soil & Environmental Services

AS BUILT SKETCH

Installed
As Drawn
See As-Built Drawing
For Details

Used 2 (4 tap)
Pin Boxes

Sewer Pump outside Rear
Alarm wired into Garage
Receptacles

2" Supply Line

2" Pressure Set

Permit can be suspended or revoked if any false information is supplied toward securing the permit / any unauthorized changes are made to the site / any unauthorized changes are made in the installation of the system.

☐ IMPROVEMENT PERMIT w / plat valid without expiration. ☐ IMPROVEMENT PERMIT w / site plan valid for 60 mos. ☒ AUTHORIZATION TO CONSTRUCT valid for period equal to IMPROVEMENT PERMIT-not to exceed 60 mo.

Owner / Applicant Signature: Brett Linker Schumacher Homes NC Date 6-28-10

Improvement Permit by: Judy Melville Date 6-25-10

Authorization to Construct by: [signature] REHS Date 6-28-10

Installed by: Bowman

Operation Permit by: [signature] REHS Date: 12-3-10

Existing System Inspected by: Date:

YOU SHOULD CONTACT A LOCATOR SERVICE PRIOR TO ANY EXCAVATION.

WHITE COPY Environmental Health YELLOW COPY (Final) Owner / Applicant PINK COPY (Initial) Owner / Applicant