SOIL/SITE EVALUATION
for ON-SITE WASTEWATER SYSTEM

OWNER: _____ APPLICANT: _____

ADDRESS: _____ APPLICATION DATE: _____ DATE EVALUATED: 7-26-01

PROPOSED FACILITY: _____ PROPOSED DESIGN FLOW (.1949): _____ PROPERTY SIZE: _____

LOCATION OF SITE: lot 4 Tompkins Farms PROPERTY RECORDED: _____

WATER SUPPLY: ☐ Private ☐ Public ☐ Well ☐ Spring ☐ Other _____

EVALUATION METHOD: ☐ Auger Boring ☐ Pit ☐ Cut

TYPE OF WASTEWATER: ☐ Sewage ☐ Industrial Process ☐ Mixed

.1940 LANDSCAPE POSITION/ SLOPE %	HORIZON DEPTH (IN.)	SOIL MORPHOLOGY (.1941) .1941 STRUCTURE/ TEXTURE	SOIL MORPHOLOGY (.1941) .1941 CONSISTENCE/ MINERALOGY	OTHER PROFILE FACTORS .1942 SOIL WETNESS/ COLOR	.1943 SOIL DEPTH	.1956 SAPRO CLASS	.1944 RESTR HORIZ	PROFILE CLASS & LTAR
(1)	0-6	SaSb brwn scl/cL	fr sss p					.3
	6-27	MB/SaSb RC	fi sp SSP					
	27-55	m-vfSaSb yr cl	few-common inf sp fr sss p					
(2)	0-6	Sa brwn scl	fr SSS p					.3
	6-29	mfSaSbPms RC	fi sp					
	29-57	vfSaSb yr-rg cl	fr sss p					
			few-common mica					

Usable Space (.1945) | SITE CLASSIFICATION (.1948): _____

GREENFIELD (WA)
311.33'
09'39"E
200.35'
120.00'
24,042 S.F.
40' FRONT SB
15' SIDE SB
1588.73'
TO IRON ON LINE
DRIVE
LAKE SIDE SB
7+00
6+00
5+00
4+00
3+00
(6)
(5)
(4)
(3)
(2)
(21)

GREENFIELD (WA)
DRIVE
200.35'
120.00'
60x400
24,042 S.F.
(6)
(5)
(4)
(3)
(2)
(1)
40' FRONT SB
4,000 S.F.
(21)
(20)
(19)
15' SIDE SB
1588.73'
TO IRON ON LINE
311.33'
09'39"E
7+00
6+00
5+00
4+00
3+00
PP