IREDELL COUNTY HEALTH DEPARTMENT

Statesville Office (704) 878-5305 Mooresville Office (704) 660-3625 PERMIT # 227454

SEPTIC IMPROVEMENT PERMIT / AUTHORIZATION TO CONSTRUCT / OPERATION PERMIT / EXISTING SYSTEM

PIN # 4647009944

APPLICANT/OWNER: Vasile Lazar APPLICANT ADDRESS: 135 Delaray Circle Mooresville NC 28117

SITE ADDRESS: 135 Charleston Dr Mooresville NC 28117 PHONE: 7042520944 ALT. PHONE

SITE DIRECTIONS: BSR → L Charleston Rd → on left SAP CONTROLLED: ☐ YES ☒ NO

SUBDIVISION: Williamsburg Estates SECTION: LOT # 4 LOT AREA: 0.464 Acres DESIGN FLOW: 360GPD L.T.A.R.: 0.25

Septic Tank 1000 (gal)	STB 130.	Date 12-22-17.	☒ New System ☐ Repair ☐ Expansion System Type: I II (III) IV V VI		☒ Residence	No. Bedrooms 3		Water Supply
Pump Tank (gal)	PT	Date	System Description: 25% reduction		☐ Business	No. Persons 6		☒ Private
Pump Make	Model	Serial #	Repair System Description: LPPBB		☐ Other	No. Employees		☐ Public
# Nitrification Fields 1	# Lines 5	Linear Ft 360'	Maintenance Agreement Required: ☐ YES ☒ NO		☒ Slab	☐ Crawl Space		☐ Community
Trench Width 36"	Trench Bottom Depth(Low side) 24"	Gravel Depth	☒ GRAVITY ☐ PRESSURE		☐ Basement w/plumbing		☐ Basement w/o plumbing	

Comments / Conditions: TB at 24" because of Chroma II mottles @36". Burm/Terrace to be smoothed out to prevent stoppage of water on drainfield. maintain 50' min setbacks to neighbor's well. Well permit conditioned on moving existing building to attain 25' setback. Recommend pumping septic tank every 3-5 years

INITIAL SITE SKETCH

See attached plans from Rollans Soil & Environmental Services P.A.

Ashley Rollans # 1231
dated May 23, 2017

FINAL SKETCH

Trench Bottom installed 24 inches Low side as shown on permit.

Permit can be suspended or revoked if any false information is supplied toward securing the permit / any unauthorized changes are made to the site / any unauthorized changes are made in the installation of the system. CONTACT A LOCATOR SERVICE PRIOR TO ANY EXCAVATION

☐ IMPROVEMENT PERMIT *with plat valid without expiration.* ☒ IMPROVEMENT PERMIT *with site plan valid for 60 mos.* ☒ AUTHORIZATION TO CONSTRUCT *valid for period equal to IMPROVEMENT PERMIT--not to exceed 60 mo.*

Owner / Applicant Signature: Vasile Lazar Date: 6/13.17 Installed by: Maider Grading + Septic tank

IMPROVEMENT PERMIT by: Ely Date: 6/12/17 OPERATION PERMIT by: Benjamin D. Bellis Date: 5/2/18

AUTHORIZATION TO CONSTRUCT by: Ely Date: 6/12/17 Existing System Inspected by: Date:

IREDELL COUNTY HEALTH DEPARTMENT

Statesville Office (704) 878-5305 Mooresville Office (704) 660-3625 PERMIT # 227454

SEPTIC IMPROVEMENT PERMIT / AUTHORIZATION TO CONSTRUCT / OPERATION PERMIT / EXISTING SYSTEM

PIN # 4647009944

APPLICANT/OWNER: Vasile Lazar APPLICANT ADDRESS: 135 Delargy Circle Mooresville NC 28117

SITE ADDRESS: 135 Charleston Dr Mooresville NC 28117 PHONE: 7042520944 ALT. PHONE

SITE DIRECTIONS: BSR → L Charleston Rd → on left SAP CONTROLLED: ☐ YES ☒ NO

SUBDIVISION: Williamsburg Estates SECTION: LOT # 4 LOT AREA: 0.464 Acres DESIGN FLOW: 360GPD L.T.A.R.: 0.25

Septic Tank 1000 (gal) STB Date
Pump Tank (gal) PT Date
Pump Make Model Serial #
Nitrification Fields 1 # Lines 5 Linear Ft 360'
Trench Width 36" Trench Bottom Depth(Low side) 24" Gravel Depth

☒ New System ☐ Repair ☐ Expansion System Type: I II (III) IV V VI
System Description: 25% reduction
Repair System Description: LPPBS
Maintenance Agreement Required: ☐ YES ☒ NO
☒ GRAVITY ☐ PRESSURE

☒ Residence No. Bedrooms 3
☐ Business No. Persons 6
☐ Other No. Employees
☒ Slab ☐ Crawl Space
☐ Basement w/plumbing ☐ Basement w/o plumbing

Water Supply
☒ Private
☐ Public
☐ Community

Comments / Conditions: TB at 24" because of Chroma II mottles @36". Burm/Terrace to be smoothed out to prevent stoppage of water on drainfield. maintain 50' min setbacks to neighbor's well. Well permit conditioned on moving existing building to attain 25' setback. Reccomend pumping septic tank every 3-5 years

INITIAL SITE SKETCH

See attached plans from Rollans Soil & Environmental Services P.A.

Ashley Rollans # 1231
dated May 23, 2017

AS BUILT SKETCH


Permit can be suspended or revoked if any false information is supplied toward securing the permit / any unauthorized changes are made to the site / any unauthorized changes are made in the installation of the system. **CONTACT A LOCATOR SERVICE PRIOR TO ANY EXCAVATION**

☐ **IMPROVEMENT PERMIT** *with plat valid without expiration.* ☒ **IMPROVEMENT PERMIT** *with site plan valid for 60 mos.* ☒ **AUTHORIZATION TO CONSTRUCT** *valid for period equal to IMPROVEMENT PERMIT--not to exceed 60 mo.*

Owner / Applicant Signature: Vasile Lazar Date: 6/13/17 Installed by:

IMPROVEMENT PERMIT by: Date: 6/12/17 OPERATION PERMIT by: Date:

AUTHORIZATION TO CONSTRUCT by: Date: 6/12/17 Existing System Inspected by: Date:


LOT 4
20198.4 Sq. Feet
0.46 Acres
N 60°26'08"E 170.00'
S 37°37'32"E 120.00'
50' SETBACK RADIUS
UTILITY BUILDING (EXISTING) OR FUTURE POOL
HOUSE
PORCH
GARAGE
ST
DRIVE
5 B 24'
6 O 60'
7 R 68'
8 Y 72'
9 B 80'
10 O 80'
1 R 56'
2 O 57'
3 Y 57'
4 B 56'
25.4'
118.6'
53.3'
S 60°26'08"W 170.00'
20'
N 37°37'32"W 120.00'
CHARLESTON DR 45' R/W
NORTH
SCALE
1" = 30'
Setbacks: 35' Front
35' Rear
15' side

GRAVITY ACCEPTED SYSTEM
FOR WASTEWATER TREATMENT

Applicant: Vasile Lazar

Address: 135 Delargy Cricle
Mooresville, NC 28117

Phone: 704.746.5046

County: Iredell

Location: 135 Charleston Drive
PIN (4647009944)

Source of Wastewater Flow: 3 Bedroom Single Family Residence

Estimated Gallons Per Day Flow: 360

System Flow: N/A

Design Specifications

Drainfield Size: 360

Loading Rate (gpd/ft.^{2}): 0.25

Depth of Gravel in Trench: N/A

Gravel Size: N/A

Max.Trench Depth: ~~30 in.~~ 24" SAR 6/12/17 Repair Trench Bottom 30 in.

Trench Width: 36 in.

Septic Tank Size: 1000

Estimated Supply Line Length: 55

Supply Line Diameter: 4 in. SCH 40 PVC

Supply Line Volume: 35.92

Dosing Volume: N/A

Supply Manifold: N/A

Supply Manifold Length: N/A

Supply Manifold Volume: N/A

Recommended Float Controls: N/A

Recommended Control Panel: N/A

Pressure Head: N/A

Friction Head: N/A

Elevation Head: N/A

Total Dynamic Head: N/A

Threaded Union: N/A

Gate Valves: N/A

Check Valves: N/A

Anti-Siphon Hole: N/A

Additional Comments: Soil suitability was performed by Rollans Soil & Environmental Services

Charleston Drive

ACCEPTED SYSTEM

DESIGN FLOW (gpd):	360
SOIL APPLICATION RATE (gpd/ft.^{2}):	0.25
TOTAL AREA TRENCH BOTTOM:	1080
TOTAL LATERAL LENGTH:	360
NUMBER OF FIELDS:	1
LATERAL LENGTH REQUIRED PER FIELD:	360
SUPPLY LINE LENGTH:	55
TOTAL DYNAMIC HEAD:	N/A
MANIFOLD SIZE:	N/A
DOSING VOLUME:	N/A
PUMP TANK DRAW DOWN*:	N/A
SEPTIC TANK SIZE:	1000

Layout Specifications - Williamsburg Estates Lot 4

Project #: 01-3372

LAYOUT FOR 3 BEDROOM HOME

May 23, 2017

LINE #	FLAG COLOR	BS	HI	FS	ELEVATION	FLAGGED LINE LENGTH	DESIGN LINE LENGTH
TBM							
INSTR. 1							
1	RED					56	56
2	ORANGE					57	57
3	YELLOW					57	57
4	BLUE					56	56
5	BLUE					24	24
6	***ORANGE***					***60***	***60***
7	***RED***					***68***	***68***
8	***YELLOW***					***72***	***72***
9	***BLUE***					***80***	***80***
10	***ORANGE***					***80***	***80***
					Total	610	610

	LINE LENGTH	LTAR GPD/FT2	SYSTEM TYPE	SOIL LTAR GPD/FT2	TRENCH SYSTEM	DISTRIBUTION
** System*	*360*	*0.250*	*ACCEPT.*	*0.250*	*25% RED*	*GRAVITY*
Repair	250	0.250	MOD. CONV.	0.250	PPBPS	LOW PRESSURE

Notes: **All measures in feet

**Nitrification lines are demonstrated on contour via colored pin flags

CALCULATIONS

Location 13 Charleston Drive
Mooresville, NC 28117
Project Number 01-3372

Lot No: 4 Williamsburg Estates

No. of Bedrooms 3

Design Flow 360 $^{gal}/_{day}$

LTAR 0.250 $^{gal}/_{ft^2\ day}$

PPBPS? (YES OR NO) NO

Supply Line Length 55 ft.

Supply Line Volume 35.915 gal.

Required Feet of Line 360 ft.
Amount of Line from Layout 360 ft.

Gallons per Minute N/A $^{gal}/_{min}$

Required Septic Tank Capacity 1000 gal.
Septic Tank Size 1000 gal.

Panel Volume N/A gal.
# of Panels N/A
Dosing Volume N/A gal.

Tank Draw Down N/A

Pump Run Time

Elevation Head N/A ft.
Pressure Head N/A ft.
Friction Factor N/A ft./100 ft. *(From the interpolater.)*
Friction Head N/A ft.

Total Dynamic Head (+15%) N/A ft.

FRICTION FACTOR
INTERPOLATER
2" SCH 40 PVC

GPM	*f*
20	0.84
	-0.88
25	1.27
	-1.28
30	1.78
	-1.76
35	2.37
	-2.25
40	3.03
43.07	3.48
45	3.77
48.14	4.28
50	4.58
57.11	5.89
60	6.42

[redacted]

Sheet 1 of 2
PROPERTY ID #: 9697609
COUNTY: Freed

SOIL/SITE EVALUATION
for ON-SITE WASTEWATER SYSTEM

OWNER: Smith, Daril Eugene & Bonita / Applicant: Vasile Lazar
ADDRESS: 117 Shaleigh Lane Mooresville NC 28117 APPLICATION DATE 5/2017
PROPOSED FACILITY: 3BR PROPOSED DESIGN FLOW (.1949): 360 gpd DATE EVALUATED: 5/15/17
LOCATION OF SITE: 135 Charleston Drive Mooresville NC 28117 PROPERTY SIZE: 0.464 ac
WATER SUPPLY: ☐ Private ☐ Public ☑ Well ☐ Spring ☐ Other PROPERTY RECORDED: Yes
EVALUATION METHOD: ☑ Auger Boring ☐ Pit ☐ Cut TYPE OF WASTEWATER: ☑ Sewage ☐ Industrial Process ☐ Mixed

PROFILE #	.1940 LANDSCAPE POSITION/ SLOPE %	HORIZON DEPTH (IN.)	SOIL MORPHOLOGY (.1941) .1941 STRUCTURE/ TEXTURE	SOIL MORPHOLOGY (.1941) .1941 CONSISTENCE/ MINERALOGY	OTHER PROFILE FACTORS .1942 SOIL WETNESS/ COLOR	.1943 SOIL DEPTH	.1956 SAPRO CLASS	.1944 RESTR HORIZ	PROFILE CLASS & LTAR
B 1	5	0-14	BCL WF SBK	FR SS SP	F SAP				PS. 3
		14-36	RC WM SBK	" " "					
		36-48	BRCL WF SBK	" " "	F/Fe SAP				
B *2	7	0-24	RBCL	FR SS SP	F/Fe Dep				.275-.3
		24-38	RBC WM SBK	FR SS SP					
		38-48	RC WM SBK	" " "					
B 3	5	0-12	RBCL WM SBK	FR SS SP	F/Fe Dep				0.25-.275
		12-40	BRC WM SBK	" " "					
		40-48	RSC WF SBK	" " "					
B 4	7	0-9	RBCL WF SBK	FR SS SP	F/SAP INC				.3
		9-40	BRC WM SBK	FR SS SP	F/SAP INC				
		40-48	BRCL WF SBK	" " "					

DESCRIPTION	INITIAL SYSTEM	REPAIR SYSTEM
Available Space (.1945)	PS	PS
System Type(s)	Accepted	PPBPS
Site LTAR	0.25	0.25-0.3

OTHER FACTORS (.1946):
SITE CLASSIFICATION (.1948): RS
EVALUATED BY: S. Ashley Rollins
OTHER(S) PRESENT:

COMMENTS:

SOIL/SITE EVALUATION

(Continuation Sheet-Complete all field in full)

[redacted] Charleston DR

PROPERTY ID #: 4647069444

DATE OF EVALUATION: 5/15/17

COUNTY: Iredell

PROFILE #	.1940 LANDSCAPE POSITION/ SLOPE %	HORIZON DEPTH (IN.)	SOIL MORPHOLOGY (.1941) STRUCTURE/ TEXTURE	SOIL MORPHOLOGY (.1941) CONSISTENCE/ MINERALOGY	OTHER PROFILE FACTORS .1942 SOIL WETNESS/ COLOR	.1943 SOIL DEPTH	.1956 SAPRO CLASS	.1944 RESTR HORIZ	PROFILE CLASS & LTAR
B		0-6	BCL wF SBK	FR SS SP					
		6-42	BRC wm SBK	FR SS SP	F/SAP INC				PS
* 5	6	42-48	BRCL wF SBK	" " "	F/C SAP				3
9	51	0-10	WSBK CL	Fr SSSPSEXP				—	
		10-19	ABK C	Fi SPSEXP				—	PS
		19-58	WSBK CL	Fr SSSPSEXP	36" YBs Chroma II	58"		—	0.2 TB @ 24"
6	Matching w/ Hole #2	0-~~18~~ 22"	WSBK CL	Fr SSSP SEXP	~~YBs~~	—	—	—	
		18"-37"	SBK C	Fi SP SEXP	~~YBs~~			—	PS
	7.1 22	37-48"	WSBK CL	Fr SSSPSEXP	— water in hole 2" ADX. 4" 30min late	48"	F→C incl B sap Interceptor/ French drain	—	0.275 Pits for YBs/wa
	ICHD								
7	Matching w/ Hole #5	0-7"	WSBK CL	Fr SSSPSEXP	—		C SM sapric	—	PS
		7-39"	SBK C	Fi SP SEXP	—		—	—	
	61	39-48"	WSBK CL	Fr SSSP SEXP	—	40"	F→C	—	0.3
	ICHD						no water in hole		
	DH	0-22"	WSBK SCL	Fr SSSP SEXP				—	PS
B	7.1	22-49"	ABK C	Fi SPSEXP	36" Chroma II	48"			0.3 @ 24" TB
	ICHD								

COMMENTS:

DEPARTMENT OF HEALTH AND HUMAN SERVICES
DIVISION OF PUBLIC HEALTH, ENVIRONMENTAL HEALTH SECTION
ON-SITE WATER PROTECTION BRANCH

Sheet 1 of 1
PROPERTY ID #: 469-00-9444
COUNTY: Iredell

SOIL/SITE EVALUATION
***for* ON-SITE WASTEWATER SYSTEM**
(Complete all fields in full)

OWNER: Vasile Lazar
ADDRESS: 135 Charlotte RD
PROPOSED FACILITY: SFR
PROPOSED DESIGN FLOW (.1949): 360
LOCATION OF SITE: 135 Charlotte RD
APPLICATION DATE
DATE EVALUATED: 5/2/2013
PROPERTY SIZE:
PROPERTY RECORDED: yes

WATER SUPPLY: ☐ Private ☐ Public ☑ Well ☐ Spring ☐ Other
EVALUATION METHOD: ☑ Auger Boring ☐ Pit ☐ Cut
TYPE OF WASTEWATER: ☑ Sewage ☐ Industrial Process ☐ Mixed

PROFILE #	.1940 LANDSCAPE POSITION/ SLOPE %	HORIZON DEPTH (IN.)	SOIL MORPHOLOGY (.1941) .1941 STRUCTURE/ TEXTURE	SOIL MORPHOLOGY (.1941) .1941 CONSISTENCE/ MINERALOGY	OTHER PROFILE FACTORS .1942 SOIL WETNESS/ COLOR	.1943 SOIL DEPTH	.1956 SAPRO CLASS	.1944 RESTR HORIZ	PROFILE CLASS & LTAR
1	4% Side slope	0-18	SC WSBK.	SSSP FRSFFP	2.5YR4/6	48.	—	Mica.	25
		18-30	C ABK	SSSP FM				5YR6/4 Root Channel @ 38	
		30-48.	CL ABK	S P FM				2.5Y6/4 Saprolite → @ 39" min	
2									
3									
4									

DESCRIPTION	INITIAL SYSTEM	REPAIR SYSTEM
Available Space (.1945)		
System Type(s)		
Site LTAR		

OTHER FACTORS (.1946):
SITE CLASSIFICATION (.1948):
EVALUATED BY:
OTHER(S) PRESENT:

COMMENTS: * Boring Done next to Hole # 8 Verifying depth to Water Table Observed 2. other 2 Lost Observations.

Updated February 2014

RECEIVED MAY 24 2017

IREDELL COUNTY HEALTH DEPARTMENT

ENVIRONMENTAL HEALTH DIVISION

PAGE 1: *APPLICATION FORM*

Paid $350.00
227454

Application For:

( ) New Well Permit ( ) Well Repair Permit ( ) Well Abandonment
(✓) Septic Improvement Permit (✓) Authorization to Construct ( ) Existing System Inspection ( ) Septic System Repa

Bobby Kotler Lot 2 740 Wiggins Rd MVL @ 2:30

THE ABOVE PERMIT DOCUMENTS WILL BECOME INVALID IF INFORMATION PROVIDED ON THIS APPLICATION IS FALSIFIED OR CHANGED, OR IF THE SIT IS ALTERED. THE IMPROVEMENT PERMIT IS VALID FOR EITHER 60 MONTHS OR WITHOUT EXPIRATION DEPENDING UPON DOCUMENTATION SUBMITTE APPLICATION WITH SITE PLAN 60 MONTHS, APPLICATION WITH COMPLETE, SCALED PLAT WITHOUT EXPIRATION. SEE 15A NCAC 18A .1937(f) FOR DETAILS

Page 2: *Site Plan Worksheet* form MUST accompany this application

The following optional attachments may also be submitted: ( ) Survey Plat, scaled no more than 1 inch = 60 feet
Place an (X) beside whichever is submitted if applicable ( ) Custom Site Plan, scaled no more than 1 inch = 60 fee

Applicant Information:

Applicant Name: Vasile Lazar **Address:** 135 Delargy Circle, Mooresville NC 28117 **Phone:** 704 252 0944

Owner Name: Daria Eugenia Bonta Smith **Address:** 117 Shaleigh Ln, Mooresville NC 28117 **Phone:**

Property Information:

Street Address: 135 Charleston Drive, NC 28117

Subdivision Name: Williamsburg Estates **Section/Phase:** **Lot Number:** 4

Driving Directions: Brawley, Lt on Charleston, Lot on Left

Site Development Information: ***(check or complete ALL that apply)***

(✓) New Single Family Residence
( ) New Multi-Family Residence
( ) Accessory Building
( ) Bedroom(s) Addition

Maximum Number of Bedrooms: 3
Maximum Number of Occupants: 6
(✓) Swimming Pool – Future
( ) Other Addition/Structure:

( ) Crawl Space Foundation
(✓) Concrete Slab Foundation
( ) Basement with Plumbing
( ) Basement without Plumbing

Non-Residential Site Development:

Type of Business:
Square Footage of Building:
Maximum Number of Employee:
Maximum Number of Seats/Beds/Other:

Water Supply:

(✓) New Well ( ) Existing Well ( ) Community Well ( ) City Water ( ) Other Public Water

Desired Septic System Type: ***(you may rank in order of preference)*** **Year existing system installed:**

( ) No Preference ( ) Alternative ( ) Conventional ( ) Innovative ( ) Modified Conventional (✓) Other: Accepted

Please answer the following to the best of your ability:

( ) Yes (✓) No **Does the site contain any jurisdictional wetlands?**
( ) Yes (✓) No **Is any non-domestic sewage (i.e. industrial) to be generated?**
( ) Yes (✓) No **Is the site subject to approval by any other public agency?**

I have read this application and certify that the information provided herein is true, complete, and correct. Authorized county and state officials are granted right of entry to conduct necessary inspections to determine compliance with applicable laws and rules. I understand that I am solely responsible for the proper identification and labeling of all property lines and corners and making the site accessible so that a complete site evaluation can be performed.

Signature: Lauren A Toller
Property owner or owner's legal representative signature (SIGNATURE REQUIRED)

5/23/17
DATE

IREDELL COUNTY HEALTH DEPARTMENT


ENVIRONMENTAL HEALTH DIVISION

PAGE 2: *SITE PLAN WORKSHEET*

SEE THE "SAMPLE SITE PLAN" BELOW. *INCOMPLETE SITE PLANS WILL BE RETURNED TO YOU FOR COMPLETION AND MAY RESULT IN A DELAY IN THE ISSUANCE OF YOUR SEPTIC SYSTEM PERMIT!!!*

Place an (X) beside each item as you complete the site plan:

- ( ) **Property Line measurements are clearly identified**
- ( ) **All proposed structures are indicated**
- ( ) **Front and side setbacks from property line**
- ( ) **Preferred driveway location and well location**
- ( ) **Area you prefer your septic system to be placed**
- ( ) **North arrow, or other sufficient indicator of direction**




Circle N/A on the following if appropriate:

Location of septic systems and wells within 100' of your property	**N/A**
Location of easements and rights of ways on your property	**N/A**
Location of any designated wetlands on the property	**N/A**

USE THIS SPACE TO DRAW YOUR SITE PLAN

Show: proposed house or business footprint, wells, water lines, patios, pools and decks, and any other item that will occupy space on the site



Signature: Vosil L Lozan

Property owner or owner's legal representative signature (SIGNATURE REQUIRED)

May 24 2017

DATE

IREDELL COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH

DOCUMENTATION TO AUTHORIZE AN OWNER'S LEGAL REPRESENTATIVE

Applications for permits require the "signature of the owner or owner's legal representative" (15A NCAC 18A .1937). If the owner does not sign the application himself or herself, they can submit any one of the following documents to designate their legal representative:

Power of Attorney; Real Estate Contract; Estate executor; Bankruptcy trustee; Court ordered guardianship

In the absence of the above documentation, the property owner may provide the local health department with documentation that designates a legal representative. A property owner may:

Complete this form to document his or her legal representative, or provide his or her own form that contains the information in this form.

If there are multiple property owners, then all property owners must sign the form that designates a legal representative.

By signing a form that designates a legal representative for purposes of 15A NCAC 18A .1937, the property owner authorizes that representative to act on their behalf in matters pertaining to the application and permitting process, including signing or receiving any application, document or permit. The owner retains full responsibility to meet all permit conditions specified by the local health department.

I, _____, am the legal owner(s) of the property located at Charleston Drive, Mooresville NC 28117 / Williamsburg Estates Lot 4, identified as PIN (Parcel Identification Number) 4647009944, located in Iredell County, North Carolina.

I do hereby authorize (**print legal representative/company name**) Samuel Ashley Rollans & Vasile Lazar (Buyer) Rollans Soil & Environmental Services, to act as an agent on my behalf in applying for/signing/obtaining any of the documents described below.

- Application for Improvement Permit (IP) / Authorization to Construct (AC)
- Improvement Permit (IP) / Authorization to Construct (AC)
- Application for soil-site evaluation (new/repair)
- Application/permit for private drinking water well/well abandonment
- Application for Compliance Inspection

I agree to abide by all decisions and/or conditions between the legal representative acting on my behalf and the Iredell County Department of Public Health, Environmental Health Division.

_____ _____ _____ _____

Signature of Owner(s) Date Signature of Witness Date

Please return this signed form to the appropriate office:

Mooresville - Environmental Health
ronda.hart@co.iredell.nc.us
Fax: 704-662-3239
610 E. Center Avenue, Mooresville, NC 28115

Statesville - Environmental Health
adrienne.shea@co.iredell.nc.us
Fax: 704-871-3483
349 N. Center Street, Statesville, NC 28677

IREDELL COUNTY

PO Box 788
349 North Center St.
Statesville, NC 28677

APPLICATION NUMBER
227454
Issue Date: 05/24/2017

ZONING PERMIT

Open Space

Parcel Number	Street Address	Jurisdiction
4647009944.000	135 CHARLESTON DRIVE, MOORESVILLE, NC 28117	

Owner Information	Applicant Information
Owner: SMITH DARIL EUGENE+BONITA	Applicant: VASILE LAZAR
Address: 106 IREDELL CO, NC 28625	Address: 167 ALBANY DRIVE MOORESVILLE, NC 28115
Phone:	Phone: 704-252-0944

Use Requested	Zone Code
SFD	

Lot Acreage	F Setback	B Setback	L Setback	R Setback	Watershed	Flood Zone
	35.00	35.00	15.00	15.00	CA	X

Remarks:

The applicant certifies that there are no deed restrictions, contractual agreements or governmental regulations of any kind that interfere with or prohibit the use of the property or the use for which this permit is requested. The applicant further acknowledges that enforcement of deed restrictions, plat conditions and other contractual agreements will not be undertaken by Iredell County and is the sole responsibility of the affected parties.

Applicant: _____ Date: _____

Permit Number	104058	TOTAL FEES:	$ 77.25