RECEIVED SEP 4 2014 DV

IREDELL COUNTY HEALTH DEPARTMENT Paid $195.00

ENVIRONMENTAL HEALTH DIVISION

PAGE 1: *APPLICATION FORM*

Paid $100 Site Revisit Fee 10-2-14

181562

Application For: Re-Draw ( ) New Well Permit ( ) Well Repair Permit ( ) Well Abandonment

(✓) Septic Improvement Permit (~) Authorization to Construct ( ) Existing System Inspection ( ) Septic System Repair

THE ABOVE PERMIT DOCUMENTS WILL BECOME INVALID IF INFORMATION PROVIDED ON THIS APPLICATION IS FALSIFIED OR CHANGED, OR IF THE SITE IS ALTERED. THE IMPROVEMENT PERMIT IS VALID FOR EITHER 60 MONTHS OR WITHOUT EXPIRATION DEPENDING UPON DOCUMENTATION SUBMITTED APPLICATION WITH SITE PLAN 60 MONTHS, APPLICATION WITH COMPLETE, SCALED PLAT WITHOUT EXPIRATION. SEE 15A NCAC 18A .1937(f) FOR DETAILS.

Page 2: *Site Plan Worksheet* form MUST accompany this application

The following optional attachments may also be submitted: ( ) Survey Plat, scaled no more than 1 inch = 60 feet

Place an (X) beside whichever is submitted if applicable ( ) Custom Site Plan, scaled no more than 1 inch = 60 feet

Applicant Information:

Applicant Name: Meritage Homes **Address:** 11605 N Community Rd st 250 Charlotte NC 28217 **Phone:** 7043096577

Owner Name: " **Address:** " **Phone:** 7046588616

Property Information:

Street Address: 136 N San Agustine Dr

Subdivision Name: Bells Crossing **Section/Phase:** 2 **Lot Number:** 20

Driving Directions: ~

Site Development Information: *(check or complete ALL that apply)*

(✓) New Single Family Residence
( ) New Multi-Family Residence
( ) Accessory Building
( ) Bedroom(s) Addition

Maximum Number of Bedrooms: 4
Maximum Number of Occupants: 8
( ) Swimming Pool
( ) Other Addition/Structure:

( ) Crawl Space Foundation
(✓) Concrete Slab Foundation
( ) Basement with Plumbing
( ) Basement without Plumbing

Non-Residential Site Development:

Type of Business:
Square Footage of Building:
Maximum Number of Employee:
Maximum Number of Seats/Beds/Other:

Water Supply:

( ) New Well ( ) Existing Well (✓) Community Well ( ) City Water ( ) Other Public Water

Desired Septic System Type: *(you may rank in order of preference)* **Year existing system installed:**

(✓) No Preference ( ) Alternative ( ) Conventional ( ) Innovative ( ) Modified Conventional ( ) Other:

Please answer the following to the best of your ability:

( ) Yes (✓) No **Does the site contain any jurisdictional wetlands?**
( ) Yes (✓) No **Is any non-domestic sewage (i.e. industrial) to be generated?**
( ) Yes (✓) No **Is the site subject to approval by any other public agency?**

I have read this application and certify that the information provided herein is true, complete, and correct. Authorized county and state officials are granted right of entry to conduct necessary inspections to determine compliance with applicable laws and rules. I understand that I am solely responsible for the proper identification and labeling of all property lines and corners and making the site accessible so that a complete site evaluation can be performed.

Signature: [signature] 9-2-14

Property owner or owner's legal representative signature (SIGNATURE REQUIRED) DATE

IREDELL COUNTY HEALTH DEPARTMENT


ENVIRONMENTAL HEALTH DIVISION

PAGE 2: *SITE PLAN WORKSHEET*

SEE THE "SAMPLE SITE PLAN" BELOW. ***INCOMPLETE SITE PLANS WILL BE RETURNED TO YOU FOR COMPLETION AND MAY RESULT IN A DELAY IN THE ISSUANCE OF YOUR SEPTIC SYSTEM PERMIT!!!***

Place an (X) beside each item as you complete the site plan:

(X) Property Line measurements are clearly identified
(X) All proposed structures are indicated
(X) Front and side setbacks from property line
(X) Preferred driveway location and well location
(X) Area you prefer your septic system to be placed
(X) North arrow, or other sufficient indicator of direction



Circle N/A on the following if appropriate:

Location of septic systems and wells within 100' of your property (N/A)
Location of easements and rights of ways on your property N/A
Location of any designated wetlands on the property N/A

USE THIS SPACE TO DRAW YOUR SITE PLAN

Show: proposed house or business footprint, wells, water lines, patios, pools and decks, and any other item that will occupy space on the site

See Attached + existing

Signature: _____ 9-2-14

Property owner or owner's legal representative signature (SIGNATURE REQUIRED) DATE

LINE SCHEDULE

LINE NUMBER	COLOR	FIELD ELEVATION	LENGTH (FT)	DESIGN LENGTH
1	RED	3.3	50	50
2	BLUE	3.1	50	50
3	PINK	2.5	50	50
5	PINK	6.8	50	40
6	BLUE	8.2	69	59
7	YELLOW	8.9	94	89
8	RED	9.9	95	95
9	BLUE	10.8	95	95
10A	YELLOW	11.4	25	25
10B	YELLOW	11.4	65	65
11	RED	12.5	25	25
12	RED	12.5	19	19
13	ORANGE	13.5	24	24

LOT 20 BELLS CROSSING SUBDIVISION


4-BEDROOM ACCEPTED STATUS GRAVITY SYSTEM
SERIAL DISTRIBUTION WITH DROP BOXES
LINES 6-11 TOTAL 403 LINEAR FEET
EZFLOW OR CHAMBER
LTAR 0.3
25% REDUCTION
24" TRENCH DEPTH

4-BEDROOM LPP FED PANEL BLOCK REPAIR
LINES 1-5,12-16 TOTAL 283 LINEAR FEET
LTAR 0.3
50% REDUCTION

FOR GENERAL USE NOT A SURVEY
PRELIMINARY NOT FOR CONSTRUCTION

SOIL PROFILES AND ANALYSIS PROVIDED BY
CENTRAL CAROLINA SOIL CONSULTING

APPROVED SEP 22 2014



A PIT OR AUGER BORING

PRIMARY LINES

REPAIR LINES

0 30 60


SCALE:
1" = 60 ft.

Bateman Civil Survey Company
Engineers • Surveyors • Planners
200 N. Main Street, Holly Springs, NC 27540 Ph: 919.577.1080 Fax: 919.577.1081
www.batemancivilsurvey.com info@batemancivilsurvey.com
NCBELS Firm No. C-3278


MeritageHomes

LOT 20
BELLS CROSSING SUBDIVISION
MOORESVILLE, NC
IREDELL COUNTY
REVISED 09/17/14
DATE: 09/27/13 DRAWN BY AH CHECKED BY: TMB


Acknowledgement Of
Plans Submittal ONLY!
Date 6-12-14
APPROVED JUN 13 2014




Main Floor Plan - Opt Kitchen



Main Floor Plan - Opt O.E.



Main Floor Plan - Opt Fireplace



Main Floor Plan - C

ALL EXTERIOR HOUSE WALLS MAY BE OPTIONAL 2X6 STUD WALLS - SEE STRUCTURAL PLANS FOR DETAILS.

SQUARE FOOTAGES	
MAIN FLOOR	2540
UPPER FLOOR	1421
BONUS	0
FINISHED BASEMENT	2781
UNFINISHED BASEMENT	1269
GARAGE	1070
PORCH	418
DECK	108
OPT. EXTENDED DECK	120
OPT. SCREEN PORCH	321
TOTAL	307

FLOOR PLAN NOTES:

SPECIFICATIONS

1 THE FOLLOWING KEYNOTES REFERENCE THE SYMBOLS AS SHOWN ON PLANS.

1. IF RAILING / GUARDRAIL IS PROVIDED, ALL RAILING / GUARDRAIL BALUSTERS TO BE SPACED SUCH THAT A 4" SPHERE CANNOT PASS BETWEEN BALUSTERS. RAILING/HANDRAILS ARE TO BE AT A 34" MINIMUM TO 38" MAXIMUM HEIGHT A.F.F. WITH RETURNS FOR LOCAL CODE. RAILING AT GUARDRAIL LOCATIONS TO BE AT 42" MINIMUM A.F.F. OPT. RAILING.
2. LINE OF OVERHEAD GARAGE DOOR IN OPEN POSITION.
3. SLOPE GARAGE FLOOR 1/8" PER FOOT TOWARD OVERHEAD GARAGE DOOR OPENING.
4. FIREPLACE, AS SPECIFIED BY BUILDER. INSTALL PER MANUFACTURERS SPECIFICATIONS. ALL FACTORY BUILT FIREPLACES SHALL COMPLY WITH LOCAL CODES.
5. 50GAL W/ GARBAGE DISPOSAL
6. DISHWASHER
7. RANGE
8. COOK TOP
9. OVEN
10. REFRIGERATOR SPACE.
11. PANTRY
12. PEDESTAL SINK
13. 42" X 42" SHOWER
14. 42" X 60" SHOWER
15. 42" X 60" TUB
16. 60" X 60" CORNER TUB
17. 30" X 60" TUB/SHOWER
18. 36" X 60" TUB/SHOWER
19. LINEN SHELVING PER BUILDER SPECS.)
20. WASHER SPACE
21. DRYER VENT
22. OPTIONAL LAUNDRY SINK.
23. PROVIDE NON-COMBUSTIBLE PLATFORM ELEVATED 18" ABOVE GARAGE FLOOR FOR WATER HEATER.
24. 5 SHELVES PER BUILDER SPECS.
25. ROD AND SHELF PER BUILDER SPECS.
26. ATTIC ACCESS 22"x30" U.N.O.
27. ATTIC ACCESS W/ STAIRS 22 1/2"x54" U.N.O.
28. GYPSUM BOARD CEILING @ 9'-0" AT MAIN FLOOR & 7'-0" AT UPPER FLOOR U.N.O.
29. GYPSUM BOARD ARCH @ 11'-2" TO 8'-0".
30. GYPSUM BOARD LOW WALL, 36" A.F.F. (U.N.O.) W/ HOT CAP.
31. SOFFIT, REFER TO EXTERIOR ELEVATIONS FOR WIDTH & ARCHITECTURAL DETAILS FOR FINISH.
32. PLANT SHELF, SEE EXTERIOR ELEVATIONS.
33. HALF WALL W/ WOOD CAP OR OPTIONAL LOW WALL WITH RAILING ABOVE.
34. PORCH RAIL, SEE ELEVATION.
35. 36"x36" CONCRETE STOOP.
36. 6x8 BEAM.
37. OPTIONAL UPPER CABINETS.
38. OPTIONAL CABINETS.
39. OPTIONAL LOWERED CEILING @ 8'-0" PER BUILDER SPEC.
40. LINE OF FIREWALL ABOVE.
41. LINE OF FIREWALL WALL BELOW.
42. 2x4 LOW WALL 42" A.F.F.
43. 2X6 LOW WALL 42" A.F.F.
44. NO NOSE
45. HORIZONTAL LAUNDRY CHUTE
46. LOW WALL 24" A.F.F.
47. GYPSUM BOARD ARCH @ 5'-0" TO 6'-8"
48. LOW WALL 53½" A.F.F.

TYPICAL CONSTRUCTION ASSEMBLIES:

A. TYPICAL ROOF CONSTRUCTION:
ASPHALT ROOF SHINGLES

B. TYPICAL FRAME FLOOR CONSTRUCTION:
PANEL FLOORING ON 3/4" TRUSS & GROOVE FLOOR SHEATHING ON FLOOR TRUSSES OR FLOOR JOISTS AS NOTED ON STRUCTURAL DRAWINGS.

C. SLAB ON GRADE FLOOR CONSTRUCTION:
4" CONCRETE SLAB EXCEPT AS SPECIFIED BY SOIL REPORT, STRUCTURAL ENGINEER. INCLUDE VAPOR BARRIER PER SECTION N, C, 9, a.

D. WINDOWS:
A. ALL WINDOWS SHALL COMPLY WITH MINIMUM STANDARDS OUTLINED IN APPLICABLE RES. CODES.
B. WINDOW SUPPLIER TO VERIFY AT LEAST ONE WINDOW IN ALL BEDROOMS TO HAVE A CLEAR EGRESS OPENING OF 5.7 SQ. FT. WITH MIN. DIMENSION OF 24" IN HEIGHT AND 20" IN WIDTH. SILL HEIGHT NOT GREATER THAN 44" ABOVE FLOOR.
C. TYPICAL WINDOW HEAD HEIGHT:
7'-0" A.F.F. @ 9'-1 1/8" PLATE HEIGHT (U.N.O.)
8'-0" A.F.F. @ 10'-1 1/8" PLATE HEIGHT (U.N.O.)

E. ELECTRICAL:
ALL ELECTRICAL AND MECHANICAL EQUIPMENT & METERS ARE SUBJECT TO RELOCATION DUE TO FIELD CONDITIONS. CONTRACTOR TO VERIFY.

F. HVAC:
PROVIDE BACK DRAFT DAMPERS @ DRYER VENT, HOOD VENT, & EXHAUST FANS.

G. STONE VENEER:
INSTALL PER LOCAL CODE.

H. DIMENSIONS ARE TO THE FACE OF STUD, U.N.O.

I. ALL EXTERIOR DIMENSIONS ARE TO FACE OF STUDS UNLESS OTHERWISE NOTED.

J. ALL ANGLED PARTITIONS ARE 45 DEGREES UNLESS OTHERWISE NOTED.

K. BRICK VENEER:
INSTALL PER LOCAL CODE.

ISSUE DATE: 02/13/2013
REVISIONS

5400 Trinity Road
Suite 107
Raleigh,
North Carolina 27607
919-322-2295 Phone

Meritage Homes

Meritage Homes


BSB DESIGN

www.bsbdesign.com
6401 Westown Parkway, Suite 240
West Des Moines, Iowa 50266
515 273 3100


JOB NO. 02/13/2013 PROJECT#
DRAWN BY: MW CHECKED BY: JG
MAIN FLOOR PLAN - C

259 - 3739
A2.1C


Acknowledgement Of
Plans Submittal ONLY!
Date 6-12-14
APPROVED JUN 13 2014
Date



Opt. Storage - C



Opt. Hobby - C



Upper Floor Plan - C

ALL EXTERIOR HOUSE WALLS MAY BE OPTIONAL 2X6 STUD WALLS - SEE STRUCTURAL PLANS FOR DETAILS.

SQUARE FOOTAGES

MAIN FLOOR	2340
UPPER FLOOR	1431
SUBTOTAL	3771
FINISHED BASEMENT	1298
UNFINISHED BASEMENT	1870
GARAGE	478
PORCH	105
DECK	180
OPT EXTENDED DECK	300
OPT SCREEN PORCH	300
TOTAL	3948

FLOOR PLAN NOTES:

1 THE FOLLOWING KEYNOTES REFERENCE THE SYMBOLS AS SHOWN ON PLANS.

1. IF RAILING / GUARDRAIL IS PROVIDED, ALL RAILING / GUARDRAIL BALUSTERS TO BE SPACED SUCH THAT A 4" SPHERE CANNOT PASS BETWEEN BALUSTERS. RAILS/HANDRAILS ARE TO BE AT A 34" MINIMUM TO 38" MAXIMUM HEIGHT A.F.F. WITH RETURNS PER LOCAL CODE. RAILING AT GUARDRAIL LOCATIONS TO BE AT 42" MINIMUM A.F.F. OPT. RAILING.
2. LINE OF OVERHEAD GARAGE DOOR IN OPEN POSITION.
3. SLOPE GARAGE FLOOR 1/8" PER FOOT TOWARD OVERHEAD GARAGE DOOR OPENING.
4. FIREPLACE, AS SPECIFIED BY BUILDER. INSTALL PER MANUFACTURERS SPECIFICATIONS. ALL FACTORY BUILT FIREPLACES SHALL COMPLY WITH LOCAL CODES.
5. SINK W/ GARBAGE DISPOSAL
6. DISHWASHER
7. RANGE
8. COOK TOP
9. OVEN
10. REFRIGERATOR SPACE.
11. PANTRY
12. PEDESTAL SINK
13. 42" X 42" SHOWER
14. 42" X 60" SHOWER
15. 42" X 60" TUB
16. 60" X 60" CORNER TUB
17. 60" X 60" TUB/SHOWER
18. 32" X 60" TUB/SHOWER
19. LINEN SHELVING PER BUILDER SPECS.
20. WASHER SPACE
21. DRYER, VENT
22. OPTIONAL LAUNDRY SINK.
23. PROVIDE NON-COMBUSTIBLE PLATFORM ELEVATED 8" ABOVE GARAGE FLOOR FOR WATER HEATER.
24. 5 SHELVES PER BUILDER SPECS.
25. ROD AND SHELF PER BUILDER SPECS.
26. ATTIC ACCESS (22"x30" U.N.O.).
27. ATTIC ACCESS W/ STAIRS (22 1/2"x54" U.N.O.).
28. GYPSUM BOARD OPENING @ 8'-0" AT MAIN FLOOR & 7'-0" AT UPPER FLOOR U.N.O.
29. GYPSUM BOARD ARCH @ 11'-2" TO 8'-0".
30. GYPSUM BOARD LOW WALL, 36" A.F.F. (U.N.O.) W/ MDF CAP.
31. SOFFIT, REFER TO EXTERIOR ELEVATIONS FOR HEIGHTS & ARCHITECTURAL DETAILS FOR FINISH.
32. PLANT SHELF, SEE EXTERIOR ELEVATIONS.
33. HALF WALL W/ WOOD CAP OR OPTIONAL LOW WALL WITH RAILING ABOVE.
34. FOYER RAIL, SEE ELEVATION.
35. 36"x36" CONCRETE STOOP.
36. BAR TOP.
37. OPTIONAL UPPER CABINETS.
38. OPTIONAL CABINETS.
39. OPTIONAL COFFERED CEILING @ 8'-0" PER BUILDER SPEC.
40. LINE OF FRAMING ABOVE.
41. LINE OF FRAMING WALL BELOW.
42. 2X4 LOW WALL 42" A.F.F.
43. 2X6 LOW WALL 42" A.F.F.
44. ART NICHE
45. HORIZONTAL LAUNDRY CHUTE
46. LOW WALL 34" A.F.F.
47. GYPSUM BOARD ARCH @ 8'-0" TO 8'-8"
48. LOW WALL 30½" A.F.F.

TYPICAL CONSTRUCTION ASSEMBLIES:

A. TYPICAL ROOF CONSTRUCTION:
ASPHALT ROOF SHINGLES

B. TYPICAL FRAME FLOOR CONSTRUCTION:
FINISH FLOORING ON 3/4" TONGUE & GROOVE FLOOR SHEATHING ON FLOOR TRUSSES OR FLOOR JOISTS AS NOTED ON STRUCTURAL DRAWINGS.

C. SLAB ON GRADE FLOOR CONSTRUCTION:
4" CONCRETE SLAB, EXCEPT AS SPECIFIED BY SOIL REPORT, AND STRUCTURAL ENGINEER. INCLUDE VAPOR BARRIER PER SECTION N.C.S.C.

D. WINDOWS:
A. ALL WINDOWS SHALL COMPLY WITH MINIMUM STANDARDS OUTLINED IN APPLICABLE RES. CHECK.
B. WINDOW SUPPLIER TO VERIFY AT LEAST ONE WINDOW IN ALL BEDROOMS TO HAVE A CLEAR EGRESS OPENING OF 5.7 SQ. FT. WITH MIN. DIMENSION OF 24" IN HEIGHT AND 20" IN WIDTH. SILL HEIGHT NOT GREATER THAN 44" ABOVE FLOOR.
C. TYPICAL WINDOW HEAD HEIGHT:
7'-0" A.F.F. @ 8'-1 1/8" PLATE HEIGHT (U.N.O.)
8'-0" A.F.F. @ 9'-1 1/8" PLATE HEIGHT (U.N.O.)

E. ELECTRICAL:
ALL ELECTRICAL AND MECHANICAL EQUIPMENT & METERS ARE SUBJECT TO RELOCATION DUE TO FIELD CONDITIONS. CONTRACTOR TO VERIFY.

F. FANS:
PROVIDE BACK DRAFT DAMPERS @ DRYER VENT, HOOD VENT, & EXHAUST FANS.

G. STONE SILLS:
INSTALL PER LOCAL CODE.

H. DIMENSIONS ARE TO THE FACE OF STUD, U.N.O.

I. ALL EXTERIOR DIMENSIONS ARE TO FACE OF STUDS UNLESS OTHERWISE NOTED.

M. ALL ANGLED PARTITIONS ARE 45 DEGREES UNLESS OTHERWISE NOTED.

N. BRICK SILLS:
INSTALL PER LOCAL CODE.

ISSUE DATE: 02/13/2013
REVISIONS

5400 Trinity Road
Suite 107
Raleigh,
North Carolina 27607
919-322-2295 Phone

Meritage Homes

Meritage Homes

BSB DESIGN
www.bsbdesign.com
6901 Westown Parkway, Suite 240
West Des Moines, Iowa 50266
515.243.0800

JOB NO: 02/13/2013 PROJ MGR: JF
DRAWN BY: MT CHECKED: JF/JS
UPPER FLOOR PLAN - C

259 - 3739
A2.2C

Sheet:
Property ID:
Lot #:
File #:
AppID:

RA

CCSC SOIL/SITE EVALUATION
for ON-SITE WASTEWATER SYSTEM

Owner: Meritage Homes
Applicant:
Address:
Date Evaluated: 8/14/13
Proposed Facility:
Design Flow (.1949) 480
Property Size:
Location of Site: Bells Crossing Lot 20
Property Recorded:

Water Supply: [X] Public [ ] Individual [ ] Well [ ] Spring [ ] Other
Evaluation Method: [ ] Auger Boring [X] Pit [ ] Cut
Type of Wastewater: [X] Sewage [ ] Industrial Process [ ] Mixed

PROFILE #	1940 Landscape Position/ Slope%	Horizon Depth (IN.)	SOIL MORPHOLOGY .1941 1941 Structure/ Texture	.1941 Consistence Mineralogy	b PROFILE FACTORS .1942 Soil Wetness/ Color	1943 Soil Depth (IN.)	1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
A	R 3% A	0-3"	Gr Loam	VFR NS, NP	10YR 2/1				
	BT1	3-27"	SBK Clay	FI SS, SP	10R 4/8				S 0.3
	BT2	27-38"	SBK Clay	FI, SS, SP	→2.5YR 4/8 7.5YR 6/8 10%				S 0.3
	BC	38-51"	WK SBK CL	FR, NS, SP	→ 2.5YR 5/8				
	C	51-60"	SG Loam	VFR, NS, NP	→ 7.5YR 6/8 25% 5YR 5/8		S		0.4
B		0-3	Gr Loam	VFR NS NP	10YR 2/1				
		0-26"	SBK Clay	FI SS SP	10R 4/6				S 0.3
		26-51"	SBK CL	FR SS SP	10R 4/8 7.5YR 6/8 10%				S 0.33
C	AE	0-13"	Gr Loam	VFR NS, NP	5YR 5/4				
	BT	13"-38"	SBK Clay	FI, SS, SP	10R 4/8				S 0.3
	BC	38-53"	WK SBK CL	FR	2.5YR 4/8 7.5YR 6/8 10% MICA 5%				S 0.33
D	A	0-2"	Gr Loam	VFR NS NP	10YR 2/1				
	BT1	2-28"	SBK Clay	FI, SS, SP	10R 4/8				S 0.3
	BT2	28-40"	SBK Clay	FI, SS, SP	10R 4/8 7.5YR 6/8 10%				S 0.3
	BC	40-52"	SBK SCL	FR, SS, SP	→ 2.5YR 4/8 MICA 5%				S 0.35

Description	Initial System	Repair System
Available Space (.1945)	Yes	Yes
System Type(s)	Accepted	Panel Block
Site LTAR	0.3	0.3

Other Factors (.1946):
Soil Evaluation By: JH, MB
Others Present:
Site Classification (.1948): S
Site Evaluation By:
Others Present:

LICENSED SOIL SCIENTIST
JASON M. HA
THE GREAT SEAL OF THE STATE OF NORTH CAROLINA
1248
STATE OF NORTH CAROLINA

Iredell County
Planning & Enforcement
349 N. Center St. PO Box 788
Statesville, NC 28687
704-878-3113

Zoning Permit

Permit Number: 181562ZO

Printed: 10/18/2013

Master #: 181562

Associated Permits:
181562ZO Zoning

Applicant

Name: Meritage Homes of North Carolina, Inc. **Phone:**
Address: 7761 Ballantyne Commons Pkwy ste 103
Charlotte, NC 28277

Parcel

Parcel Number: 4639955462.020 **Zoning:** RA
Address: 136 SAN AGUSTIN Dr. N. **Township:** 1700
MOORESVILLE, NC 28117 **Area:** .52
Subdivision: Bells Crossing **Lot(s):** 20
Directions to Parcel: i77 to exit 42, left off ramp, left us21, left flower house lp, right carlyle rd, right fern hill rd, left perth, right bells crossing dr, right n san agustin dr,

Owners

Name: Meritage Homes of NC, INC **Phone:** 704-944-8900
Address: 7761 Ballantyne Commons Parkway Suite 1(**Fax:** 704-944-8910
Charlotte, NC 28277

Contractors

Contractor Type: Building
Name: Meritage Homes of North Carolina, Inc.
Address: 7761 Ballantyne Commons Pkwy ste 103
Charlotte, NC 28277

Fees and Receipts:

Number	Description	Amount
FEE-299619-07	Zoning - Permit Application	$75.00
FEE-299620-07	Technology Fee - Planning	$2.25
FEE-299621-07	Environmental Health - Gravity System	$500.00