4649-86-4725

14685

IREDELL COUNTY HEALTH DEPARTMENT

IMPROVEMENT PERMIT AND CERTIFICATE OF COMPLETION / OPERATIONS PERMIT

OWNER OR CONTRACTOR Lazy Acres Corp / DATE 9/2/92 PERMIT NO. 4E-3-A-13

PHONE: Business 535-0120 Home

LOCATION Palomino Park TL off Rankin Hill Rd. straight to 4th lot on (R) before intersection

SUBDIVISION NAME Palomino Park LOT NO. 13 S.R. No. SECTION OR BLOCK NO.

House ☐ Mobile Home ☑ Business ☐ Other

No. Bedrooms 3 No. Bathrooms 2

Garbage Disposal Unit Yes ☐ No ☑

Auto. Dishwasher Yes ☑ No ☐

Auto. Wash. Machine Yes ☑ No ☐

Lot Area > 20,000 Ft²


Soil Characteristics P - c/sic + TRANS.

Application Rate P - .3 (F, SP, wk STRU)

Topography P - 30%

Depth to Water Table S > 48"

Rock or other impervious formations P - 48" TO TRANS.



Plot of System (Not to Scale)

_____ Basement with Plumbing _____ Basement without Plumbing _____ No Basement ✓ Crawl Space

Size of Tank 1000 Gals.

Nitrification Field:

No. of Lines 5 @ 80' x 3'

Sq. Ft. 1200 Linear Ft. 400

Depth of Stone in Lines 12"

Water Supply: Individual ☑ NOT DRILLED

Public ☐ YET

Installed by James Huddlow

I understand and agree to install a septic tank system as specified on this Improvement Permit.

Signed: _____

(IMPROVEMENT PERMIT IS VALID FOR 60 MONTHS FROM DATE OF ISSUE.)

IMPROVEMENT PERMIT BY _____

COMMENTS _____

CERTIFICATE OF COMPLETION BY Wesley Sparks R.S.

EXISTING SYSTEM CHECKED BY _____ DATE 9/2/92

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS DATE _____

Permit is VOID if any unauthorized changes are made in installation of system, and/or if any unapproved changes are made to the site, and/or if any false information is supplied toward securing Improvement Permit.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold