
Acknowledgement of
Plans Submittal ONLY!

Date 4-12-16

Date 5-20-16



GENERAL NOTES

WALLS:
ALL WALLS ARE DRAWN 3-1/2" THICK U.N.O.
ANGLED WALL ARE DRAWN @45 U.N.O.

SMOKE / CARBON DETECTORS:
LOCATION AND NUMBER OF DETECTORS SHALL CONFORM TO NEC.

EGRESS:
ALL BEDROOMS MUST HAVE AT LEAST ONE WINDOW WHICH CONFORMS TO R-310 OF THE N.C. 4 S.C. BLDG. CODE. IT IS THE CONTRACTOR'S RESPONSIBILITY TO VERIFY CHOSEN WINDOWS MEET EGRESS REQUIREMENTS AS MANUFACTURERS VARY.

ATTIC ACCESS:
PROVIDE MIN. ATTIC ACCESS PER R807.

WALL/CEILING HGT.
WALL AND CEILING HEIGHT NOTES ARE BASED ON NOMINAL WALL SIZE.
KNEE WALL HEIGHT LABELS FOR WALLS UNDER RAFTERS ASSUME AN EXTRA 2" FOR FURRING (IN HEATED SPACES) FOR INSULATION. THE WALL HEIGHT REFERS TO THE HGT. FROM THE FLOOR DECKING TO THE BOTTOM OF THE FURRING.

NOTE:
CABINET BLOCKING
- FOR 36" PULLED AND STAGGERED 84" TO CENTER OF BLOCKING AT FRIDGE AND MICRO.
- 36" ALL OTHER LOCATIONS.
- FOR 42" PULLED AND STAGGERED 102" TO CENTER OF BLOCKING AT FRIDGE AND MICRO.
- 84" ALL OTHER LOCATIONS.

PLANS ARE DESIGNED TO MEET THE REQUIREMENTS OF THE NORTH CAROLINA RESIDENTIAL CODE 2012 EDITION AND THE SOUTH CAROLINA RESIDENTIAL CODE 2012 EDITION

NOTE:
IF BUILDING IS LESS THAN 10' FROM PROPERTY LINE PROVIDE SOFFIT PROTECTION PER NC RESIDENTIAL BUILDING CODE SECTION R302.1.1

NOTE:
SEE DETAILS 1, 2, & 3 ON SHEET 8.4 FOR TRUSS AND FRAMING DETAILS

FRAZIER HOME DESIGN, LLC.
2840 PARK PLACE, SUITE 320
RALEIGH, NC 27612
O: (919)-424-7245
www.frazierhomedesign.com

THE JAMISON

Essex Homes, Inc.

DATE:	03/31/2015
DRAWN BY:	JJ
REVISION DATE:	


FIRST FLOOR

SHEET NO. 4.1


Acknowledgement of Plans Submittal ONLY!

Date 4-18-16

Date 5-20-16



OPTIONAL BONUS ROOM
W/ 4' GARAGE EXTENSION



OPTIONAL BONUS ROOM

FRAZIER HOME DESIGN, LLC
2840 PARK PLACE, SUITE 320
RALEIGH, NC 27612
O: (919)-424-7245
www.frazierhomedesign.com

THE JAMISON

Essex Homes, Inc.

DATE:	03/31/2015
DRAWN BY:	JJ
REVISION DATE:	

SECOND FLOOR OPTIONS

SHEET NO. 5.1