8501

IREDELL COUNTY HEALTH DEPARTMENT

(SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION
(Ground Absorption Sewage Disposal System -- G. S. Chapter 130-Article 13C)

21D

OWNER OR CONTRACTOR Paul Pruitt DATE 9/15/88 PERMIT NO. [illegible]

PHONE: Business _____ Home _____ SHOALS RD. JUST PAST PRESBYTERIAN CH.

LOCATION 1125 S. Past Jct. w/ 1138 TR at 3rd house ~500' on Rt. 3 MAILBOXES S. R. No. _____

SUBDIVISION NAME _____ LOT NO. _____ SECTION OR BLOCK NO. _____


House ( ) Mobile Home (✓) Business ( ) Other _____

No. Bedrooms 2 No. Bathrooms 1

Garbage Disposal Unit	Yes ( )	No ( )	Character & Porosity of Soil	Clay
Auto. Dishwasher	Yes ( )	No ( )	Percolation Rate	4
Auto. Wash. Machine	Yes ( )	No ( )	Topography	2-4%
Site Suitable	Yes ( )	No ( )	Depth to Water Table	4'+
			Rock or other impervious formations	None observed

Lot Area acreage

_____ Basement with Plumbing _____ Basement without Plumbing _____ No Basement



Plot of System

Size of Tank 1000 Gals.

Nitrification Field:
No. of Lines 3
Sq. Ft. 600 Linear Ft. 200
Depth of Stone in Lines 12"

Water Supply: Individual (✓)
Public ( )

Installed by Julian Bowles

I understand and agree to install septic tank system as specified on this Improvements Permit.

Signed: _____

IMPROVEMENTS PERMIT BY DRH

COMMENTS: _____

CERTIFICATE OF COMPLETION BY Andrew C. Pruett DATE 9/15/88

EXISTING SYSTEM CHECKED BY: _____ DATE _____

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS.

Permit is VOID if any unauthorized changes are made in installation of system and/or if any false information is supplied in making Improvements Permit.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold

08501

IREDELL COUNTY HEALTH DEPARTMENT

(SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION

(Ground Absorption Sewage Disposal System -- G. S. Chapter 130-Article 13C)

OWNER OR CONTRACTOR Paul Pruitt DATE Aug 29, '88 PERMIT NO. _____

PHONE: Business _____ Home _____

LOCATION 1125 S. past jct with 1138 (Rockjerim Rd.) TR at 3rd house ~500' on Rt. S. R. No. _____


SUBDIVISION NAME (Railroad Tie Fence) LOT NO. _____ SECTION OR BLOCK NO. _____

House ( ) Mobile Home (✓) Business ( ) Other _____

No. Bedrooms 2	No. Bathrooms 1	Character & Porosity of Soil	clay
Garbage Disposal Unit	Yes ( ) No (✓)	Percolation Rate	20
Auto. Dishwasher	Yes ( ) No (✓)	Topography	2-4%
Auto. Wash. Machine	Yes (✓) No ( )	Depth to Water Table	4' +
Site ~~Suitable~~ PS	Yes ( ) No ( )	Rock or other impervious formations	none obs.

Lot Area acreage

_____ Basement with Plumbing _____ Basement without Plumbing ✓ No Basement



Plot of System

Size of Tank 1000 Gals.

Nitrification Field:
No. of Lines 3
Sq. Ft. 600 Linear Ft. 200
Depth of Stone in Lines 12"

Water Supply: Individual (✓)
Public ( )

Installed by _____

I understand and agree to install septic tank system as specified on this Improvements Permit.

Signed: [signature]

IMPROVEMENTS PERMIT BY [signature] REHS.

COMMENTS: Follow flagged drainfield area. Install drainfield at a depth of 30" to trench bottom. Use 4" sch 40 from tank to D-box and from D-box to start of working line (at least 2' 4" sch 40). Maximum fall on trench bottom 4" every 10'.

CERTIFICATE OF COMPLETION BY _____ DATE _____

EXISTING SYSTEM CHECKED BY: _____ DATE _____

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS.

Permit is VOID if any unauthorized changes are made in installation of system and/or if any false information is supplied in making Improvements Permit.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold