4665266147

IREDELL COUNTY HEALTH DEPARTMENT

(SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION
(Ground Absorption Sewage Disposal System -- G. S. Chapter 130-Article 13C)

OWNER OR CONTRACTOR Alice Rainbone DATE 11/15/88 ~~PERMIT NO.~~ QUAD 21C

PHONE: Business _____ Home 663-4186

LOCATION Shearers Rd. TR Smyrna On R ~ 1/4 mi.

S. R. No. _____

SUBDIVISION NAME _____ LOT NO. 14 SECTION OR BLOCK NO. _____

ID-C-86 Coodle Creek


House ( ) Mobile Home (✓) Business ( ) Other _____

No. Bedrooms 2 No. Bathrooms 2

Garbage Disposal Unit	Yes ( )	No (✓)	Character & Porosity of Soil	clay
Auto. Dishwasher	Yes (✓)	No ( )	Percolation Rate	35-.4
Auto. Wash. Machine	Yes (✓)	No ( )	Topography	2%
Site Suitable	Yes (✓)	No ( )	Depth to Water Table	4'+
			Rock or other impervious formations	none obs.

Lot Area 20000 ft²+

_____ Basement with Plumbing _____ Basement without Plumbing ✓ No Basement



Plot of System diagram N.T.S.

Size of Tank 1000 Gals.

Nitrification Field:
No. of Lines 3
Sq. Ft. 600 Linear Ft. 230
Depth of Stone in Lines 12"

Water Supply: Individual (✓)
Public ( )

Installed by Julian Bowles

I understand and agree to install septic tank system as specified on this Improvements Permit.

Signed: _____

IMPROVEMENTS PERMIT BY ACP

COMMENTS: Home should be set up 5'+ from system

CERTIFICATE OF COMPLETION BY André C. Pierce DATE 11/15/88

EXISTING SYSTEM CHECKED BY: _____ DATE _____

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS.

Permit is VOID if any unauthorized changes are made in installation of system and/or if any false information is supplied in making Improvements Permit.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold

23.00

J9022

IREDELL COUNTY HEALTH DEPARTMENT

(SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION

(Ground Absorption Sewage Disposal System -- G. S. Chapter 130-Article 13C)

OWNER OR CONTRACTOR Alice Rathbone DATE 9/21/88 PERMIT NO. 21C

PHONE: Business _____ Home 663-4186

LOCATION Shearers Rd. S. TR Smyrna On R. ~ 1/4 mile.

S. R. No. _____

SUBDIVISION NAME _____ LOT NO. 14 SECTION OR BLOCK NO. _____

1D-C-86 Caddle Creek.

House ( ) Mobile Home (✓) Business ( ) Other _____

No. Bedrooms 2 No. Bathrooms 2

Garbage Disposal Unit Yes ( ) No (✓)

Auto. Dishwasher Yes (✓) No ( )

Auto. Wash. Machine Yes (✓) No ( )

Site Suitable Yes (✓) No ( )

Character & Porosity of Soil Clayey

Percolation Rate .35 gpd 1ft²


Topography 2%

Depth to Water Table 4'+

Rock or other impervious formations none observed

Lot Area .61

_____ Basement with Plumbing _____ Basement without Plumbing ✓ No Basement



Plot of System NOT TO SCALE

Size of Tank 1000 Gals.

Nitrification Field:

No. of Lines 2

Sq. Ft. 690 Linear Ft. 230

Depth of Stone in Lines _____

Water Supply: Individual (✓)

Public ( )

Installed by _____

I understand and agree to install septic tank system as specified on this Improvements Permit.

Signed: Alice Rathbone

IMPROVEMENTS PERMIT BY Andrew C. Price

COMMENTS: Keep system shallow (30" max trench depth).

CERTIFICATE OF COMPLETION BY _____ DATE _____

EXISTING SYSTEM CHECKED BY: _____ DATE _____

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS.

Permit is VOID if any unauthorized changes are made in installation of system and/or if any false information is supplied in making Improvements Permit.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold