IREDELL COUNTY HEALTH DEPARTMENT

12425 (SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION
(Ground Absorption Sewage Disposal System -- G. S. Chapter 130-Article 13C)

OWNER OR CONTRACTOR Michael Young DATE 2/14/91 PERMIT NO. 18-3-A-4

PHONE: Business _____ Home 664-2774

LOCATION 1146, Coddle Creek toward Concord, on (L) after Johnson Dairy Rd and before Patterson Farm Rd. S. R. No. 1146

SUBDIVISION NAME Rocky River Est. LOT NO. 4 SECTION OR BLOCK NO. _____


House (✓) Mobile Home ( ) Business ( ) Other _____

No. Bedrooms 3 No. Bathrooms 2

Garbage Disposal Unit	Yes ( )	No (✓)	Character & Porosity of Soil	Clay	
Auto. Dishwasher	Yes (✓)	No ( )	Percolation Rate	.4	
Auto. Wash. Machine	Yes (✓)	No ( )	Topography	2-5%	
Site Suitable	Yes (✓)	No ( )	Depth to Water Table	> 48"	
			Rock or other impervious formations	NONE OBSERVED	

Lot Area 1.29 AC.

_____ Basement with Plumbing _____ Basement without Plumbing ✓ No Basement



Plot of System

Size of Tank 1000 Gals.
Nitrification Field:
No. of Lines 4 @ 75'
Sq. Ft. 900 Linear Ft. 300
Depth of Stone in Lines 12"
Water Supply: Individual (✓)
Public ( )

Installed by _____

I understand and agree to install septic tank system as specified on this Improvements Permit.

Signed: _____

IMPROVEMENTS PERMIT BY Wesley Sparks RS.

COMMENTS: Keep trenches on slope contour. Drain lines are to be no deeper than 36" to trench bottom. Use drop boxes on this system.

CERTIFICATE OF COMPLETION BY _____ DATE _____

EXISTING SYSTEM CHECKED BY: _____ DATE _____

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS.

Permit is VOID if any unauthorized changes are made in installation of system and/or if any false information is supplied in making Improvements Permit.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold