IREDELL COUNTY HEALTH DEPARTMENT 4676-41-6816

(SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION
(Ground Absorption Sewage Disposal System – G. S. Chapter 130-Article 13C)

3

OWNER OR CONTRACTOR Hope Bros. Inc DATE 1-9-85 PERMIT NO.

PHONE: Business Home

LOCATION 1150 lot on R below 1153 Teeter Rd)

S. R. No.

SUBDIVISION NAME Quail Run LOT NO. 1 SECTION OR BLOCK NO. 2


Use ( ) Mobile Home ( ) Business ( ) Other

No. Bedrooms 3 No. Bathrooms 1½

Garbage Disposal Unit Yes ( ) No (X)
Auto. Dishwasher Yes (X) No ( )
Auto. Wash. Machine Yes (X) No ( )
Site Suitable Yes (X) No ( )
Lot Area 20,000ft²

Character & Porosity of Soil Clay loam
Percolation Rate 0.3 gal/ft²/day
Topography 20%
Depth to Water Table 4'
Rock or other impervious formations 1'

Basement with Plumbing ____ Basement without Plumbing ____ No Basement



Size of Tank 1000 Gals.
Nitrification Field:
No. of Lines 3
Sq. Ft. 720 Linear Ft. 240'
Depth of Stone in Lines
Water Supply: Individual (X)
Public ( )

Installed by Arne Duncan

I understand and agree to install septic tank system as specified on this Improvements Permit.

Signed:

IMPROVEMENTS PERMIT BY Fred Crumell Next door

COMMENTS:

CERTIFICATE OF COMPLETION BY Charles K. Bennett (CKB) DATE 1-9-85 Charles K. Bennett 1-9-85

EXISTING SYSTEM CHECKED BY: DATE

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS.
Permit is VOID if any unauthorized changes are made in installation of system and/or if any false information is supplied in making Improvements Permit.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold

IREDELL COUNTY HEALTH DEPARTMENT

10:30

(SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION
(Ground Absorption Sewage Disposal System – G. S. Chapter 130-Article 13C)

OWNER OR CONTRACTOR Hope Brothers, Inc. DATE 8-24-84 PERMIT NO. 230

PHONE: Business _____ Home _____

LOCATION 1150 Lot ONR below 1153 Teeter Road S. R. No. _____

SUBDIVISION NAME Run / Run LOT NO. 7 SECTION OR BLOCK NO. 2

House (X) Mobile Home ( ) Business ( ) Other _____


No. Bedrooms 3 No. Bathrooms 1½

Garbage Disposal Unit	Yes ( )	No (X)	
Auto. Dishwasher	Yes (X)	No ( )	
Auto. Wash. Machine	Yes (X)	No ( )	
Site Suitable	Yes (X)	No ( )	

Character & Porosity of Soil Clay loam
Percolation Rate 0,5 GAL/FT 2/day
Topography Sloping
Depth to Water Table _____
Rock or other impervious formations NONE obs

Lot Area 20,000 FT

_____ Basement with Plumbing _____ Basement without Plumbing X No Basement



Size of Tank 1000 Gals.
Nitrification Field:
No. of Lines 3
Sq. Ft. 120 Linear Ft. 240'
Depth of Stone in Lines 12"
Water Supply: Individual (X)
Public ( )

Installed by _____

I understand and agree to install septic tank system as specified on this Improvements Permit.

Signed: X Kenneth Hope

Plot of System

IMPROVEMENTS PERMIT BY Fred Clemmer

COMMENTS: Keep System Shallow, Apprx 15" cover
Well

CERTIFICATE OF COMPLETION BY _____ DATE _____

EXISTING SYSTEM CHECKED BY: _____ DATE _____

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS.

Permit is VOID if any unauthorized changes are made in installation of system and/or if any false information is supplied in making Improvements Permit.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold