14768.

43794

IREDELL COUNTY HEALTH DEPARTMENT

IMPROVEMENT PERMIT AND CERTIFICATE OF COMPLETION / OPERATIONS PERMIT

OWNER OR CONTRACTOR MICHAEL K. MILLSAPS DATE 8-21-92. PERMIT NO. PT. OF 87-A-55.

PHONE: Business _____ Home _____

LOCATION Lewis Ferry Rd. off Old Mtn. Rd. - go to Eufola Rd. - go straight across rd. go 150 yards on Rt.

SUBDIVISION NAME _____ LOT NO. 55. SECTION OR BLOCK NO. _____ S.R. No. _____

DOUBLEWIDE.

House [ ] Mobile Home [X] Business [ ] Other _____

No. Bedrooms 4 No. Bathrooms 2

Garbage Disposal Unit Yes [ ] No [X]

Auto. Dishwasher Yes [ ] No [X]

Auto. Wash. Machine Yes [X] No [ ]

Lot Area 1 acre.

Soil Characteristics Prov. Suitable.


Application Rate .4 gal./sq. ft.

Topography 2-6%

Depth to Water Table 10'+

Rock or other impervious formations none observed.

_____ Basement with Plumbing _____ Basement without Plumbing _____ No Basement _____ Crawl Space



Plot of System (Not to Scale)

Size of Tank 1250 Gals.

Nitrification Field:

No. of Lines 4

Sq. Ft. 1200 Linear Ft. 400

Depth of Stone in Lines 12"

Water Supply: Individual [X]

Public [ ]

Installed by Andy Jones

I understand and agree to install a septic tank system as specified on this Improvement Permit.

Signed: _____

(IMPROVEMENT PERMIT IS VALID FOR 60 MONTHS FROM DATE OF ISSUE.)

IMPROVEMENT PERMIT BY Steve Brown

COMMENTS Because of well location the repair area now will have to be pumped to and be of the conventional type system. Well over 50' from S.T. system.

CERTIFICATE OF COMPLETION BY Steve Brown DATE 8-21-92.

EXISTING SYSTEM CHECKED BY _____ DATE _____

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS

Permit is VOID if any unauthorized changes are made in installation of system, and/or if any unapproved changes are made to the site, and/or if any false information is supplied toward securing Improvement Permit.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold