00912

IREDELL COUNTY HEALTH DEPARTMENT

(SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION

(Ground Absorption Sewage Disposal System — G. S. Chapter 130-Article 13C)

OWNER OR CONTRACTOR JOE MONTAIGNE DATE 3-26-84 PERMIT NO.

PHONE: Business Home

LOCATION Eufola Rd. off Buffalo Shoals Rd., go to 1st dirt rd. on R past Clarks Chapel Church (Lamb Rd.) - turn R. on 1st drive - double wide back in woods.


SUBDIVISION NAME LOT NO. SECTION OR BLOCK NO.

House ( ) ~~Mobile Home~~ DOUBLE WIDE (✓) Business ( ) Other

No. Bedrooms 4 No. Bathrooms 2

Garbage Disposal Unit	Yes ( )	No (✓)	Character & Porosity of Soil Prev. Suitable
Auto. Dishwasher	Yes ( )	No (✓)	Percolation Rate 1 Gal/sq. ft.
Auto. Wash. Machine	Yes (✓)	No ( )	Topography 2-6%
Site Suitable	Yes (✓)	No ( )	Depth to Water Table 10+

Lot Area 3. Acres Rock or other impervious formations none observed.



Plot of System

Size of Tank 1000 Gals.

Nitrification Field:
No. of Lines 3
Sq. Ft. 960 Linear Ft. 320
Depth of Stone in Lines 12"

Water Supply: Individual (✓)
Public ( )

Installed by Tommy Cauthren

I understand and agree to install septic tank system as specified on this Improvements Permit.

Signed:

IMPROVEMENTS PERMIT BY Steve Brown

COMMENTS: Keep well at least 50' from S.T. system.

CERTIFICATE OF COMPLETION BY Steve Brown

EXISTING SYSTEM CHECKED BY: DATE 3-26-84.

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS.

DATE

Permit is VOID if any unauthorized changes are made in installation of system and/or if any false information is supplied in making Improvements Permit.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold