
Acknowledgement Of
Plans Submittal ONLY!
Date 7-24-12
Date 6-26-12



RETURN AIR REQUIREMENTS
1 20"x16" GRILL REQUIRED
2 4"x16" GRILL W/ 2 1/2" DOOR UNDERCUT
3 DOOR(S) MUST BE UNDERCUT 2 1/2" MIN.
4 4"x24" OR 6"x14" GRILL REQUIRED

(#) INDICATES REQUIRED NUMBER OF STUDS IN COLUMN

TEE = SPECIFIES THAT THERE CAN BE NO HOLES IN STUDS IN COLUMN

BRAND	SERIES
SCHULT	CL32

CMH MANUFACTURING, INC.

REVISIONS	BY	DATE

GENERAL NOTES

CEILING HEIGHT = 108.0

FLOOR FRAMING SPACING = 16

WINDOW SQFT = ENTER TOTAL CALCULATED

DRAWING TITLE
MASTER PLAN
FIRST FLOOR


MODEL NAME	SQ. FT.
	949.3

NOT RELEASED FOR PRODUCTION

FLOOR PLAN	ELEVATION	MODEL NO.
958	32X35 3BR 2BA	DAWSON

DRAWN BY	ORIG. DATE	DATE PRINTED	SHEET NO.
BLH	03/28/2012	06/27/2012	1-1

PDF created with pdfFactory trial version www.pdffactory.com



RETURN AIR REQUIREMENTS
(1) 20"x16" GRILL REQUIRED
(2) 4"x16" GRILL W/ 2 1/2" DOOR UNDERCUT
(3) DOOR(S) MUST BE UNDERCUT 2 1/2" MIN.
(4) 4"x25" OR 6"x14" GRILL REQUIRED

(7) INDICATES REQUIRED NUMBER OF STUDS IN COLUMN

(8) THE * SPECIFIES THAT THERE CAN BE NO BOLES IN STUDS IN COLUMN'S

BRAND	SERIES
SCHULT	CL32

CMH MANUFACTURING, INC.

REVISIONS	BY	DATE

GENERAL NOTES

CEILING HEIGHT = 108.0

DRAWING TITLE

MASTER PLAN SECOND FLOOR

MODEL NAME	SQ. FT.
	949.3

PLAN NO.	DESCRIPTION	MODEL NO.
958	32X35 3BR 2BA	DAWSON

DRAWN BY	ORIG. DATE	DATE PRINTED	SHEET NO.
BLH	03/28/2012	06/27/2012	1-2

NOT RELEASED FOR PRODUCTION

PDF created with pdfFactory trial version www.pdffactory.com