CF

IREDELL COUNTY HEALTH DEPARTMENT

STATESVILLE 704-878-5305 MOORESVILLE 704-664-5281

IMPROVEMENT PERMIT / AUTHORIZATION TO CONSTRUCT / OPERATION PERMIT / EXISTING SYSTEM INSPECTION

PERMIT# 108992 PIN# 4722-67-7045 DATE 9/27/06

OWNER OR APPLICANT COOL SPRINGS BLDRS PHONE: Business 1-336-399-5943 Home

ADDRESS PO BOX 2640 Statesville NC 28687-2640

LOCATION BUFFALO SHOALS WEST ① one ⑨ RUMPLE Hill ⑩ Lipped Springs Circle on LT

SUBDIVISION LIPPARD SPRINGS BLOCK / SECTION LOT 149/150 LOT AREA 1.394AC SITE CLASS PS DESIGN FLOW 360 L.T.A.R. 1.3

Septic Tank: 1000 Gallons: STB Date 3-22-07

Pump Tank: Gallons: PT Date

Pump Make: Model Serial No.

Nitrification Field: No Fields 1 Square Feet 1200' Linear Feet 400'

No Lines 3X133' Trench Width 36" Max Trench Bottom Depth 36"

☑ New System ☐ Repair ☐ Expansion System Type: I (II) III IV V VI

System Description: GRAVITY CONVENTIONAL

Repair System Description: GRAVITY 250/0

Maintenance Agreement Required: ☐ Yes ☒ No

☒ House/Mod. Home ☐ Mobile Home ☐ Business ☐ Other

No. Bedrooms 3 No. Persons 6 No. Employees


Water Supply: ☒ Individual ☐ Public ☐ Community

Gravel Depth 12" ☒ Gravity ☐ Pressure ☐ Slab ☐ Crawl Space ☑ Basement w/plumbing ☐ Basement wo/plumbing

Comments:/Conditions:

290.51'

INITIAL SITE SKETCH


DRAINAGE
SLOPE
70.52'
SLOPE
SLOPE
SLOPE