IREDELL COUNTY HEALTH DEPARTMENT

STATESVILLE 704-878-5305 MOORESVILLE 704-664-5281

IMPROVEMENT PERMIT / AUTHORIZATION TO CONSTRUCT / OPERATION PERMIT / EXISTING SYSTEM INSPECTION

PERMIT# 147582 PIN# 4750702805 DATE 1-17-08

OWNER OR APPLICANT Pilot Development PHONE: Business 704 202-1524 Home

ADDRESS 132 Joe V. Knox Ave. Ste 102 Mooresville, NC 28117

LOCATION Hwy 21 N. TR Shepherd's Rd TL Houston Rd TL Colonial Compress TR Mills Plantation

SUBDIVISION GA Mills Plant BLOCK / SECTION LOT 53 LOT AREA .76 Acre SITE CLASS. PS DESIGN FLOW 360gpd L.T.A.R. .3

Septic Tank: 1000 Gallons: STB Date

Pump Tank: 1060 Gallons; PT Date

Pump Make. Model Serial No.

Nitrification Field. No Fields 1 Square Feet 400' Linear Feet 200'

No Lines 3 Trench Width 2' min. Max Trench Bottom Depth 36" Gravel Depth N/A ☐ Gravity ☒ Pressure ☐ Slab ☒ Crawl Space ☐ Basement w/plumbing ☐ Basement wo/plumbing

☒ New System ☐ Repair ☐ Expansion System Type: I II III (IV) V VI

System Description: Pump - LP - Panel Block

Repair System Description: Same

Maintenance Agreement Required: ☒ Yes ☐ No

☒ House/Mod. Home No. Bedrooms 3

☐ Mobile Home No. Persons

☐ Business No. Employees

☐ Other

Water Supply: ☒ Individual ☐ Public ☐ Community

Comments:/Conditions: Initial site evaluation and system design performed by Kathleen Saunders of S&ME

Comments:/Conditions: Fill all minor gullies. Improve major gully to prevent future erosion. ☒ Use In line filter in PT

INITIAL SITE SKETCH

See Attached plan by S&ME

AS BUILT SKETCH

Improvement Permit Only - Do Not Issue Building Permit

Permit can be suspended or revoked if any false information is supplied toward securing the permit/any unauthorized changes are made to the site/any unauthorized changes are made in the installation of the system. Improvement Permit with plat valid without expiration ☐ Improvement Permit with site plan valid for sixty months ☐ Authorization to Construct is valid for a period equal to that of Improvement Permit – not to exceed sixty months

Signed: date 2/14/08

Improvement Permit by: Mayna H Dobson RS date 1/17/08

Authorization to Construct by: date

Installed by:

Operation Permit by: date

Existing System Inspection by: date

HEALTH DEPT. COPY: WHITE OWNER COPY (FINAL): YELLOW OWNER COPY (INITIAL): PINK