IREDELL COUNTY HEALTH DEPARTMENT

03408

(SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION
(Ground Absorption Sewage Disposal System -- G. S. Chapter 130-Article 13C)

OWNER OR CONTRACTOR Mildred Beard

PHONE: Business _____ Home _____ DATE 08-06-85 PERMIT NO. _____

LOCATION US 70 E TR on Third Creek Rd, T.L. on Seigman Drive, Bear R, pavement ends, 2nd MH on left

SUBDIVISION NAME Suburban Acres #2 LOT NO. 17 S. R. No. _____ SECTION OR BLOCK NO. _____

House ( ) Mobile Home (✓) Business ( ) Other _____


No. Bedrooms 2 No. Bathrooms 1

Garbage Disposal Unit	Yes ( )	No (✓)
Auto. Dishwasher	Yes ( )	No (✓)
Auto. Wash. Machine	Yes (✓)	No ( )
Site Suitable	Yes (✓)	No ( )

Lot Area 100'X200'

Character & Porosity of Soil Class IV
Percolation Rate 0.35 gal/ft/day
Topography 2-6% slope
Depth to Water Table 10'+
Rock or other impervious formations None

_____ Basement with Plumbing _____ Basement without Plumbing ✓ No Basement



Plot of System

Size of Tank 1000 Gals.
Nitrification Field:
No. of Lines 3
Sq. Ft. 720 Linear Ft. 240
Depth of Stone in Lines 12"
Water Supply: Individual ( )
Public (✓)

Installed by James Huddle

I understand and agree to install septic tank system as specified on this Improvements Permit.

Signed: _____

IMPROVEMENTS PERMIT BY Jerry L Pierce

COMMENTS: _____

CERTIFICATE OF COMPLETION BY Jerry L Pierce

EXISTING SYSTEM CHECKED BY: _____ DATE 08-06-85

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS. _____ DATE _____

Permit is VOID if any unauthorized changes are made in installation of system and/or if any false information is supplied in making Improvements Permit.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold