
Acknowledgement Proposed Modular Plan Gorentz
621 Jane Sowers Rd
Plans Submittal ONLY!
Mitch L. Grant Date 6-15-15
Justin Reeder Date 6-30-15



366PLF ENTIRE EXTERIOR FOR 90MPH UP TO 130MPH
PER ENGINEERED METHOD SEE
SHEAR CHARTS THAT ARE INCLUDED IN APPROVAL PACKAGE

Teresa Todd

RETURN AIR REQUIREMENTS
(1) 20"x15" GRILL REQUIRED
(2) 6"x10" GRILL W/ 2 1/2" DOOR UNDERCUT
(3) DOOR(S) MUST BE UNDERCUT 1 1/2" MIN.
(4) 4"x24" OR 6"x14" GRILL REQUIRED

(A) INDICATES REQUIRED NUMBER OF STUDS IN COLUMN
(B) SEE * SPECIFIES THAT THERE CAN BE NO HOLES IN STUDS IN COLUMNS

BRAND	SERIES
SCHULT	CL25

CMH MANUFACTURING, INC.

REVISIONS	BY	DATE

GENERAL NOTES
CEILING HEIGHT = 96.00
FLOOR FRAMING SPACING = 16

DRAWING TITLE
MASTER PLAN

MODEL NAME: TRUE PERFORMANCE — SQ. FT.: 1300
PLANT: 958 — DESIGNATION: 25X52 388CBA — MODEL NO.: SN246792
DRAWN BY: RXP — ORIG. DATE: 07/15/2014 — DATE PRINTED: 07/15/2014 — SHEET NO.: 1-1

NOT APPROVED FOR PRODUCTION