WHEATFIELD LOT 87
APPLICANT AND DESIGN SPECIFICATIONS

Applicant:	Brazos Development
Phone:	704-201-6532
Address:	PO Box Troutman, NC 28166
County:	Iredell
Location:	lot 87 Wheatfield
Application for:	4 Bedroom Single Family Residence
Gallons per day:	480
Linear feet:	400
Loading Rate (gpd/ft.2):	0.3
Trench Depth:	36"
Trench Width:	36"
Septic Tank Size:	1000
Pump Tank Size:	N/A
Estimated Supply line Length/ft:	15
Supply Line Diameter:	3"
Dosing volume:	ON DEMAND
Lateral line volume:	N/A
Supply Manifold:	N/A
Manifold Length:	N/A
Manifold Volume:	N/A
Pressure Head:	N/A
Friction Head:	N/A
Elevation Head:	N/A
Friction factor:	N/A
TDH:	N/A
Pump Run:	N/A
Threaded Union:	N/A
Gate Valves:	N/A
Check Valves:	N/A
Anti-Siphon Hole:	N/A
Design flow:	N/A
Trench Bottom FT/SQ:	1200
Number of fields	1
Supply line length	15'
Draw down:	N/A
Comments:	Soil suitability was performed by Iredell County Health Dept.

*Pump tank draw down based on 21 gallons per inch. Draw down may vary depending on tank manufacturers.

WHEATFIELD LOT 87

SYSTEM TYPE	**25% REDUCTION**
SYSTEM LTAR	**0.3 GPD/FTSQ**
SYSTEM LINE LENGTH	**400**
REPAIR TYPE	*LP PPBPS*
REPAIR LTAR	*0.3 GPD/FTSQ*
REPAIR LINE LENGTH	*320*

LINE #	FLAG COLOR	SHOT ELEVATION	LINE LENGTH
1	*GREEN*	*N/A*	*80*
2	*PINK*	*N/A*	*80*
3	*BLUE*	*N/A*	*80*
4	*ORANGE*	*N/A*	*80*
5	*GREEN*	*N/A*	*80*
6	PINK	N/A	80
7	BLUE	N/A	80
8	ORANGE	N/A	80
9	GREEN	N/A	80
		Total	**720**
TBM		*N/A*	
HOUSE CORNER		*N/A*	
TANK		*N/A*	

ELEVATIONS SHOT ON LOT AND SHOWN ON MAP TO PROVE LESS THAN 2% GRADE ACROSS LOT.