04326

IREDELL COUNTY HEALTH DEPARTMENT

(SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION
(Ground Absorption Sewage Disposal System -- G. S. Chapter 130-Article 13C)

OWNER OR CONTRACTOR Johnny L Whitaker DATE 4-10-86 PERMIT NO. _____

PHONE: Business _____ Home _____

LOCATION Pine Grove Town


SUBDIVISION NAME _____ LOT NO. 28 S. R. No. _____ SECTION OR BLOCK NO. _____

House ( ) Mobile Home ( ) Business ( ) Other Workshop with Bath & Shower

No. Bedrooms _____ No. Bathrooms 1

Garbage Disposal Unit	Yes ( )	No ( )	Character & Porosity of Soil	Thin Sandy Loam
Auto. Dishwasher	Yes ( )	No ( )	Percolation Rate	3 Min per inch
Auto. Wash Machine	Yes ( )	No ( )	Topography	Slope
Site Suitable	Yes ( )	No ( )	Depth to Water Table	2 - 6 ft.
Lot Area			Rock or other impervious formations	6'

_____ Basement with Plumbing _____ Basement without Plumbing ✓ No Basement



Plot of System

Size of Tank 1000 Gals.
Nitrification Field:
No. of Lines 2
Sq. Ft. 720 Linear Ft. 240
Depth of Stone in Lines 12"
Water Supply: Individual (✓)
Public ( )

Installed by _____

I understand and agree to install septic tank system as specified on this Improvements Permit.

Signed: J L Whitaker

IMPROVEMENTS PERMIT BY Glenn Fox

COMMENTS: Building Workshop 250' ± from House

CERTIFICATE OF COMPLETION BY _____

EXISTING SYSTEM CHECKED BY: Glenn Fox DATE _____

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS. DATE _____

Permit is VOID if any unauthorized changes are made in installation of system and/or if any false information is supplied in making Improvements Permit.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold