IREDELL COUNTY HEALTH DEPARTMENT

(SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION
(Ground Absorption Sewage Disposal System — G. S. Chapter 130-Article 13C)

OWNER OR CONTRACTOR Wayne Deal DATE 6-18-76 PERMIT NO. _____

PHONE: Business _____ Home _____


LOCATION Lft E. TR on Rd #2305 - to Faith Bapt. Ch. TR on Rd #2308 Go 3/4 mile - Shop Bldg. Behind Lacy Park S. R. No. 2308

SUBDIVISION NAME _____ LOT NO. _____ SECTION OR BLOCK NO. _____

House ( ) Mobile Home ( ) Business ( ) Other Shop

No. Bedrooms _____ No. Bathrooms 1

Garbage Disposal Unit	Yes ( )	No ( )	Character & Porosity of Soil	Yellow Clay
Auto. Dishwasher	Yes ( )	No ( )	Percolation Rate	Fast
Auto. Wash. Machine	Yes ( )	No ( )	Topography	Slopes Rear
Site Suitable	Yes ( )	No ( )	Depth to Water Table	25+
Lot Area Adequate			Rock or other impervious formations	None



Size of Tank Existing 1000 Gals.

Nitrification Field:
No. of Lines 4 - split
Sq. Ft. 625 Linear Ft. 250
Depth of Stone in Lines 10"

Water Supply: Individual (X)
Public ( )

Installed by Kenneth Chaffin

Septic Tank System installed 4-30-74 for Charles Jones

IMPROVEMENTS PERMIT BY Glenn Fox Jr.

COMMENTS: _____

CERTIFICATE OF COMPLETION BY Glenn Fox Jr. DATE _____

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold