ICHD - ENVIRONMENTAL HEALTH DIVISION

Statesville Office (704) 878-5305 x3456 Mooresville Office (704) 660-3625 BM

SEPTIC: IMPROVEMENT PERMIT / AUTHORIZATION TO CONSTRUCT / OPERATION PERMIT / EXISTING SYSTEM

PERMIT # OSWP 2024-57771

PIN # 4785-40-2381

APPLICANT/OWNER: LORI STANISLAWSCYK

APPLICANT ADDRESS: 157 LONGVIEW RD STATESVILLE NC 28625

SITE ADDRESS: 157 LONGVIEW RD STATESVILLE NC 28625

PHONE: 7048812000

ALT. PHONE —

SITE DIRECTIONS: HWY 64 → BARRY OAK RD → LONGVIEW RD

SAP CONTROLLED: ☐ YES ☒ NO

SUBDIVISION: FRANK PALA & RICKI SMITH PALA SECTION: — LOT # 2 LOT AREA: 1.5 DESIGN FLOW: 360

L.T.A.R.(Initial): EXT L.T.A.R (Repair): 0.25

Septic Tank	(gal)	STB	Date		
Pump Tank	(gal)	PT	Date		
Pump Make	Model		Serial #		
# Nitrification Fields	# Lines		Linear Ft		

EXISTING

Trench Width 36" *Max. Trench Depth(Initial) EXT *Max. Trench Depth(Repair) 33" Gravel Depth —

* Measured on the downhill side of the trench

Effluent Standard: ☒ DSE ☐ HSE ☐ TS-I ☐ TS-II ☐ RCW ☐ NSF/ANSI 40

☐ New System ☐ Repair ☐ Expansion System Type: I II (III) IV V VI

System Description: EXISTING

Repair System Description: 25% REDUCTION

Maintenance Agreement Required: ☐ YES ☒ NO

☒ GRAVITY ☐ PRESSURE

Usable Depth to LC (Initial): EXT

Usable Depth to LC (Repair): 48" *Limiting Condition*

☒ Residence No. Bedrooms 3

☐ Business No. Persons 6

☐ Other No. Employees —

☐ Slab ☒ Crawl Space

☐ Basement w/plumbing ☐ Basement w/o plumbing

Water Supply


☐ Private

☒ Public

☐ Community

Comments / Conditions: Repair relocation for pool installation. Existing system functioning properly at time of inspection.

INITIAL SITE SKETCH



AS BUILT SKETCH

FOR SEPTIC FINAL INSPECTION CALL: 704-664-3703 between 8am-9am the day the inspection is needed. Be sure to speak with an inspector to confirm your time.

Permit can be suspended or revoked if any false information is supplied toward securing the permit / any unauthorized changes are made to the site / any unauthorized changes are made in the installation of the system. **CONTACT A LOCATOR SERVICE PRIOR TO ANY EXCAVATION**

☐ **IMPROVEMENT PERMIT** ***with plat*** *valid without expiration.* ☒ **IMPROVEMENT PERMIT** ***with site plan*** *valid for 60 mos.* ☒ **AUTHORIZATION TO CONSTRUCT** *valid for period equal to IMPROVEMENT PERMIT--not to exceed 60 mo.*

Owner / Applicant Signature: ONLINE Date: —

Installed by: JAMES HUDLER 1/13/2005

IMPROVEMENT PERMIT by: Sarah Williams Date: 9/5/2024

OPERATION PERMIT by: STEVE HEDRICK Date: 1/13/2005

AUTHORIZATION TO CONSTRUCT by: Sarah Williams Date: 9/5/2024

Existing System Inspected by: Date:

Item	Date	Initials
Drain Lines Checked		
Tanks Checked		
Pressure Manifold or Valve Box Checked		
Pressure Head Set		
Electrical Checked		
Floats Set		
Alarm Checked		
Maintenance Contract Needed? Y / N		
Comments:		

Repairs Only	
	State Code
Failing System Code	
Type of Distribution	G or P
Type of Failure/Malfunction	
Primary Cause of Failure/Malfunction	
Age of System? _____	
Initial or Repair? _____	

PERMIT SNAPSHOT REPORT OSWP-2024-57771 FOR IREDELL COUNTY

Permit Type	Environmental Health OSWP	**Project:**		**App Date:**	07/17/2024
Work Class:	EH Septic Permit	**District:**	Iredell County	**Exp Date:**	NOT AVAILABLE
Status:	In Progress	**Square Feet:**	0.00	**Completed:**	NOT COMPLETED
Valuation:	$0.00	**Assigned To:**	Bracken, Sarah	**Approval Expire Date:**	

Description: we are looking for approval to install an inground pool in a location that is marked partial repair area on the current permit# 124461 - Needs existing system first

Parcel: 4785402579.000 Main	**Address:** 151 Longview Rd Statesville, NC 28625 Main	**Zone:** RA(Residential Agricultural District)

Property Owner	Applicant/Authorized Agent
Lori Stanislawscyk	Lori Stanislawscyk
151 Longview Road	151 Longview Road
Statesville, NC 28625	Statesville, NC 28625
Mobile: (704) 881-2000	Mobile: (704) 881-2000

Permit Custom Fields

How is your site plan being submitted	Survey Plat	Septic Application/Permit Type	Existing System Inspection, Move a repair area to accommodate added structures	Does the site contain any jurisdictional wetlands	No
Non-domestic Sewage Generated	No	Other Public Agency	No	All proposed structure dimensions	14 x 28 inground pool proposed
What are the proposed structures	Swimming Pool	Type of New Single-Family Residence	Stick Built	Maximum Number of Bedrooms	3
If other Addition/Structure, please explain		Number of Occupants	2	Foundation Type	Crawl Space Foundation
Residential/Business/Other	Residential	Water Supply	Municipal Water	Desired Septic System Type	Conventional (most common)
If other septic system type, please explain		Pump Make		# of Nitrification Fields	
Model		Serial #		System Description	
Repair System Description		Comments/Conditions		Permit type(s)	Authorization to Construct
Has this project been approved by TRC	No	Lot Acreage	1.4	Back Setback	10
Left Setback	10	Right Setback	10	Is the structure or development in the floodplain	No
Is the property in a local historic district?	No	Is the property located downtown?	No	Zoning Notes/Addendums	Swimming Pool: Must meet requirement R22 of the LDC. Pools shall be located to comply with minimum setbacks for accessory structures- located behind front building line of house, 10' from side & rear property line. Lake lots must meet the 50' setback from the 760 contour line AND the 35' setback from the rear property line. Pools that are not an integral part of the principal building shall be located at least the

~~0-10 DIST/PLOW~~
~~10-36 C ABK~~
~~36-49 CL ABK~~

~~10 R 3/4 + 3/6 MATRIX~~

	minimum distance from the principal building necessary to comply with N.C. Building Code. Setback from house could be +/-10'. Fenced with a minimum 4' in height, and equipped with self-closing and positive self-latching gate provided with hardware for permanent locking. Fence not required for above ground pools if they are at least 4' in height, the ladder removed, or when NOT in use have a gate to the ladder as described above.	Additional Unique Setbacks Apply	No	Watershed	NOT IN A WATERSHED

Attachment File Name	Added On	Added By	Attachment Group	Notes
Signature_Lori_Stanislawscyk_7/17/2024.jpg	07/17/2024 10:49	Stanislawscyk, Lori		Uploaded via CSS
151 LONGVIEW RD ORIGINAL SEPTIC PERMIT 2005.pdf	07/17/2024 11:56	COMEAUX, DEBRA	Available Online	ORIGINAL SEPTIC PERMIT 2005
authorization form 7-17-24_v1.jpg	07/17/2024 11:56	Stanislawscyk, Lori	Available Online	
plan 7-14-24_v1.jpg	07/17/2024 11:56	Stanislawscyk, Lori	Available Online	
151 Longview Road Site Plan for Pool Installation-Stanislawscyk 7-18-24_v1.pdf	07/18/2024 10:13	Stanislawscyk, Lori	Available Online	

Invoice No.	Fee	Fee Amount	Amount Paid
INV-00033667	Iredell Zoning Tech Fee	$2.25	$2.25
	Iredell Zoning Permit Fee	$75.00	$75.00
	Existing System Inspection	$250.00	$250.00
	Total for Invoice INV-00033667	$327.25	$327.25
	Grand Total for Permit	**$327.25**	**$327.25**

Workflow Step / Action Name	Action Type	Start Date	End Date
Application Completeness Check v.1		07/17/2024 11:58	07/17/2024 11:58
Confirm application complete v.1	Generic Action		07/17/2024 11:58
Zoning Review v.1		07/17/2024 15:47	07/24/2024 12:32
~~Floodplain Admin Overview v.1~~	Task		07/17/2024 15:46
Iredell County Zoning Approval v.1	Task	07/17/2024 15:47	07/24/2024 12:32
Issue Invoice v.1	Generic Action		07/18/2024 10:14
Fees Paid v.1	Generic Action		07/22/2024 8:56
Fees v.1		07/22/2024 8:56	07/22/2024 8:56
Fees Paid v.1	Generic Action		07/22/2024 8:56
Issue Invoice v.1	Generic Action		07/22/2024 8:56
Lot Readiness Verification v.1			
OSWP Septic Preliminary Site Visit v.1	Inspection		
OSWP Site Evaluation v.1	Inspection		
Issue Improvement Permit v.1			
Issue Invoice v.1	Generic Action		
Fees Paid v.1	Generic Action		
Issue Permit v.1	Generic Action		

DEPARTMENT OF HEALTH AND HUMAN SERVICES
DIVISION OF PUBLIC HEALTH, ENVIRONMENTAL HEALTH SECTION
ON-SITE WATER PROTECTION BRANCH

PROPERTY ID #: 4785-40-2579
COUNTY: IREDELL

SOIL/SITE EVALUATION *for* ON-SITE WASTEWATER SYSTEM

(Complete all fields in full)

OWNER: Lori Stanislawsc4k DATE EVALUATED: 8/29/24
ADDRESS: 157 Longview Rd Statesville NC 28625
PROPOSED FACILITY: SFR PROPOSED DESIGN FLOW (.0400): 360 PROPERTY SIZE: 1.4AC
LOCATION OF SITE: 157 Longview Rd Statesville NC 28625 PROPERTY RECORDED: Y
WATER SUPPLY: (Public) Single Family Well Shared Well Spring Other — WATER SUPPLY SETBACK: 10'
EVALUATION METHOD: Auger Boring (Pit) Cut TYPE OF WASTEWATER: (Domestic) High Strength IPWW

PROFILE #	.0502 LANDSCAPE POSITION/ SLOPE %	HORIZON DEPTH (IN.)	SOIL MORPHOLOGY .0503 STRUCTURE/ TEXTURE	SOIL MORPHOLOGY .0503 CONSISTENCE/ MINERALOGY	OTHER PROFILE FACTORS .0504 SOIL WETNESS/ COLOR	.0505 SOIL DEPTH	.0506 SAPRO CLASS	.0507 RESTR HORIZ	.0509 PROFILE CLASS & LTAR*	.0503 SLOPE CORRECTION
1	LS 5-7%	0-10	DIST PLOW	—	10R 3/4 x 3/6 MATRIX W/ 5YR 3/4 MOTTS/INCLUSIONS	(49)		—	S 0.25	3"
		10-36	C ABK	SS SP SE FR						
		39-49	CL ABK	SS SP SE FR						
2	LS 5-7%	0-8	DIST PLOW	—	SAME COLORATIONS	(52)		—	S 0.25	3"
		8-32	C ABK	SS SP SE FR						
		32-52	CL ABK	SS SP SE FR						
3										
4										

DESCRIPTION	INITIAL SYSTEM	REPAIR SYSTEM
Available Space (.0508)	360'	360'
System Type(s)		G 25%
Site LTAR		0.25
Maximum Trench Depth		33"

SITE CLASSIFICATION (.0509): S 0.25
EVALUATED BY: S. Williams
OTHER(S) PRESENT:

Comments: REPAIR RELOCATION


LEGEND

LANDSCAPE POSITION	SOIL GROUP	SOIL TEXTURE	CONVENTIONAL LTAR (gpd/ft²)	SAPROLITE LTAR (gpd/ft²)	LPP LTAR (gpd/ft²)	MINERALOGY/ CONSISTENCE		STRUCTURE
CC (Concave slope)	I	S (Sand)	0.8 - 1.2	0.6 - 0.8	0.4 -0.6	MOIST	WET	SG (Single grain)
CV (Convex Slope)		LS (Loamy sand)		0.5 -0.7		Lo (Loose)	NS (Non-sticky)	M (Massive)
D (Drainage way)	II	SL (Sandy loam)	0.6 - 0.8	0.4 -0.6	0.3 - 0.4	VFR (Very friable)	SS (Slightly sticky)	GR (Granular)
FP (Flood plain)		L (Loam)		0.2 - 0.4		FR (Friable)	S (Sticky)	SBK (Subangular blocky)
FS (Foot slope)	III	SiL (Silt loam)	0.3 - 0.6	0.1 - 0.3	0.15 - 0.3	FI (Firm)	VS (Very sticky)	ABK (Angular blocky)
H (Head slope)		SCL (Sandy clay loam)		0.05 - 0.15**		VFI (Very firm)	NP (Non-plastic)	PR (Prismatic)
L (Linear Slope)		CL (Clay loam)		None		EFI (Extremely firm)	SP (Slightly plastic)	PL (Platy)
N (Nose slope)		SiCL (Silty clay loam)					P (Plastic)	
R (Ridge/summit)		Si (Silt)					VP (Very plastic)	
S (Shoulder slope)	IV	SC (Sandy clay)	0.1 - 0.4		0.05 - 0.2	SEXP (Slightly expansive)		
T (Terrace)		SiC (Silty clay)				EXP (Expansive)		
TS (Toe Slope)		C (Clay)						
		O (Organic)	None					

* Adjust LTAR due to depth, consistence, structure, soil wetness, landscape, position, wastewater flow and quality.
**Sandy clay loam saprolite can only be used with advanced pretreatment in accordance with 15A NCAC 18E .1200.

HORIZON DEPTH In inches below natural soil surface
DEPTH OF FILL In inches from land surface
RESTRICTIVE HORIZON Thickness and depth from land surface
SAPROLITE S(suitable) or U(unsuitable); Evaluation of saprolite shall be by pits.
SOIL WETNESS Inches from land surface to free water or inches from land surface to soil colors with chroma 2 or less - record Munsell color chip designation
CLASSIFICATION S (Suitable) or U (Unsuitable)

Show profile locations and other site features (dimensions, reference or benchmark, and North).



1 inch = 60 feet
184
(778)
4785-60-1021
226
233
4785-40-2579
151
4785-30-7531
422
Longview Rd
1
PB 45-143
226
157
2
248
4785-40-2381
263
4785-30-9149
257

IREDELL COUNTY HEALTH DEPARTMENT

STATESVILLE 704-878-5305 (C) MOORESVILLE 704-664-5281

IMPROVEMENT PERMIT / AUTHORIZATION TO CONSTRUCT / OPERATION PERMIT / EXISTING SYSTEM INSPECTION

PERMIT# 12446 PIN# 4785-50-5083.001 40,2579 DATE 11-5-04

OWNER OR CONTRACTOR BRIAN & DIANE RONAN PHONE: Business 252-340-3498 Home 252-482-5819

ADDRESS 100 W. GALE ST. EDENTON NC 27932

LOCATION US 64 EAST, TR BARRY OAK ROAD, TR LONGVIEW ROAD, LOT ON LEFT ~ 0.1 MILE

SUBDIVISION FRANK PALA Longview SECTION 1 LOT 1 LOT AREA 1.40 ACRES SITE CLASS PS DESIGN FLOW 360 L.T.A.R. 0.20 cpd/ft²


Septic Tank: 1000 Gallons; STB 1004 Date 11-25-04
Pump Tank: ____ Gallons; PT ____ Date ____
Pump Make: ____ Model ____ Serial No. ____
Nitrification Field: No Fields 1 Square Feet 1800 Linear Feet 600
No Lines EIGHT Trench Width 36" Max Trench Bottom Depth 36" Gravel Depth 12"

☑ New System ☐ Repair System Type: I, II, III, IV, V, VI
System Description: CONVENTIONAL, GRAVITY
Repair System Description: CONVENTIONAL, GRAVITY
Maintenance Agreement Required: ☐ Yes ☑ No
☐ Slab ☑ Crawl Space ☐ Basement w/plumbing ☐ Basement wo/plumbing

☑ House/Mod. Home No. Bedrooms 3
☐ Mobile Home No. Bathrooms ____
☐ Business No. Employees ____
☐ Other

Water Supply: ☐ Individual ☑ Public ☐ Community

Comments/Conditions:



Comments/Conditions: SEPTIC TANK WITH MARKER INSTALLED USING "ZABEL" FILTER

AS BUILT SKETCH

SYSTEM INSTALLED ACCORDING TO INITAL SITE SKETCH

Permit can be suspended or revoked if any false information is supplied toward securing the permit/any unauthorized changes are made to the site/any unauthorized changes are made in the installation of the system. Improvement Permit with plat valid without expiration. Improvement Permit with site plan valid for sixty months. Authorization to Construct is valid for a period equal to that of Improvement Permit – not to exceed sixty months.

Signed: Brian & Ronan date 11-5-04 Installed by: JAMES HUMPHRIES

Improvement Permit by: STEVE HEDRICK date 11-5-04 Operation Permit by: STEVE HEDRICK date 1-13-05

Authorization to Construct by: STEVE HEDRICK date 11-5-04 Existing System Inspection by: ____ date ____

HEALTH DEPT. COPY: WHITE OWNER COPY (FINAL): YELLOW OWNER COPY (INITIAL): PINK