IREDELL COUNTY HEALTH DEPARTMENT

(SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION
(Ground Absorption Sewage Disposal System — G. S. Chapter 130-Article 13C)

OWNER OR CONTRACTOR John Love DATE 8 May 75 PERMIT NO. _____

PHONE: Business _____ Home _____

LOCATION Hwy 115 N. to Troutman Mill Rd #1588. Rt approx 2.3 mi. on Rt. Rd #1604. Go 1 mile end of road. Turn Left on private driveway S. R. No. _____


SUBDIVISION NAME _____ LOT NO. _____ SECTION OR BLOCK NO. _____

House (✓) Mobile Home ( ) Business ( ) Other _____

No. Bedrooms 3 No. Bathrooms 2

Garbage Disposal Unit	Yes ( )	No (✓)	Character & Porosity of Soil	Clay loam
Auto. Dishwasher	Yes ( )	No (✓)	Percolation Rate	none
Auto. Wash. Machine	Yes ( )	No (✓)	Topography	Slope 2 feet of home
Site Suitable	Yes (✓)	No ( )	Depth to Water Table	4 ft
			Rock or other impervious formations	None perc.

Lot Area _____



Plot of System

Size of Tank 1000 Gals.
Nitrification Field:
No. of Lines 3
Sq. Ft. 375 Linear Ft. 150
Depth of Stone in Lines 11"
Water Supply: Individual (✓)
Public ( )

Installed by James Herbert

IMPROVEMENTS PERMIT BY _____

COMMENTS: Cabin for rent and the future system early is back of home. Main & Cabin system designed for cabin. 50' from well - 50' from stream - 50' from lake

CERTIFICATE OF COMPLETION BY _____ DATE _____

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold