MANF-2025-74026 SH

# ICHD - ENVIRONMENTAL HEALTH DIVISION

Statesville Office (704) 878-5305 x3456 Mooresville Office (704) 660-3625

## SEPTIC: IMPROVEMENT PERMIT / AUTHORIZATION TO CONSTRUCT / OPERATION PERMIT / EXISTING SYSTEM

PERMIT : OSWP - 2024-61397

PIN # 4881 - 45 - 2170

APPLICANT/OWNER: BRENDA SMITH APPLICANT ADDRESS: 248 ROSWELL ROAD, HARMONY, N.C. 28634

SITE ADDRESS: 252 ROSWELL ROAD, HARMONY, N.C. 28634 PHONE: 704-929-6823 ALT. PHONE —

SITE DIRECTIONS: (N) ON 21, (R) ON POWELL BRIDGE, (R) ON ROSWELL, LOT ON (L) SAP CONTROLLED: ☑ YES ☐ NO

SUBDIVISION: Cleo A Sherrill Heirs SECTION: — LOT # 2 LOT AREA: — DESIGN FLOW: 120GPD L.T.A.R.(Initial): 0.3 L.T.A.R (Repair): 0.3


| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Septic Tank | 1000 | (gal) | STB | 854 | Date | — | ☑ New System | ☐ Repair | ☐ Expansion | System Type: I (II) III IV V VI | ☑ Residence | No. Bedrooms | 1 | Water Supply |
| Pump Tank | — | (gal) | PT | — | Date | — | System Description: | 25% REDUCTION | | | ☐ Business | No. Persons | 2 | ☐ Private |
| Pump Make | — | Model | — | Serial # | — | | Repair System Description: | 25% REDUCTION | | | ☐ Other | No. Employees | — | ☑ Public |
| # Nitrification Fields | 1 | # Lines | 2 | Linear Ft | 100FT | | Maintenance Agreement Required: | ☐ YES | ☑ NO | | ☐ Slab | ☑ Crawl Space | | ☐ Community |
| Trench Width | 36IN | *Max. Trench Depth(Initial) | 28IN | *Max. Trench Depth(Repair) | 28IN | Gravel Depth | — | ☑ GRAVITY | ☐ PRESSURE | | ☐ Basement w/ plumbing | ☐ Basement w/o plumbing | | |

* Measured on the downhill side of the trench Effluent Standard: ☐ DSE ☐ HSE ☐ TS-I ☐ TS-II ☐ RCW ☐ NSF/ANSI 40 Usable Depth to LC (Initial): 46 IN Usable Depth to LC (Repair): 46 IN *Limiting Condition*

Comments / Conditions: INSTALL ON CONTOUR, INSTALL ON 9FT CENTERS, UTILIZE SERIAL DISTRIBUTION, DO NOT EXCEED A 36IN MAX TRENCH DEPTH(HIGHSIDE) PROPERTY RECORDED IN DEED BOOK: 85 PAGES: 56

SEPTIC EASEMENT RECORDED IN DEED BOOK: 3119 PAGES: 896-899


INITIAL SITE SKETCH




AS BUILT SKETCH

**FOR SEPTIC FINAL INSPECTION CALL: 704-664-3703 between 8am-9am**

**the day the inspection is needed. Be sure to speak with an inspector to confirm your time.**




*Permit can be suspended or revoked if any false information is supplied toward securing the permit / any unauthorized changes are made to the site / any unauthorized changes are made in the installation of the system.* **CONTACT A LOCATOR SERVICE PRIOR TO ANY EXCAVATION**

☐ **IMPROVEMENT PERMIT** ***with plat*** *valid without expiration.* ☑ **IMPROVEMENT PERMIT** ***with site plan*** *valid for 60 mos.* ☑ **AUTHORIZATION TO CONSTRUCT** *valid for period equal to IMPROVEMENT PERMIT--not to exceed 60 mo.*

Owner / Applicant Signature: ONLINE SIGNATURE Date: — Installed by: A-1 BACKHOE

IMPROVEMENT PERMIT by: Bryant C. White Date: 12-4-2024 OPERATION PERMIT by: Bryant C. White Date: 4-22-2025

AUTHORIZATION TO CONSTRUCT by: Bryant C. White Date: 4-2-2025 Existing System Inspected by: — Date: —

| Item | Date | Initials |
|---|---|---|
| Drain Lines Checked | | |
| Tanks Checked | | |
| Pressure Manifold or Valve Box Checked | | |
| Pressure Head Set | | |
| Electrical Checked | | |
| Floats Set | | |
| Alarm Checked | | |
| Maintenance Contract Needed? Y / N | | |
| Comments: | | |
| | | |
| | | |

| Repairs Only | |
|---|---|
| | State Code |
| Failing System Code | |
| Type of Distribution | G or P |
| Type of Failure/Malfunction | |
| Primary Cause of Failure/Malfunction | |
| | |
| Age of System? _____ | |
| Initial or Repair? _____ | |

DEPARTMENT OF HEALTH AND HUMAN SERVICES
DIVISION OF PUBLIC HEALTH, ENVIRONMENTAL HEALTH SECTION
ON-SITE WATER PROTECTION BRANCH


PROPERTY ID #: TBD
COUNTY: IREDELL

## SOIL/SITE EVALUATION *for* ON-SITE WASTEWATER SYSTEM

(Complete all fields in full)

OWNER: BRENDA SMITH DATE EVALUATED: 11-26-2024
ADDRESS: 248 ROSWELL ROAD, HARMONY, N.C. 28634
PROPOSED FACILITY: 1BR PROPOSED DESIGN FLOW (.0400): 120GPD PROPERTY SIZE: TBD
LOCATION OF SITE: 252 ROSWELL ROAD, HARMONY, N.C. 28634 PROPERTY RECORDED: NO
WATER SUPPLY: ✓ Public Single Family Well Shared Well Spring Other _____ WATER SUPPLY SETBACK: 50FT
EVALUATION METHOD: Auger Boring ✓ Pit Cut TYPE OF WASTEWATER: ✓ Domestic High Strength IPWW

| PROFILE # | .0502 LANDSCAPE POSITION/ SLOPE % | HORIZON DEPTH (IN.) | SOIL MORPHOLOGY .0503 STRUCTURE/ TEXTURE | SOIL MORPHOLOGY .0503 CONSISTENCE/ MINERALOGY | OTHER PROFILE FACTORS .0504 SOIL WETNESS/ COLOR | .0505 SOIL DEPTH | .0506 SAPRO CLASS | .0507 RESTR HORIZ | .0509 PROFILE CLASS & LTAR* | .0503 SLOPE CORRECTION |
|---|---|---|---|---|---|---|---|---|---|---|
| 1 | LINEAR SIDE 10% | 0-13 | C, SBK | FR, S, P, SEXP | R/B MATRIX SAP INC THRU OUT LITHO 36"+ | 36" | PS II L | NA | PS .3 | 4" |
| | | 13-36 | CL, WSBK | FR, SS SP, SEXP | | | | | | |
| | | 36-56 | SAP, MAS | VFR, NS, NP, SEXP | | | | | | |
| 2 | NOSE 12% | 0-6 | SCL, SBK | FR, SS, SP, SEXP | R/B MATRIX SAP INC THRU OUT LITHO 52"L | 52" | PS II L | NA | PS .3 | 5" |
| | | 6-29 | C, SBK | FR, S, P, SEXP | | | | | | |
| | | 29-52 | CL, WSBK | FR, SS, SP, SEXP | | | | | | |
| | | 52-57 | SAP, MAS | VFR, NS, NP, SEXP | | | | | | |
| 3 | LINEAR SIDE 8% | 0-24 | C, SBK | FR, S, P, SEXP | R/B MATRIX SAP INC THRU OUT LITHO 47" | 47" | PS II L | NA | PS .3 | 3" |
| | | 24-47 | CL, WSBK | FR, SS, SP, SEXP | | | | | | |
| | | 47-55 | SAP, MAS | VFR, NS, NP, SEXP | | | | | | |
| 4 | | | | | | | | | | |

| DESCRIPTION | INITIAL SYSTEM | REPAIR SYSTEM |
|---|---|---|
| Available Space (.0508) | PS | PS |
| System Type(s) | 25% | 25% |
| Site LTAR | 0.3 | 0.3 |
| Maximum Trench Depth | 28 IN | 28 IN |

SITE CLASSIFICATION (.0509): PS
EVALUATED BY: Burnett C. White
OTHER(S) PRESENT: _____

Comments: _____


# LEGEND


| LANDSCAPE POSITION | SOIL GROUP | SOIL TEXTURE | CONVENTIONAL LTAR (gpd/ft²) | SAPROLITE LTAR (gpd/ft²) | LPP LTAR (gpd/ft²) | MINERALOGY/ CONSISTENCE | | STRUCTURE |
|---|---|---|---|---|---|---|---|---|
| CC (Concave slope) | I | S (Sand) | 0.8 - 1.2 | 0.6 - 0.8 | 0.4 -0.6 | MOIST | WET | SG (Single grain) |
| CV (Convex Slope) | | LS (Loamy sand) | | 0.5 -0.7 | | Lo (Loose) | NS (Non-sticky) | M (Massive) |
| D (Drainage way) | II | SL (Sandy loam) | 0.6 - 0.8 | 0.4 -0.6 | 0.3 - 0.4 | VFR (Very friable) | SS (Slightly sticky) | GR (Granular) |
| FP (Flood plain) | | L (Loam) | | 0.2 - 0.4 | | FR (Friable) | S (Sticky) | SBK (Subangular blocky) |
| FS (Foot slope) | III | SiL (Silt loam) | 0.3 - 0.6 | 0.1 - 0.3 | 0.15 - 0.3 | FI (Firm) | VS (Very sticky) | ABK (Angular blocky) |
| H (Head slope) | | SCL (Sandy clay loam) | | 0.05 - 0.15** | | VFI (Very firm) | NP (Non-plastic) | PR (Prismatic) |
| L (Linear Slope) | | CL (Clay loam) | | None | | EFI (Extremely firm) | SP (Slightly plastic) | PL (Platy) |
| N (Nose slope) | | SiCL (Silty clay loam) | | | | | P (Plastic) | |
| R (Ridge/summit) | | Si (Silt) | | | | | VP (Very plastic) | |
| S (Shoulder slope) | IV | SC (Sandy clay) | 0.1 - 0.4 | | 0.05 - 0.2 | SEXP (Slightly expansive) | | |
| T (Terrace) | | SiC (Silty clay) | | | | EXP (Expansive) | | |
| TS (Toe Slope) | | C (Clay) | | | | | | |
| | | O (Organic) | None | | | | | |

* Adjust LTAR due to depth, consistence, structure, soil wetness, landscape, position, wastewater flow and quality.
**Sandy clay loam saprolite can only be used with advanced pretreatment in accordance with 15A NCAC 18E .1200.

*HORIZON DEPTH* In inches below natural soil surface
*DEPTH OF FILL* In inches from land surface
*RESTRICTIVE HORIZON* Thickness and depth from land surface
*SAPROLITE* S(suitable) or U(unsuitable); Evaluation of saprolite shall be by pits.
*SOIL WETNESS* Inches from land surface to free water or inches from land surface to soil colors with chroma 2 or less - record Munsell color chip designation
*CLASSIFICATION* S (Suitable) or U (Unsuitable)

**Show profile locations and other site features (dimensions, reference or benchmark, and North).**




622
840'
1243
4881-46-9560
Powell Bridge Rd
4881-45-9
4881-46-9560
820'
987
4881-54-391
198
434
820'
4881-24-6431
1691
Pit3
Pit2
Proposed
1br house
252
53
17
55
Pit1
455
106 Ext
100
4881-45-2053
840'
Ext 3'
250
Roswell Rd
13
454
56
4881-24-6431
4881-44-7714
1 inch = 80 feet

I, JIMMY N. FAIRES, CERTIFY THAT THIS PLAT WAS DRAWN UNDER MY SUPERVISION FROM AN ACTUAL SURVEY MADE UNDER MY SUPERVISION, DEED DESCRIPTION AND/OR MAP BOOK _SEE_ PAGE _NOTE #2_; THAT THE BOUNDARIES NOT SURVEYED ARE CLEARLY INDICATED AS DRAWN FROM INFORMATION FOUND IN BOOK _N/A_, PAGE _N/A_; THAT THE RATIO OF PRECISION AS CALCULATED IS 1:10,000+; THAT THIS PLAT CREATES A SUBDIVISION OF LAND WITHIN A COUNTY OR MUNICIPALITY THAT HAS AN ORDINANCE THAT REGULATES PARCELS OF LAND, AND THAT THIS PLAT WAS PREPARED IN ACCORDANCE WITH G.S. 47-30 AS AMENDED. WITNESS MY ORIGINAL SIGNATURE, REGISTRATION NUMBER AND SEAL; THIS _____ DAY OF _____, 2024.

# PRELIMINARY

JIMMY N. FAIRES, PLS
LICENSE NUMBER: L-4311

I HEREBY CERTIFY THAT I AM THE OWNER OF THE PROPERTY SHOWN AND DESCRIBED HEREON, WHICH IS LOCATED IN THE SUBDIVISION JURISDICTION OF THE COUNTY OF IREDELL AND THAT I HEREBY ADOPT THIS PLAN OF SUBDIVISION WITH MY FREE CONSENT AND ESTABLISH MINIMUM BUILDING SETBACKS AS NOTED.

I FURTHER CERTIFY THAT:
a. THERE ARE NO DEED RESTRICTIONS WHICH WILL BE VIOLATED BY THE REQUESTED SUBDIVISION; AND
b. THERE ARE NO GOVERNMENTAL REGULATIONS OF ANY KIND, OTHER THAN THOSE FOR WHICH A VARIANCE HAS BEEN APPLIED FOR UNDER THE IREDELL COUNTY SUBDIVISION ORDINANCE REGULATIONS, WHICH WILL BE VIOLATED BY THE REQUESTED SUBDIVISION; AND
c. I UNDERSTAND THAT ENFORCEMENT OF DEED RESTRICTIONS AND ANY OTHER CONTRACTUAL AGREEMENTS IS NOT THE RESPONSIBILITY OF IREDELL COUNTY, WILL NOT BE UNDERTAKEN BY IREDELL COUNTY, AND IS THE SOLE RESPONSIBILITY OF THE PARTIES AFFECTED BY VIOLATIONS OF SUCH DEED RESTRICTIONS AND CONTRACTUAL AGREEMENTS.

_____ _____
DATE OWNER (TAX PARCEL: 4881-45-2053)

NORTH CAROLINA, _____ COUNTY.

I, _____, CERTIFY THAT

_____
PERSONALLY APPEARED BEFORE ME THIS DAY AND ACKNOWLEDGED THE EXECUTION OF THE FOREGOING INSTRUMENT. WITNESS MY HAND AND OFFICIAL STAMP OR SEAL, THIS _____ DAY OF _____, 2024.

_____
NOTARY PUBLIC


MY COMMISSION EXPIRES: _____

PROXIMITY TO VOLUNTARY FARMLAND PRESERVATION DISTRICT

THIS PROPERTY, OR PORTIONS THEREOF, IS LOCATED WITHIN 1/2 MILE OF A DESIGNATED VOLUNTARY FARMLAND DISTRICT. THIS PROGRAM HAS BEEN DEVELOPED TO INFORM ALL PURCHASERS OF REAL PROPERTY THAT CERTAIN AGRICULTURAL ACTIVITIES, INCLUDING BUT NOT LIMITED TO, PESTICIDE SPRAYING, MANURE SPREADING, MACHINERY AND TRUCK OPERATIONS, LIVESTOCK OPERATIONS, SAWING AND SIMILAR ACTIVITIES MAY TAKE PLACE IN THIS DISTRICT ANY TIME DURING THE DAY OR NIGHT.

SURVEYOR NOTES

| CURVE TABLE | | | | |
|---|---|---|---|---|
| CURVE | RADIUS | ARC | BEARING | CHORD |
| C1 | 307.78' | 41.48' | N 15°51'17" W | 41.45' |
| C2 | 307.78' | 41.48' | N 08°07'55" W | 41.45' |
| C3 | 277.78' | 127.04' | N 32°49'05" W | 125.94' |



11/26/24

Brenda Smith
252 Roswell Rd
Harmony NC
28625

Brenda Smith

# PERMIT SNAPSHOT REPORT OSWP-2024-61397 FOR IREDELL COUNTY

| | | | | | |
|---|---|---|---|---|---|
| **Permit Type** | Environmental Health OSWP | **Project:** | | **App Date:** | 09/09/2024 |
| **Work Class:** | EH Septic Permit | **District:** | Iredell County | **Exp Date:** | NOT AVAILABLE |
| **Status:** | In Progress | **Square Feet:** | 0.00 | **Completed:** | NOT COMPLETED |
| **Valuation:** | $0.00 | **Assigned To:** | White, Bryant | **Approval Expire Date:** | |
| **Description:** | This is perc test to set up singlewide mobile home | | | | |

| | | |
|---|---|---|
| **Parcel:** 4881452053.000 Main | **Address:** 252 Roswell Rd Main<br>Harmony, NC 28634 | **Zone:** RA(Residential Agricultural District) |

Property Owner
CLEO R HEIRS SHERRILL

Applicant/Authorized Agent
Brenda Smith
248 Roswell rd
Harmony, NC 28634
704-929-6823

**Permit Custom Fields**

| | | | | | |
|---|---|---|---|---|---|
| How is your site plan being submitted | Custom Site Plan | Septic Application/Permit Type | Re-Layout/change septic permit (sys not installed) | Does the site contain any jurisdictional wetlands | No |
| Non-domestic Sewage Generated | No | Other Public Agency | No | All proposed structure dimensions | 14 foot wide by 70 foot long required steps |
| What are the proposed structures | Manufactured Home | Type of New Single-Family Residence | Mobile Home | Maximum Number of Bedrooms | 2 |
| If other Addition/Structure, please explain | | Number of Occupants | 1 | Foundation Type | Crawl Space Foundation |
| Residential/Business/Other | Residential | Water Supply | Other Public Water | Desired Septic System Type | Conventional (most common) |
| If other septic system type, please explain | | Pump Make | | # of Nitrification Fields | |
| Model | | Serial # | | System Description | |
| Repair System Description | | Comments/Conditions | | Has this project been approved by TRC | No |
| Front Setback | 35 | Back Setback | 35 | Left Setback | 15 |
| Right Setback | 15 | Is the structure or development in the floodplain | No | Is the property in a local historic district? | No |
| Is the property located downtown? | No | Zoning Notes/Addendums | REQUIREMENTS FOR AL SINGLEWIDE MOBILE HOMES Must meet requirement R10 of the LDC. Must remove the towing apparatus, if it cannot be removed, it shall be screened; Must have a continuous underpinning; Must have 36 square foot front porch constructed within 12 inches of the floor elevation; Must have approved steps at all other secondary entrances and exits; Must face front property line and be no more than 20 degrees from parallel to | | the front property line. Original home must be removed before Certificate of Occupancy can be approved. |

# PERMIT SNAPSHOT REPORT (OSWP-2024-61397)

| | | | |
|---|---|---|---|
| Additional Unique Setbacks Apply | No | Watershed | WSIV CA CATAWBA/LAKE NORMAN |

| Type of Hold | Created By | Date Created | Hold Origin | Comments | Active |
|---|---|---|---|---|---|
| Awaiting Additional Documents | Barbara Nebel | 11/05/2024 15:33 | OSWP-2024-61397 | Debbie sent email for clarification | No |

| Attachment File Name | Added On | Added By | Attachment Group | Notes |
|---|---|---|---|---|
| Signature_Brenda_Smith_9/9/2024.jpg | 09/09/2024 13:50 | Smith, Brenda | | Uploaded via CSS |
| 252 ROSWELL RD AUTHORIZE AN OWNER.pdf | 11/05/2024 13:32 | COMEAUX, DEBRA | Available Online | AUTHORIZE AN OWNER |
| 252 Roswell Survey Site Plan.jpg | 11/06/2024 16:13 | Nebel, Barbara | | |
| 252 Roswell Email.pdf | 11/07/2024 8:46 | Nebel, Barbara | | |
| 252 Roswell Site Plan - mark up by TC.pdf | 11/07/2024 8:46 | Nebel, Barbara | | |

| Inspection Number | Status | Inspection Type | Request Date | Scheduled Start Date | Scheduled End Date | Actual Start Date | Actual End Date |
|---|---|---|---|---|---|---|---|
| 2024-265292 | Requested | OSWP Septic/Well Preliminary Site Visit | 11/19/2024 | 11/20/2024 0:00 | 11/20/2024 0:00 | | |

**Inspectors:** Botkins, Ben (Primary)


| Checklist Item | Description | Passed | Comments |
|---|---|---|---|
| General Comments | Checklist item used to track general comments, not specific to any other checklist item | No | |

| Note | Created By | Date and Time Created |
|---|---|---|
| 1. I sent Brenda an email to call or email me back confirming property is ready for me to inspect. | Peter Mravetz | 11/18/2024 14:43 |

| Invoice No. | Fee | Fee Amount | Amount Paid |
|---|---|---|---|
| INV-00037830 | New Gravity System | $500.00 | $500.00 |
| | Iredell Zoning Tech Fee | $2.25 | $2.25 |
| | Iredell Zoning Permit Fee | $75.00 | $75.00 |
| | Total for Invoice INV-00037830 | $577.25 | $577.25 |
| | **Grand Total for Permit** | **$577.25** | **$577.25** |

| Workflow Step / Action Name | Action Type | Start Date | End Date |
|---|---|---|---|
| **Application Completeness Check v.1** | | 11/05/2024 13:33 | 11/05/2024 13:34 |
| Confirm application complete v.1 | Generic Action | | 11/05/2024 13:34 |
| **Zoning Review v.1** | | 11/07/2024 9:03 | 11/08/2024 14:57 |
| ~~Floodplain Admin Overview v.1~~ | Task | | 11/07/2024 9:03 |
| Iredell County Zoning Approval v.1 | Task | 11/07/2024 9:03 | 11/08/2024 14:57 |
| Issue Invoice v.1 | Generic Action | | 11/07/2024 9:05 |
| Fees Paid v.1 | Generic Action | | 11/07/2024 14:18 |
| **Fees v.1** | | 11/07/2024 9:05 | 11/07/2024 14:18 |
| Issue Invoice v.1 | Generic Action | | 11/07/2024 9:05 |
| Fees Paid v.1 | Generic Action | | 11/07/2024 14:18 |
| **Lot Readiness Verification v.1** | | 11/19/2024 11:46 | |
| OSWP Septic Preliminary Site Visit v.1 | Inspection | 11/19/2024 11:46 | 11/19/2024 11:46 |
| OSWP Site Evaluation v.1 | Inspection | | |
| Issue Improvement Permit v.1 | | | |
| Issue Invoice v.1 | Generic Action | | |
| Fees Paid v.1 | Generic Action | | |
| Issue Permit v.1 | Generic Action | | |
| Permit Completion Process v.1 | | | |

| | |
|---|---|
| Authorization to Construct Permit v.1 | Create Sub Permit |
| Issue Authorization to Construct v.1 | Generic Action |


Q Search
987
434
Mobile Home
14 Foot wide
70 Foot long
1691
40' Foot
100+ Feet
252
70' long
14' wide
100+ Feet
455
Roswell Rd
Driveway Easement
100+ Feet
277
Roswell Rd
Right of way
Roswell Rd
250
113
454
56
25' road frontage

IREDELL COUNTY HEALTH DEPARTMENT

(SEPTIC TANK) IMPROVEMENTS PERMIT AND CERTIFICATE OF COMPLETION
(Ground Absorption Sewage Disposal System – G. S. Chapter 130-Article 13C)

OWNER OR CONTRACTOR Roy L. Sherrill DATE 5-29-87 PERMIT NO. _____

PHONE: Business _____ Home _____

LOCATION 21 N 1mi past Harmony TR on Powell Rd 1mi TR on Roswell Rd 1st Hse on left S. R. No. _____

SUBDIVISION NAME _____ LOT NO. _____ SECTION OR BLOCK NO. _____


House (✓) Mobile Home ( ) Business ( ) Other Adding bathroom

No. Bedrooms _____ No. Bathrooms _____

| | | | | |
|---|---|---|---|---|
| Garbage Disposal Unit | Yes ( ) | No ( ) | Character & Porosity of Soil | Clayey |
| Auto. Dishwasher | Yes ( ) | No ( ) | Percolation Rate | 4 |
| Auto. Wash. Machine | Yes ( ) | No ( ) | Topography | Flat to Rolling |
| Site Suitable | Yes ( ) | No ( ) | Depth to Water Table | 10' + |
| | | | Rock or other impervious formations | none |

Lot Area _____

_____ Basement with Plumbing _____ Basement without Plumbing _____ No Basement



Plot of System

Size of Tank 1000 Gals.

Nitrification Field:
No. of Lines 2
Sq. Ft. 500 Linear Ft. 200
Depth of Stone in Lines 12"

Water Supply: Individual (✓)
Public ( )

Installed by Jamie Hartness

I understand and agree to install septic tank system as specified on this Improvements Permit.

Signed: _____

IMPROVEMENTS PERMIT BY P. C. Moore

COMMENTS: _____


CERTIFICATE OF COMPLETION BY P. C. Moore DATE 5-29-87

EXISTING SYSTEM CHECKED BY: _____ DATE _____

CONSTRUCTION MUST COMPLY WITH ALL OTHER APPLICABLE STATE AND LOCAL REGULATIONS.

Permit is VOID if any unauthorized changes are made in installation of system and/or if any false information is supplied in making Improvements Permit.

Health Dept. Copy: White Inspection Dept. Copy: Yellow Sanitarian's Copy: Pink Owner's Copy: Gold




KNOW ALL MEN BY T
CERTIFY THAT I AM (
PROPERTY SHOWN AN
HEREBY ACKNOWLEDG
FREE ACT AND DEED.

DATE

NORTH CAROLINA, __

I, _____

PERSONALLY APPEAR
ACKNOWLEDGED THE
INSTRUMENT. WITNESS
SEAL, THIS _____ D

NOTARY PU

MY COMMISSION EXPI

**PRELIM**
**NOT FOR**
**CON**
**AND/**

STATE OF NORTH CAROLINA, IREDELL COUNTY

I, _____ REVIEW OFFICER OF IREDELL COUNTY, CERTIFY THAT THE MAP OR PLAT TO WHICH THIS CERTIFICATION IS AFFIXED MEETS ALL STATUTORY REQUIREMENTS FOR RECORDING.

_____ DATE

_____ REVIEW OFFICER

THE LOTS WITHIN THIS PLAT REVISION, TO THE BEST OF MY KNOWLEDGE, LIE WITHIN THE WS-III BALANCE AREA OF THE SOUTH YADKIN WATERSHED DESIGNATED BY THE ENVIRONMENTAL MANAGEMENT COMMISSION AS APPEARS ON THE WATERSHED PROTECTION MAP OF IREDELL COUNTY.

_____ _____

LEGEND

R/W = Right-of-Way
CCM = Concrete Monument
EOP = Edge-of-Pavement
RCP = Reinforced Concrete Pipe
CMP = Corrugated Metal Pipe
SF = Square Feet
○ = Computed Point
Ⓣ = Telephone Pedestal
= Utility Pole
— OU — = Overhead Utility

MINOR SUBDI
REVISI(
PLAT BOOK: '
CLEO R. SHE
PROPERTY –
DEED BOOK: 7
250 & 252 RO
EAGLE MILLS TOWNSHIP,

Owner – Tax Parcel: 4881-45-2053:

DORCAS SHERRILL (HEIR)
250 ROSWELL ROAD
HARMONY, NC 28634

GEOMATIC CO